List of Applications Deleted in ARL #2697

		List of Application	ons Deleted in ARL	#2037	
SoftwareTitleName	Publisher	Reason			
ALM Microsoft Excel Add-i	Micro Focus	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
apache-commons-daemon	Apache Software Foundation			rcial applications. All related evidences are mapped to respective major versio	
apache-commons-lang 3.7	Red Hat	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
apache-commons-lang 3.9	Red Hat	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
Apigee Postgres Server 4.5	Google			rcial applications. All related evidences are mapped to respective major versio	
Apigee Postgres Server 4.5	Google	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
apigee-nginx 1.10	Nginx	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
apigee-nginx 1.12	Nginx	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
apigee-nginx 1.14	Nginx	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
apigee-nginx 1.15	Nginx	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
apigee-nginx 1.16	Nginx			rcial applications. All related evidences are mapped to respective major versio	
apigee-nginx 1.20	Nginx	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
apigee-service 4.5	Google	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
Application Lifecycle Mana		This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
Application Lifecycle Mana	Micro Focus	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
Application Lifecycle Mana	Micro Focus	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
Application Lifecycle Mana	Micro Focus	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
Application Sharing 2.3	Cisco	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
ArcGIS Engine Runtime 10.	ESRI	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
ArcGIS Engine Runtime 10.	ESRI	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
ArcGIS Engine Runtime 9.3	ESRI			rcial applications. All related evidences are mapped to respective major version	
Automated Service Manag	Oracle			rcial applications. All related evidences are mapped to respective major versio	
Automated Service Manag	Oracle			rcial applications. All related evidences are mapped to respective major version	
Automated Service Manag	Oracle	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
Automated Service Manag				rcial applications. All related evidences are mapped to respective major version	
axis2 1.1	Apache Software Foundation			rcial applications. All related evidences are mapped to respective major version	
axis2 1.4	Apache Software Foundation			rcial applications. All related evidences are mapped to respective major version	
axis2 1.5	Apache Software Foundation			rcial applications. All related evidences are mapped to respective major version	
axis2 1.6	Apache Software Foundation			rcial applications. All related evidences are mapped to respective major version	
axis2 1.7	Apache Software Foundation			rcial applications. All related evidences are mapped to respective major version	
base-files 10.1	Canonical			rcial applications. All related evidences are mapped to respective major version	
base-files 6.5	Canonical			rcial applications. All related evidences are mapped to respective major version	
bash 4.2	CentOS			rcial applications. All related evidences are mapped to respective major version	
bash 4.4	CentOS			rcial applications. All related evidences are mapped to respective major version	
BESTCOMSPlus 2.1	Basler Electric			rcial applications. All related evidences are mapped to respective major version	
BESTCOMSPlus 3.2	Basler Electric			rcial applications. All related evidences are mapped to respective major version	
BESTCOMSPlus 3.21	Basler Electric			rcial applications. All related evidences are mapped to respective major version	
BESTCOMSPlus 3.3	Basler Electric	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
BESTCOMSPlus 3.6	Basler Electric	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
BESTCOMSPlus 3.9	Basler Electric	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
BIG-IP Edge Client Compon		This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
binutils 2.3	Software in the Public Interest	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major version	n of the Product.
Brave Browser 98.1	Brave Software	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
bsdutils 1	Canonical	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
Classification Suite 20.10	HelpSystems	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
cockpit 185.1	Red Hat	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
cockpit 185.2	Red Hat	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
Commons Logging 1	Amazon	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
Control Panel	Progress Software	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
Control Panel 18.2	Progress Software	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
Control Panel 18.3	Progress Software	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
Control Panel 19.2	Progress Software			rcial applications. All related evidences are mapped to respective major versio	
Control Panel 19.3	Progress Software			rcial applications. All related evidences are mapped to respective major version	
Control Panel 20.2	Progress Software	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
Control Panel 21.2	Progress Software	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
CONTROL-M/Enterprise Ma	BMC	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
CONTROL-M/Enterprise Ma				rcial applications. All related evidences are mapped to respective major version	
CONTROL-M/Enterprise Ma				rcial applications. All related evidences are mapped to respective major version	
darktable 3.4	The Darktable Team	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
darktable 3.6	The Darktable Team	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major versio	n of the Product.
Developer Studio C Compil	Oracle			rcial applications. All related evidences are mapped to respective major version	
Developer Studio C++ Com				rcial applications. All related evidences are mapped to respective major version	
Device Manager 6.8	Xerox			rcial applications. All related evidences are mapped to respective major versio	
devtoolset-2-guava 13.0	Red Hat			rcial applications. All related evidences are mapped to respective major version	
devtoolset-8-binutils 2.3	Red Hat			rcial applications. All related evidences are mapped to respective major version	
docker 18.09	Amazon			rcial applications. All related evidences are mapped to respective major version	
docker-latest 1.13	Red Hat		0	rcial applications. All related evidences are mapped to respective major version	
Dynamo for Autodesk Civil				rcial applications. All related evidences are mapped to respective major versio	
Edge UI 4.50	Google			rcial applications. All related evidences are mapped to respective major versio	
Edge UI 4.51	Google			rcial applications. All related evidences are mapped to respective major versio	
Edge-Management-Server	Google			rcial applications. All related evidences are mapped to respective major versio	
	Google			rcial applications. All related evidences are mapped to respective major versio	
edge-router 4.50	Google			rcial applications. All related evidences are mapped to respective major version	
edge-router 4.51	Google			rcial applications. All related evidences are mapped to respective major versio	
EdgeSight for XenApp Ager	Citrix Systems			rcial applications. All related evidences are mapped to respective major versio	
EdgeSight for XenApp Ager	Citrix Systems			rcial applications. All related evidences are mapped to respective major versio	
EdgeSight for XenApp Ager	Citrix Systems			rcial applications. All related evidences are mapped to respective major versio	
EdgeSight for XenApp Ager	Citrix Systems			rcial applications. All related evidences are mapped to respective major versions applications. All related evidences are mapped to respective major versions and the respective major versions.	
EdgeSight for XenApp Ager	· · · · · · · · · · · · · · · · · · ·			rcial applications. All related evidences are mapped to respective major versio	
eject 2	United Linux			rcial applications. All related evidences are mapped to respective major versio	
eject 2	Canonical			rcial applications. All related evidences are mapped to respective major versio	
eog 3.14	Oracle CNOME Project			rcial applications. All related evidences are mapped to respective major versions applications. All related evidences are mapped to respective major versions and the respective major versions.	
evince 3	GNOME Project			rcial applications. All related evidences are mapped to respective major versio	
Eye of GNOME 3	GNOME Project			rcial applications. All related evidences are mapped to respective major versio	
Eye of GNOME 3.2	GNOME Project			rcial applications. All related evidences are mapped to respective major versio	
Eye of GNOME 3.8	GNOME Project			rcial applications. All related evidences are mapped to respective major versio	
Forefront Endpoint Protect	Microsoft			rcial applications. All related evidences are mapped to respective major versio	
Forefront Endpoint Protect	Microsoft			rcial applications. All related evidences are mapped to respective major versio	
Forefront Endpoint Protect				rcial applications. All related evidences are mapped to respective major version	
	Microsoft			rcial applications. All related evidences are mapped to respective major versio	
Forefront Endpoint Protect	Microsoft			rcial applications. All related evidences are mapped to respective major versio	
Forefront Endpoint Protect	Microsoft			rcial applications. All related evidences are mapped to respective major versio	
Forefront Endpoint Protect				rcial applications. All related evidences are mapped to respective major version	
Forefront Endpoint Protect	Microsoft			rcial applications. All related evidences are mapped to respective major versio	
Forefront Endpoint Protect	Microsoft			rcial applications. All related evidences are mapped to respective major versio	
Fotor Photo Editor 4.2	Everimaging			rcial applications. All related evidences are mapped to respective major version	
FXall 8.1	Refinitiv	This Application is ignored in favor of new wildcare	ding rule for non-comme	rcial applications. All related evidences are mapped to respective major version	n of the Product.

gcc-sh64-linux-gnu 4.8	Fedora Project	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
gcc-sh-linux-gnu 4.8	Fedora Project	This Application is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
gdb 7.6	CentOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Git Extensions 2.5	Git Extensions team	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Git Extensions 3.2	Git Extensions team	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Git Extensions 3.3	Git Extensions team	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Git Extensions 3.4	Git Extensions team	This Application is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Git Extensions 3.5	Git Extensions team	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
GitLab 14.1 Enterprise	GitLab	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
gitlab-ce 7.10	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
glusterfs 3.10	CentOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
glusterfs 3.13	CentOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
glusterfs 3.6	CentOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
glusterfs 3.7	CentOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
grep 2.27	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
groovy 1	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Messaging Service 5	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Group Policy Management		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
gtksourceview 3	GNOME Project	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Hadoop MapReduce 2.2	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Hadoop MapReduce 2.3	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Hadoop MapReduce 2.4	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Hadoop MapReduce 2.5	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Hadoop MapReduce 2.6	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Hadoop MapReduce 2.7	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Hadoop MapReduce 3.1	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Hadoop MapReduce 3.2	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
hadoop-mapreduce 2.10	Amazon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
hadoop-mapreduce 2.8	Amazon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
indicator-application 12	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
indicator-appmenu 15	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
indicator-bluetooth 0.0.6	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
indicator-printers 0.1	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
indicator-sound 12	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
initramfs-tools 0.103	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
initramfs-tools 0.122	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
initramfs-tools 0.130	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
initramfs-tools 0.9	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
initramfs-tools-bin 0.130	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
initramfs-tools-bin 0.9	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
initramfs-tools-core 0.122	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
initramfs-tools-core 0.130		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
init-system-helpers	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
init-system-helpers 1	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Ink Draft 1.0	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
inputattach 1:1	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Inventor Language Pack 20		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
iputils-ping	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
iputils-ping 3:20	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
iVMS-4200 1.5	Hangzhou Hikvision Digital Technologi	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
iVMS-4200 3.2	Hangzhou Hikvision Digital Technologi	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
iVMS-4200 3.3		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
iVMS-4200 3.4		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
iVMS-4200 3.5	Hangzhou Hikvision Digital Technologi	
iVMS-4200 3.6	Hangzhou Hikvision Digital Technologi	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
iVMS-4200 3.7		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
JASP 0.10	THE JASP TEAM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
JASP 0.11	THE JASP TEAM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
JASP 0.15	THE JASP TEAM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
JASP 0.16	THE JASP TEAM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
JASP 0.8	THE JASP TEAM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Java HotSpot Virtual Mach		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Javassist 3.1	Shigeru Chiba	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Javassist 3.9	Shigeru Chiba	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
jpeg 6.0	Independent JPEG Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
jpeg 8c	Independent JPEG Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
jpeg 8d	Independent JPEG Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
KDiff3 0.9	KDE	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
kdiff3 1.9	KDE	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
kubelet 1.16	Linux Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
kubelet 1.21	Linux Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
		VI III TOUGHT

kubelet 1.23 Linux Foundation This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libapache2-mod-php 1:7 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libapache2-mod-php 5 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libapache2-mod-php 5 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libapaint for a canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libabulit-common 1:2 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libabulity and the supplementation of the properties of the prop	tive major version of the Product.
Ilibapache2-mod-php 1:7 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	tive major version of the Product.
libapache2-mod-php5 5 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libapindicator3-112 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libblidid 2 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libcurl3 7.6 Software in the Public Interest This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libcurl3 7.6 Software in the Public Interest This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libdebconfclient 0.187 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libdebconfclient 0.198 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libdebconfclient 0.198 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libdebconfclient 0.198 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libdebconfclient 0.198 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libdebconfclient 0.198 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications.	tive major version of the Product. tive major version of the Product. tive major version of the Product. tive major version of the Product.
libappindicator3-112 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libbudit-common 1:2 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libbudit 2 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libdebconfclient0 0.187 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libdebconfclient0 0.198 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libdebconfclient0 0.198 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libdebconfclient0 0.198 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libdebconfclient0 0.198 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libdebconfclient0 0.198 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libdebconfclient0 0.198 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libdebconfclient0 0.198 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libdebconfclient0 0.198 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications.	tive major version of the Product. tive major version of the Product. tive major version of the Product.
libaudit-common 1:2 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libbulid 2 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libbulid 7.6 Software in the Public Interest This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libbulidebconfclient0 0.187 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libbulidebconfclient0 0.198 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libestr0 0.1 This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libestr0 0.1 This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libestr0 0.1 This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libestr0 0.1 This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libestr0 0.1 This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libestr0 0.1 This Application is ignored in favor of new wildcarding rule for non-commercial applications.	tive major version of the Product. tive major version of the Product.
iibblkid1 2 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect iibbeuri 7.6 Software in the Public Interest This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libdebconficient 0.187 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libdebconficient 0.198 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libestro 0.1 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libestro 0.1	tive major version of the Product.
libcurl3 7.6 Software in the Public Interest This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Iibdebconfclient0 0.187 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Iibdebconfclient0 0.198 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Iibestr0 0.1 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Iibestr0 0.1 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Iibestr0 0.1 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Iibestr0 0.1 Iibestr0	
libdebconfclient0 0.198 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libestr0 0.1 This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	tive major version of the Product.
libestr0 0.1 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libfakeroot 1.2 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libgpg-error 1.1 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libgpg-error 0 1.2 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libkScrypto3 1.10 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libkScrypto3 1.12 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libkScrypto3 1.13 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
indistry production is gnote in ray of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libits/rb5.1.1 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect to the production of the production	
libkrb5support0 1.10 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libkrb5support0 1.12 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libkrbsupport0 1.13 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect.	
libmm-glib 0 1.6 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libmount 1 2.2 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libmount 2.3 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libmspack0 0.5 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	tive major version of the Product.
libmspack0 0.6 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libncurses 5.9 Software in the Public Interest This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libncurses 5.0 Software in the Public Interest This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
indictuses 5.0. Software in the Public Interest This Application is ignored in a work of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect to the relation of th	
libncursesw6 6 Software in the Public Interest This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libncursesw6 6.2 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libnl-3-200 3.2 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect LibreOffice 6.1 The Document Foundation This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
LibreOffice 6.1 The Document Foundation This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect LibreOffice 6.2 The Document Foundation This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	,
LibreOffice 6.3 The Document Foundation This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
LibreOffice 6.4 The Document Foundation This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	tive major version of the Product.
LibreOffice 7.1 The Document Foundation This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect.	
LibreOffice 7.2 The Document Foundation This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect LibreOffice 7.3 The Document Foundation This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libsemanage-common 2.7 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libsepol 1 2.2 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libsepol 2.4 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libsmartcols 1 2.2 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libsqlite 3-0 3.1 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
insques-0.5.1 Canonical This Application is ignored in rayor of new wildcarding rule of non-commercial applications. All related evidences are mapped to respect libisques-0.5.8 Canonical This Application is ignored in favor of new wildcarding rule of non-commercial applications. All related evidences are mapped to respect to the property of the pro	
libudev1 204-5 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libudev1 229-4 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libunistring0 0.9 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libunid1 2.20 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libuuid1 2.20 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect libuuid1 2.27 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libvorbis0a 1.3 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
libxslt1.1 1.1 Software in the Public Interest This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
locales 2.2 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
Logi Tune Logitech This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Logi Tune 1.5 Logitech This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
Logi Tune 1.6 Logitech This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
Logi Tune 2.1 Logitech This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
Logi Tune 2.2 Logitech This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
logrotate 3.1 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect logrotate 3.7 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
logrotate 3.8 Canonical This Application is ignored in favor or few wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
Media Player (PMP) 2.13 Plex This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	tive major version of the Product.
Media Player (PMP) 2.19 Plex This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
Media Player (PMP) 2.30 Plex This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Media Player (PMP) 2.31 Plex This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	,
interest rayer (PMP) 2.3.4 Plex This Application is ignored in avoir of new wildcarding rule of non-commercial applications. All related evidences are mapped to respect. This Application is ignored in favor of new wildcarding rule of non-commercial applications. All related evidences are mapped to respect.	
Media Player (PMP) 2.49 Plex This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	tive major version of the Product.
Media Player (PMP) 2.51 Plex This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect.	
Mesa 11.2 Red Hat This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Mesa 17.2 Red Hat This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
Mesa 18.3 Red Hat This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
Mesa 19.3 Red Hat This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	tive major version of the Product.
Mesa 20.3 Red Hat This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
mesa-libGL 17.0 CentOS This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect mesa-libGL 18.3 CentOS This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
mesa-inote 1.9.3 CentOS This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect mesa-libol 1.9.3 CentOS This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect to the commercial applications and the commercial applications are mapped to respect to the commercial applications are mapped to respect to the commercial applications. All related evidences are mapped to respect to the commercial applications are mapped to respect to the commercial applications. All related evidences are mapped to respect to the commercial applications are mapped to respect to the commercial applications.	
mesa-libGL 20.3 CentOS This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	tive major version of the Product.
mesa-libGl 21.3 CentOS This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	,
Message Processor 4.50 Google This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Message Processor 4.51 Google This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
intersage Processor 3.3 1 300ge Intersage Processor 3.1 1 30ge Intersage Processor 3.2 1 30ge Intersage Processor 3.3 1 30ge Intersage Processor 3.2 1 30ge	
mime-support 3.6 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	tive major version of the Product.
mtr-tiny 0.8 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
mtr-tiny 0.9 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect mysql-connector-java 8.0 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
Impayr-connector-java 6.0 Oracle Impayr-connector-java 6.0 Oracle Impayr-connector-java 6.0 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
ncurses-term 6.1 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	tive major version of the Product.
neticat- openbsd 1.1 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
netcat-openbsd 1.8 Canonical This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect National Visualization is investigated in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect to the programment of the programment o	
Network Virtualization 9.1 Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
Inodeis 10.23 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are manned to respect	
nodejs 10.23 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Nomad Branch Admin Exte 1E This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
Nomad Branch Admin Exte 1E This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Nomad Branch Admin Exte 1E This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect	
Nomad Branch Admin Exte 1E This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Nomad Branch Admin Exte 1E This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Nomad Branch Admin Exte 1E This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect to respect 1.	tive major version of the Product.
Nomad Branch Admin Exte 1E This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Nomad Branch Admin Exte 1E This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Nomad Branch Admin Exte 1E This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Nomad Branch Admin Exte 1E This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Nomad Branch Admin Exte 1E This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Nomad Branch Admin Exte 1E	tive major version of the Product. tive major version of the Product.
Nomad Branch Admin Exte 1E This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Nomad Branch Admin Exte 1E This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect Nomad Branch Admin Exte 1E This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respect to respect 1.	tive major version of the Product. tive major version of the Product. tive major version of the Product.

	15	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	he Product
		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of it	
Officejet Basic Software 44		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the state of the	
	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
OMS Agent 1.4	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	he Product.
	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	he Product.
	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	LG	This application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	LG LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications.	
	LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of it	
	LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of it	
	LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
OnScreen Control 4.43	LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
OnScreen Control 4.58	LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	he Product.
OnScreen Control 4.64	LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	he Product.
OnScreen Control 4.70	LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	he Product.
	LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the commercial applications. All related evidences are mapped to respective major version of the commercial applications are not applications.	
	LG LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the transfer in interesting is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the property of the pro	
	LG LG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications.	
	LG	This Application is ignored in ravor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications.	
	LG	Inis application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of it. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of it.	
Dozie 3.3	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the supplication of the supp	
	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of it	
	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
Dozie 4.3	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
Open Secure Shell Server 3	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
Open Secure Shell Server 3	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	he Product.
	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	IBM	This application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	Eclipse Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	Amazon Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the commercial applications. All related evidences are mapped to respective major version of the commercial applications are not applications.	
openssl 1.1 Operations Management S		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications.	
		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of it.	
orca 3.3	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of it	
	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
perl-base 5.2	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	he Product.
erl-base 5.3	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	he Product.
	PHP Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	
	SentryOne	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	he Product
Plan Explorer 21.1			
	SentryOne	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	he Product.
	SentryOne	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	he Product. he Product.
lanGrid 1.8	SentryOne Autodesk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the	he Product. he Product. he Product.
PlanGrid 1.8 PlanGrid 1.9	SentryOne Autodesk Autodesk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the supplication of the supplication is ignored in favor of new wildcarding rule for non-commercial applications.	he Product. he Product. he Product. he Product.
PlanGrid 1.8 PlanGrid 1.9 Postman Canary 7.1	SentryOne Autodesk Autodesk Postman	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications.	he Product. he Product. he Product. he Product. he Product.
PlanGrid 1.8 PlanGrid 1.9 Postman Canary 7.1 Postman Canary 7.2	SentryOne Autodesk Autodesk Postman Postman	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications.	he Product. he Product. he Product. he Product. he Product. he Product.
PlanGrid 1.8 PlanGrid 1.9 Postman Canary 7.1 Postman Canary 7.2 Postman Canary 7.3	SentryOne Autodesk Autodesk Postman Postman Postman	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications.	he Product.
PlanGrid 1.8 PlanGrid 1.9 Postman Canary 7.1 Postman Canary 7.2 Postman Canary 7.3 Postman Canary 7.6	SentryOne Autodesk Autodesk Postman Postman Postman	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications.	he Product.
PlanGrid 1.8 PlanGrid 1.9 Postman Canary 7.1 Postman Canary 7.2 Postman Canary 7.3 Postman Canary 7.6 Postman Canary 7.6 Postman Canary 7.7	SentryOne Autodesk Autodesk Postman Postman Postman	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications.	he Product.
PlanGrid 1.8 PlanGrid 1.9 Postman Canary 7.1 Postman Canary 7.2 Postman Canary 7.3 Postman Canary 7.3 Postman Canary 7.6 Postman Canary 7.7 Postman Canary 7.8	SentryOne Autodesk Autodesk Postman Postman Postman Postman Postman	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications.	he Product.
PlanGrid 1.8 PlanGrid 1.9 PlanG	SentryOne Autodesk Autodesk Postman Postman Postman Postman Postman Postman Postman Postman	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All rela	he Product.
lanGrid 1.8 lanGrid 1.9 ostman Canary 7.1 ostman Canary 7.2 ostman Canary 7.3 ostman Canary 7.3 ostman Canary 7.7 ostman Canary 7.7 ostman Canary 7.7 ostman Canary 7.8 ostman Canary 7.8 ostman Canary 7.9	SentryOne Autodesk Autodesk Postman Postman Postman Postman Postman Postman Postman Postman	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications.	he Product.
PlanGrid 1.8 PlanGrid 1.9 Postman Canary 7.1 Postman Canary 7.2 Postman Canary 7.3 Postman Canary 7.3 Postman Canary 7.7 Postman Canary 7.7 Postman Canary 7.8 Postman Canary 7.8 Postman Canary 8.1 Postman Canary 8.1	SentryOne Autodesk Autodesk Postman	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related	he Product.
PlanGrid 1.8 PlanGrid 1.9 Postman Canary 7.1 Postman Canary 7.2 Postman Canary 7.3 Postman Canary 7.7 Postman Canary 7.7 Postman Canary 7.7 Postman Canary 7.8 Postman Canary 7.8 Postman Canary 7.9 Postman Canary 8.1 Postman Canary 8.1 Postman Canary 8.4 Postman Canary 8.5 Postman Canary 8.5	SentryOne Autodesk Autodesk Postman	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All rela	he Product.
PlanGrid 1.8 PlanGrid 1.9 Postman Canary 7.1 Postman Canary 7.2 Postman Canary 7.3 Postman Canary 7.6 Postman Canary 7.6 Postman Canary 7.7 Postman Canary 7.8 Postman Canary 7.9 Postman Canary 8.9 Postman Canary 8.1 Postman Canary 8.4 Postman Canary 8.5 Postman Canary 8.5 Postman Canary 8.5 Postman Canary 8.6 Postman Canary 8.6 Postman Canary 8.6	SentryOne Autodesk Autodesk Postman Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All rela	he Product.
PlanGrid 1.8 PlanGrid 1.9 Postman Canary 7.1 Postman Canary 7.2 Postman Canary 7.3 Postman Canary 7.3 Postman Canary 7.7 Postman Canary 7.7 Postman Canary 7.8 Postman Canary 7.8 Postman Canary 8.1 Postman Canary 8.1 Postman Canary 8.4 Postman Canary 8.4 Postman Canary 8.5 Postman Canary 8.6 Postman Canary 8.6 Postman Canary 8.6 Postman Canary 8.6 Power Automate Desktop	SentryOne Autodesk Autodesk Postman In Italia	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related	he Product.
lanGrid 1.8 lanGrid 1.9 lanGrid 1.9 lostman Canary 7.1 lostman Canary 7.2 lostman Canary 7.3 lostman Canary 7.3 lostman Canary 7.7 lostman Canary 7.7 lostman Canary 7.8 lostman Canary 7.8 lostman Canary 7.9 lostman Canary 8.1 lostman Canary 8.1 lostman Canary 8.4 lostman Canary 8.5 lostman Canary	SentryOne Autodesk Autodesk Postman In Italia	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All rela	he Product.
llanGrid 1.8 lanGrid 1.9 lanGrid 1.9 lostman Canary 7.1 lostman Canary 7.2 lostman Canary 7.3 lostman Canary 7.6 lostman Canary 7.6 lostman Canary 7.7 lostman Canary 7.8 lostman Canary 7.9 lostman Canary 7.9 lostman Canary 8.1 lostman Canary 8.4 lostman Canary 8.5 lostman Canary 8.5 lostman Canary 8.5 lostman Canary 8.5 lostman Canary 8.6 lower Automate Desktop SPad editor 4.2 SPad editor 4.3 SPad editor 4.5	SentryOne Autodesk Autodesk Postman In I	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evid	he Product.
lanGrid 1.8 lanGrid 1.9 lostman Canary 7.1 lostman Canary 7.2 lostman Canary 7.3 lostman Canary 7.3 lostman Canary 7.5 lostman Canary 7.7 lostman Canary 7.7 lostman Canary 7.8 lostman Canary 7.8 lostman Canary 8.1 lostman Canary 8.1 lostman Canary 8.4 lostman Canary 8.5 lostman Canary 8.5 lostman Canary 8.6 lostman Canary 8.6 lostman Canary 8.6 lostman Canary 8.5 lostman	SentryOne Autodesk Autodesk Postman In It I I I I I I I I I I I I I I I I I	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidence	he Product.
lanGrid 1.8 lanGrid 1.9 lanGrid 1.9 lostman Canary 7.1 lostman Canary 7.2 lostman Canary 7.3 lostman Canary 7.7 lostman Canary 7.7 lostman Canary 7.7 lostman Canary 7.8 lostman Canary 7.8 lostman Canary 8.1 lostman Canary 8.1 lostman Canary 8.4 lostman Canary 8.5 lostman Canary	SentryOne Autodesk Autodesk Postman In It I I I I I I I I I I I I I I I I I	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All rela	he Product.
llanGrid 1.8 lanGrid 1.9 lanGrid 1.9 lanGrid 1.9 lostman Canary 7.1 lostman Canary 7.2 lostman Canary 7.3 lostman Canary 7.6 lostman Canary 7.7 lostman Canary 7.7 lostman Canary 7.8 lostman Canary 7.9 lostman Canary 7.9 lostman Canary 8.1 lostman Canary 8.4 lostman Canary 8.5 lostman Canary 8.6 lo	SentryOne Autodesk Autodesk Postman In I	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respecti	he Product.
lanGrid 1.8 lanGrid 1.9 lostman Canary 7.1 lostman Canary 7.2 lostman Canary 7.2 lostman Canary 7.3 lostman Canary 7.5 lostman Canary 7.6 lostman Canary 7.7 lostman Canary 7.8 lostman Canary 7.8 lostman Canary 8.1 lostman Canary 8.1 lostman Canary 8.4 lostman Canary 8.5 lostman Canary 8.6 lostman	SentryOne Autodesk Autodesk Postman Jostman Postman Po	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related	he Product.
lanGrid 1.8 lanGrid 1.9 costman Canary 7.1 costman Canary 7.2 costman Canary 7.3 costman Canary 7.3 costman Canary 7.7 costman Canary 7.7 costman Canary 7.7 costman Canary 7.8 costman Canary 7.8 costman Canary 8.1 costman Canary 8.1 costman Canary 8.4 costman Canary 8.4 costman Canary 8.5 costman Canary 8.5 costman Canary 8.6 cower Automate Desktop SPad editor 4.2 SPad editor 4.3 SPad editor 4.3 SPad editor 4.5 cython 3.10 cython 3.3 cython 3.5 cython 3.5 cython 3.7 cython 3.8 cython 27-python-markups	SentryOne Autodesk Autodesk Postman In It I I I I I I I I I I I I I I I I I	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All rela	he Product.
llanGrid 1.8 lanGrid 1.9 ostman Canary 7.1 ostman Canary 7.2 ostman Canary 7.3 ostman Canary 7.3 ostman Canary 7.7 ostman Canary 7.7 ostman Canary 7.7 ostman Canary 7.8 ostman Canary 7.9 ostman Canary 8.4 ostman Canary 8.5 sostman Canary 8.5 sostman Canary 8.5 yathous 2.5 spad editor 4.2 Spad editor 4.2 Spad editor 4.3 Spad editor 4.3 spad editor 4.3 spad editor 3.3 spad editor 3.3 spad editor 3.3 spad editor 3.3 spad editor 3.5 spad editor 4.5 spad editor 3.3 spad editor 4.5 spad	SentryOne Autodesk Autodesk Postman In I	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the this Application is ignored in favor of new wildcarding rule for non-commercial applications. All rela	he Product.
lanGrid 1.8 lanGrid 1.9 lostman Canary 7.1 lostman Canary 7.2 lostman Canary 7.3 lostman Canary 7.3 lostman Canary 7.6 lostman Canary 7.7 lostman Canary 7.8 lostman Canary 7.8 lostman Canary 7.8 lostman Canary 8.1 lostman Canary 8.1 lostman Canary 8.4 lostman Canary 8.5 lostman Canary 8.6 lostman	SentryOne Autodesk Autodesk Postman In It I I I I I I I I I I I I I I I I I	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related	he Product.
PlanGrid 1.8 PlanGrid 1.9 Postman Canary 7.1 Postman Canary 7.2 Postman Canary 7.3 Postman Canary 7.7 Postman Canary 7.7 Postman Canary 7.7 Postman Canary 7.7 Postman Canary 7.8 Postman Canary 7.8 Postman Canary 8.1 Postman Canary 8.1 Postman Canary 8.4 Postman Canary 8.4 Postman Canary 8.5 Postman Canary 8.6 Power Automate Desktop PSPad editor 4.2 PSPad editor 4.3 PSPad editor 4.3 PSPad editor 4.5 PSPad editor 3.5 PSPad editor 3.5 PSPad editor 4.5 PSPad editor 5.5 PSPAD PSPAD Ed	SentryOne Autodesk Autodesk Postman In It I I I I I I I I I I I I I I I I I	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All rela	he Product.
lanGrid 1.8 lanGrid 1.9 sostman Canary 7.1 ostman Canary 7.2 ostman Canary 7.2 ostman Canary 7.3 ostman Canary 7.7 ostman Canary 7.7 ostman Canary 7.7 ostman Canary 7.8 ostman Canary 7.8 ostman Canary 8.1 ostman Canary 8.1 ostman Canary 8.5 year delitor 4.2 SPad editor 4.2 SPad editor 4.3 SPad editor 4.5 ython 3.10 ython 3.5 ython 3.5 ython 3.5 ython 3.7 ython27-python-markups ython27-python-simplejs ython27-python-simplejs ython27-python-simplejs	SentryOne Autodesk Autodesk Postman In It I I I I I I I I I I I I I I I I I	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related	he Product.
lanGrid 1.8 lanGrid 1.9 ostman Canary 7.1 ostman Canary 7.2 ostman Canary 7.3 ostman Canary 7.3 ostman Canary 7.6 ostman Canary 7.7 ostman Canary 7.8 ostman Canary 7.8 ostman Canary 8.1 ostman Canary 8.1 ostman Canary 8.4 ostman Canary 8.4 ostman Canary 8.5 ostman Canary 8.5 ostman Canary 8.6 ower Automate Desktop SPad editor 4.2 SPad editor 4.2 SPad editor 4.3 SPad editor 4.5 ython 3.3 ython 3.3 ython 3.5 ython 3.8 ython27-python-mose 1.3 ython27-python-simplejs ython27-python-simplejs ython27-python-six 1.3	SentryOne Autodesk Autodesk Postman In I	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evid	he Product.
Planofrid 1.8 Planofrid 1.9 Postman Canary 7.1 Postman Canary 7.2 Postman Canary 7.3 Postman Canary 7.7 Postman Canary 7.7 Postman Canary 7.7 Postman Canary 7.7 Postman Canary 7.8 Postman Canary 7.9 Postman Canary 8.1 Postman Canary 8.4 Postman Canary 8.4 Postman Canary 8.4 Postman Canary 8.5 Postman Canary 8.5 Postman Canary 8.5 Postman Canary 8.5 Postman Canary 8.6 Power Automate Desktop PSPad editor 4.2 PSPad editor 4.2 PSPad editor 4.3 PSPad editor 4.5 Python 3.10 Python 3.5 Python 3.7 Python 3.8 Python27-python-markups python27-python-pygment python27-python-simplejs python27-python-simplejs python27-python-six 1.3 python36-six 1.11	SentryOne Autodesk Autodesk Postman In It I I I I I I I I I I I I I I I I I	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related	he Product.
llanGrid 1.8 lanGrid 1.9 lanGrid 1.9 lanGrid 1.9 lostman Canary 7.1 lostman Canary 7.2 lostman Canary 7.3 lostman Canary 7.7 lostman Canary 7.7 lostman Canary 7.7 lostman Canary 7.8 lostman Canary 7.8 lostman Canary 8.1 lostman Canary 8.1 lostman Canary 8.4 lostman Canary 8.5 lostman Canary 8.6 lostman Canary 8.7 lo	SentryOne Autodesk Autodesk Postman Jan Fiala Jan Fi	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All rela	he Product.
lanGrid 1.8 lanGrid 1.9 lostman Canary 7.1 lostman Canary 7.2 lostman Canary 7.2 lostman Canary 7.3 lostman Canary 7.6 lostman Canary 7.6 lostman Canary 7.7 lostman Canary 7.8 lostman Canary 7.8 lostman Canary 7.8 lostman Canary 8.1 lostman Canary 8.1 lostman Canary 8.4 lostman Canary 8.5 lostman Canary 8.6 lostman	SentryOne Autodesk Autodesk Postman Ricrosoft Jan Fiala Jan Fiala Jan Fiala Jan Fiala Raf Hat Fedora Project Red Hat Fedora Project Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related	he Product.
lanGrid 1.8 lanGrid 1.9 lanGrid 1.9 lostman Canary 7.1 lostman Canary 7.2 lostman Canary 7.3 lostman Canary 7.3 lostman Canary 7.6 lostman Canary 7.6 lostman Canary 7.7 lostman Canary 7.8 lostman Canary 7.9 lostman Canary 8.1 lostman Canary 8.1 lostman Canary 8.4 lostman Canary 8.5 lostman Canary 8.6 lostman Canary 8.6 lostman Canary 8.6 lostman Canary 8.6 lostman Canary 8.7 lostman Canary 8.7 lostman Canary 8.7 lostman Canary 8.6 lostman Canary 8.7 lostman Canary	SentryOne Autodesk Autodesk Postman Ricrosoft Jan Fiala Jan Fiala Jan Fiala Jan Fiala Ran Fiala Ran Fiala Ran Fiala Rat Hat Red Hat Red Hat Red Hat Red Hat Red Hat Fedora Project Red Hat Fedora Project Canonical Canonical Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of this Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related	he Product.
lanGrid 1.8 lanGrid 1.9 lostman Canary 7.1 lostman Canary 7.2 lostman Canary 7.3 lostman Canary 7.3 lostman Canary 7.3 lostman Canary 7.6 lostman Canary 7.7 lostman Canary 7.8 lostman Canary 7.8 lostman Canary 7.8 lostman Canary 8.1 lostman Canary 8.1 lostman Canary 8.4 lostman Canary 8.5 lostman Canary 8.5 lostman Canary 8.6 lower Automate Desktop lostman Canary 8.6 lostman Canary 8.7 lostma	SentryOne Autodesk Autodesk Postman In It I I I I I I I I I I I I I I I I I	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All rela	he Product.
PlanGrid 1.8 PlanGrid 1.9 Postman Canary 7.1 Postman Canary 7.2 Postman Canary 7.3 Postman Canary 7.7 Postman Canary 7.7 Postman Canary 7.7 Postman Canary 7.7 Postman Canary 7.8 Postman Canary 7.8 Postman Canary 8.4 Postman Canary 8.4 Postman Canary 8.4 Postman Canary 8.4 Postman Canary 8.5 Postman Canary 8.6 Power Automate Desktop PSPad editor 4.2 PSPad editor 4.2 PSPad editor 4.3 PSPad editor 4.5 PSPad editor 3.5 PSPad editor 4.5 PSPad editor 4.5 PSPad editor 9.5 PSPad editor 8.5 PSPad editor 8.5 PSPad editor 9.5 PSPad editor 8.5 PSPad editor 9.5 PSPad editor 8.5 PSPad editor 9.5 PS	SentryOne Autodesk Autodesk Postman Fostman Microsoft Jan Fiala Jan Fiala Jan Fiala Jan Fiala Lan Fiala	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All rela	he Product.
PlanGrid 1.9 Postman Canary 7.1 Postman Canary 7.2 Postman Canary 7.3 Postman Canary 7.6 Postman Canary 7.6 Postman Canary 7.6 Postman Canary 7.7 Postman Canary 7.8 Postman Canary 7.9 Postman Canary 8.7 Postman Canary 8.4 Postman Canary 8.4 Postman Canary 8.5 Postman Canary 8.5 Postman Canary 8.5 Postman Canary 8.5 Postman Canary 8.6 Power Automate Desktop PSPad editor 4.2 PSPad editor 4.2 PSPad editor 4.3 PSPad editor 4.3 PSPad editor 3.3 Python 3.10 Python 3.10 Python 3.5 Python 3.5 Python 3.5 Python 2.7 Python-markups Python27-python-markups Python27-python-simplejs Python27-python-simplejs Python3-bael 2.5 Python3-bael 2.5 Python3-pycurl 7 Python3-urllib3 1.2 Python3-urllib3 1.2 Python-eyring 10.6 Python-python-python-pose 1.3 Python3-urllib3 1.2 Python-pycurl 7.1	SentryOne Autodesk Autodesk Postman Po	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All rela	he Product.
Planofrid 1.8 Planofrid 1.9 Planofrid 1.9 Postman Canary 7.1 Postman Canary 7.2 Postman Canary 7.3 Postman Canary 7.3 Postman Canary 7.6 Postman Canary 7.8 Postman Canary 7.8 Postman Canary 7.8 Postman Canary 8.1 Postman Canary 8.1 Postman Canary 8.4 Postman Canary 8.4 Postman Canary 8.5 Postman Canary 8.5 Postman Canary 8.6 Postman Canary 8.6 Postman Canary 8.7 Postman C	SentryOne Autodesk Autodesk Postman Fostman Microsoft Jan Fiala Jan Fiala Jan Fiala Jan Fiala Lan Fiala	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the This Application is ignored in favor of new wildcarding rule for non-commercial applications. All rela	he Product.

Qlik Sense Desktop 10.2	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Desktop 10.2	OlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Desktop 10.3	QlikTech International	In supplication is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Desktop 11.2	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Desktop 12.2	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Desktop 12.3	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Desktop 12.4	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Desktop 12.5	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Desktop 13.2	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Olik Sense Desktop 13.3	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Desktop 13.4	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Desktop 13.5	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Desktop 13.6	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Desktop 13.7	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Desktop 13.8	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Desktop 13.9	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Desktop 14.4	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Desktop 14.5	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Desktop 14.54	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Desktop 3.1	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Desktop 3.2	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 10.18	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 10.28	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 10.7	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 11.24	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 12.11	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 12.16	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 12.26	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 12.36	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 12.44	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 13.1	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 13.21	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 13.32	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 13.4	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 13.5	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 13.6	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 13.7	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 13.72	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 13.9	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Olik Sense Proxy 14.44	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 14.5	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Olik Sense Proxy 14.54	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 2.1	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Proxy 2.2	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qpidd 4.5	Google	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 29.9	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 30.4 Recorder and Player 32.1	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 32.10	Cisco	In supplication is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 32.12		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 32.6		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 33.1	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 33.2	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 33.3	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 33.4		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 33.5	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 33.6	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 33.7	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 33.8	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 33.9	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 39.10		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 39.11	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 39.2		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 39.3		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 39.4	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 39.5	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 39.6	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 39.7	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 39.8		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 39.9	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 40.2	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 40.4	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 40.6		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 40.7	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 40.8	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 40.9		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 41.10		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 41.11		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 41.12		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 41.2 Recorder and Player 41.3	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 41.3 Recorder and Player 41.4	Cisco Cisco	Inis Application is ignored in favor of new unicarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new unicarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 41.4		Inis Application is ignored in favor of new validacriting rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new validacriting rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 41.5		Inis Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 41.6	Cisco	Inis Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 41.7 Recorder and Player 41.8		Inis Application is ignored in favor of new unicarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new unicarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Recorder and Player 41.9	Cisco	Inis Application is ignored in favor of new validacriting rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new validacriting rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
RescueAgent 19.1	Nero	Inis Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
RescueAgent 19.1	Nero	Inis Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
RescueAgent 23.5	Nero	Inis Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-php56-php 5	PHP Group	In supplication is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-php56-php-cli 5	PHP Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-php71-php 7.1	PHP Group	Inis Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-python35-python-pygm		In supplication is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-python36-python-simp		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rubygems 2.0	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rubygems 2.6	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rubygems 2.7	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
		The state of the s

rubygems 3.2	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
S3FS 1.85	s3fs	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
S3FS 1.86	s3fs	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
S3FS 1.87	s3fs	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
S3FS 1.88	s3fs	This Application is ignored in favor of new wildcarding rule for non-commercial applications. An elasted evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
S3FS 1.89	s3fs	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
S3FS 1.9	s3fs	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
samba-client 4.10	Samba	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
samba-client 4.12	Samba	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
samba-client 4.7	Samba	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
samba-client 4.9	Samba	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Scala 2.11	Martin Odersky	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Screen Recorder	VidGrid	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Screen Recorder 3.4	VidGrid	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ShurePlus MOTIV Desktop		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Siebel Client 6.0	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Siebel Client 8.0	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Siebel Enterprise Server 22		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Oracle	
Siebel Server 22.2		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Smart Storage Administrat		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Hewlett Packard Enterprise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Hewlett Packard Enterprise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Hewlett Packard Enterprise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Smart Storage Administrate	Hewlett Packard Enterprise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Smart Storage Administrate	Hewlett Packard Enterprise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Smart Storage Administrat	Hewlett Packard Enterprise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Smart Storage Administrat	Hewlett Packard Enterprise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Hewlett Packard Enterprise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Smart Storage Administrat	Hewlett Packard Enterprise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Smart Storage Administrat	Hewlett Packard Enterprise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Hewlett Packard Enterprise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Solaris Studio Fortran Com		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Solaris Studio IDE 12.3	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Solaris Studio Performance		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Spark	Ignite Realtime	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Spark 1.0	Apache Software Foundation	In supplication is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Spark 1.5	Apache Software Foundation Apache Software Foundation	Inis Application is ignored in favor of new windcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Spark 1.5 Spark 2.2	Ignite Realtime	Inis Application is ignored in favor of new indicarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new indicarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Spark 2.3	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Spark 2.4	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Spark 2.9	Ignite Realtime	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
spark_2_5_3_0_37-yarn-sh	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
spark2_2_5_3_0_37-yarn-s	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
spark2_4_2_5_0-yarn-shuf	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SPRO-studio-bin-links 12.3	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet	Bitvise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 7.29	Bitvise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 7.3:		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 7.32		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 7.34		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 7.3		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 7.36		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 7.39		In supplication is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 7.4:		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Bitvise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 7.43		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 7.44		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 7.45		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.19		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.2:		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.23	Bitvise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.24	Bitvise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.26	Bitvise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.23	Bitvise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.25		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.3:	Bitvise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.32		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.34		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.35		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.36		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.3		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.38		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.42		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.43		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.44		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.4		This Application is ignored in favor of new wildcarding rule for non-commercial applications. An inelated evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.4		In supplication is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.4		Inis Application is ignored in favor of new windcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.4		Inis Application is ignored in favor of new windcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.49		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.53		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 8.53		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SSH Client FlowSshNet 9.23		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storage Sizing Tool 18.1	HP	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storage Sizing Tool 19.1	HP	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
StoreFront 2.1	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
StoreFront 2.2	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
StoreFront 2.5	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
StoreFront 2.6	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
StoreFront 3.11	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
StoreFront 3.12	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storefront 3.13	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
StoreFront 3.14	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
StoreFront 3.15	Citrix Systems	In supplication is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
StoreFront 3.15	Citrix Systems	Inis Application is ignored in favor of new windcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
		Inis Application is ignored in favor of new windcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
StoreFront 3.17	Citrix Systems	
StoreFront 3.18	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
StoreFront 3.19	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
StoreFront 3.2	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.

StoreFront 3.20	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
StoreFront 3.20	Citrix Systems Citrix Systems	Inis Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version or the Produc
StoreFront 3.23	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
StoreFront 3.5	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
StoreFront 3.6	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
StoreFront 3.7	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
StoreFront 3.8	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
StoreFront 3.9	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
StoreFront 7.15	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
StoreFront 7.7	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
Storefront Service	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
Storefront Service 7.0	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
Storefront Service 7.1	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
Storefront Service 7.11	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
Storefront Service 7.12	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
Storefront Service 7.13	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
Storefront Service 7.14	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
Storefront Service 7.16	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
Storefront Service 7.17	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
Storefront Service 7.19	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
Storefront Service 7.20	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
Storefront Service 7.22	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
Storefront Service 7.24	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
Storefront Service 7.25	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
Storefront Service 7.27	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
torefront Service 7.29	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
torefront Service 7.30	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
torefront Service 7.31	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
torefront Service 7.8	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
torefront Service 7.9	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
trace 4.2	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
trace 4.22	Amazon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
trace 4.26	Amazon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
trace 4.5	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
trace 4.8	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
trace 5.5	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
tream Deck for Windows	Elgato Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
system Center Virtual Mac		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
cpdump 4.5	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
cpdump 4.7	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
cpdump 4.9	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
Jnified Directory 11g R1	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
nison227 2	Fedora Project	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
ipdate-manager-core 1:1	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
/eritas Cluster Server Ager		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
/eritas Cluster Server Ager		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
/eritas Cluster Server Ager	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
/ERITAS Group Messaging	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
/eritas I/O Fencing 4.1	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
Veritas I/O Fencing 6.1	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
/eritas I/O Fencing 6.2	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
/eritas I/O Fencing 7.1	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
/eritas I/O Fencing 7.2	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
/eritas I/O Fencing 7.3	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
/eritas I/O Fencing 7.4	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
/eritas InfoScale Agents 7.	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
eritas InfoScale Agents 7.	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
eritas InfoScale Packages	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
eritas Oracle Disk Manage	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
eritas Oracle Disk Manage	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
eritas Oracle Disk Manage		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
eritas Oracle Disk Manage		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
eritas Oracle Disk Manage		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
eritas Oracle Disk Manage		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
/im 7.1	VIM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
/im 7.2	VIM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
/im 7.3	VIM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
/im 7.4	VIM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
rirtual Delivery Agent (VDA	Citrix	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
irtual User Generator 12.	Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
rirtual User Generator 12.	Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
OUCH OCHICIATOR 17.1		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
	Micro Focus	
irtual User Generator 12.	Micro Focus Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Productions.
'irtual User Generator 12. 'irtual User Generator 12.	Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
/irtual User Generator 12. /irtual User Generator 12. /irtual User Generator 20.	Micro Focus Micro Focus	
firtual User Generator 12. firtual User Generator 12. firtual User Generator 20. firtual User Generator 20.	Micro Focus Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
irtual User Generator 12. firtual User Generator 12. firtual User Generator 20. firtual User Generator 20. firtual User Generator 21.	Micro Focus Micro Focus Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
irtual User Generator 12. irtual User Generator 12. irtual User Generator 20. irtual User Generator 20. irtual User Generator 21. irtual User Generator 21.	Micro Focus Micro Focus Micro Focus Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
irtual User Generator 12. irtual User Generator 12. irtual User Generator 20. irtual User Generator 20. irtual User Generator 21. irtual User Generator 21. irtual User Generator 9.1	Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
irtual User Generator 12. irtual User Generator 12. irtual User Generator 20. irtual User Generator 20. irtual User Generator 21. irtual User Generator 21. irtual User Generator 21. irtual User Generator 9.1	Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
rirtual User Generator 12. rirtual User Generator 12. rirtual User Generator 20. rirtual User Generator 20. rirtual User Generator 21. rirtual User Generator 21. rirtual User Generator 21. rirtual User Generator 9.1 rirtual User Generator 9.5 risual Studio for web 2012	Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
irtual User Generator 12. irtual User Generator 12. irtual User Generator 20. irtual User Generator 20. irtual User Generator 21. irtual User Generator 21. irtual User Generator 21. irtual User Generator 9.1 irtual User Generator 9.1 irtual User Generator 9.5 isual Studio for web 2012 isual Studio Load Test Co	Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc
irtual User Generator 12. irtual User Generator 12. irtual User Generator 20. irtual User Generator 20. irtual User Generator 21. irtual User Generator 21. irtual User Generator 21. irtual User Generator 9.1 irtual User Generator 9.5 isual Studio for web 2012 isual Studio Load Test Co VD Security 2.1	Micro Focus Microsoft Western Digital	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications.
irtual User Generator 12. irtual User Generator 12. irtual User Generator 20. irtual User Generator 20. irtual User Generator 20. irtual User Generator 21. irtual User Generator 21. irtual User Generator 9.1 irtual User Generator 9.1 irtual User Generator 9.5 isual Studio for web 2012 isual Studio Load Test Co VD Security 2.1 veb Service Gateway 2.06	Micro Focus Microsoft Microsoft Mestern Digital Bentley Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application i
irtual User Generator 12. irtual User Generator 12. irtual User Generator 20. irtual User Generator 20. irtual User Generator 21. irtual User Generator 21. irtual User Generator 21. irtual User Generator 9.1 irtual User Generator 9.1 irtual User Generator 9.5 isual Studio for web 2012 isual Studio Load Test Co VD Security 2.1 Veb Service Gateway 2.06 VebEx Poll Questionnaire	Micro Focus Microsoft Microsoft Western Digital Bentley Systems Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application i
irtual User Generator 12. irtual User Generator 12. irtual User Generator 20. irtual User Generator 20. irtual User Generator 21. irtual User Generator 21. irtual User Generator 9.1 irtual User Generator 9.5 isual Studio for web 2012 isual Studio Load Test Co VD Security 2.1 Veb Service Gateway 2.06 VebEx POII Questionnaire VebEx POII Questionnaire	Micro Focus Microsoft Western Digital Bentley Systems Cisco Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application i
irtual User Generator 12. irtual User Generator 12. irtual User Generator 20. irtual User Generator 20. irtual User Generator 20. irtual User Generator 21. irtual User Generator 21. irtual User Generator 21. irtual User Generator 9.1 irtual User Generator 9.1 irtual User Generator 9.5 isual Studio for web 2012 isual Studio Load Test Co VD Security 2.1 veb Service Gateway 2.06 vebEx Poll Questionnaire vebEx Poll Questionnaire	Micro Focus Microsoft Western Digital Bentley Systems Cisco Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application i
rirtual User Generator 12. i'ritual User Generator 12. i'ritual User Generator 20. i'ritual User Generator 20. i'ritual User Generator 20. i'ritual User Generator 21. i'ritual User Generator 21. i'ritual User Generator 9.1 i'ritual User Generator 9.1 i'ritual User Generator 9.5 i'sual Studio for web 2012 i'sual Studio Load Test Co VD Security 2.1 veb Service Gateway 2.06 VebEx Poll Questionnaire VebEx Poll Questionnaire VebEx Poll Questionnaire	Micro Focus Microsoft Microsoft Microsoft Western Digital Bentley Systems Cisco Cisco Cisco Cisco Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application i
rirtual User Generator 12. rirtual User Generator 12. rirtual User Generator 20. rirtual User Generator 20. rirtual User Generator 20. rirtual User Generator 21. rirtual User Generator 21. rirtual User Generator 21. rirtual User Generator 21. rirtual User Generator 9.5 risual Studio for web 2012 risual Studio Load Test Co VD Security 2.1 Veb Service Gateway 2.06 VebEx Poll Questionnaire VebEx Poll Questionnaire VebEx Poll Questionnaire VebEx Poll Questionnaire	Micro Focus Microsoft Western Digital Bentley Systems Cisco Cisco Cisco Cisco Cisco Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application i
rirtual User Generator 12. rirtual User Generator 12. rirtual User Generator 20. rirtual User Generator 20. rirtual User Generator 20. rirtual User Generator 21. rirtual User Generator 21. rirtual User Generator 21. rirtual User Generator 9.1 rirtual User Generator 9.5 risual Studio for web 2012 risual Studio Load Test Co VD Security 2.1 Veb Service Gateway 2.06 VebEx Poll Questionnaire	Micro Focus Microsoft Micros	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application i
//irtual User Generator 12. //irtual User Generator 12. //irtual User Generator 12. //irtual User Generator 20. //irtual User Generator 20. //irtual User Generator 21. //irtual User Generator 21. //irtual User Generator 9.1 //irtual User Generator 9.1 //irtual User Generator 9.5 //	Micro Focus Microsoft Western Digital Bentley Systems Cisco Cisco Cisco Cisco Cisco Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application i
rirtual User Generator 12. rirtual User Generator 12. rirtual User Generator 12. rirtual User Generator 20. rirtual User Generator 20. rirtual User Generator 21. rirtual User Generator 21. rirtual User Generator 21. rirtual User Generator 9.1 rirtual User Generator 9.1 rirtual User Generator 9.1 rirtual User Generator 9.5 risual Studio for web 2012 risual Studio Load Test Co VIO Security 2.1 Veb Service Gateway 2.06 VebEx Poll Questionnaire	Micro Focus Microsoft Western Digital Bentley Systems Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application i
//irtual User Generator 12. //irtual User Generator 12. //irtual User Generator 12. //irtual User Generator 20. //irtual User Generator 20. //irtual User Generator 21. //irtual User Generator 21. //irtual User Generator 21. //irtual User Generator 9.1 //irtual User Generator 9.1 //irtual User Generator 9.5 //irtual User Generator 9.5 //isual Studio for web 2012 //isual Studio Load Test Co WD Security 2.1 Web Service Gateway 2.06 WebEx Poll Questionnaire	Micro Focus Microsoft Micros	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc This Application i

isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	and application is the control of the first the control commercial applications. All related evidences are mapped to respective major version of the Froduct.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
isco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
iarmin	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
iarmin 1	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
iarmin	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
iarmin 1	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
/licrosoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ntel 1	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Vorkday	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ed Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
entOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mind	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	SCO