List of Applications Deleted in ARL #2698

			Deleted in ARL #2698		
	Publisher	Reason			
7-Zip 1 Beta	Igor Pavlov	This Application is ignored in favor of new wildcardi	ng rule for non-commercial applications	s. All related evidences are mapped to respective major version of the Pro	oduct.
7-Zip 18.01	Igor Pavlov	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
7-Zip 18.03	Igor Pavlov			s. All related evidences are mapped to respective major version of the Pro	
7-Zip 18.05	Igor Pavlov	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
7-Zip 18.06	Igor Pavlov	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
7-Zip 21.03	Igor Pavlov	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
	Igor Pavlov	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
	Igor Pavlov	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
7-Zip 21.06	Igor Pavlov	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
7-Zip 21.07	Igor Pavlov	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
7-Zip 3.1	Igor Pavlov	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
7-Zip 4 Beta	Igor Pavlov	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
7-Zip 4.0	Igor Pavlov	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
7-Zip 4.1	Igor Pavlov	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
7-Zip 4.2	Igor Pavlov	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
7-Zip 4.3	Igor Pavlov	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
7-Zip 4.32	Igor Pavlov	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
7-Zip 4.4	Igor Pavlov	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
7-Zip 4.5	Igor Pavlov	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
A vector graphics library (e	Red Hat	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
Access Module for Amazor				s. All related evidences are mapped to respective major version of the Pro	
Access Module for Amazor		This Application is ignored in favor of new wildcardi	ng rule for non-commercial applications	s. All related evidences are mapped to respective major version of the Pro	oduct.
Advance Steel 2021 Revit E				s. All related evidences are mapped to respective major version of the Pro	
Agent	SolarWinds	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
Agent 1.1	SolarWinds			s. All related evidences are mapped to respective major version of the Pro	
Agent 1.2	SolarWinds			s. All related evidences are mapped to respective major version of the Pro	
Agent 1.4	SolarWinds			s. All related evidences are mapped to respective major version of the Pro	
Agent 1.5	SolarWinds			s. All related evidences are mapped to respective major version of the Pro	
Agent 1.6	SolarWinds			s. All related evidences are mapped to respective major version of the Pro	
Agent 1.9	SolarWinds			s. All related evidences are mapped to respective major version of the Pro	
Agent 2.1	SolarWinds			s. All related evidences are mapped to respective major version of the Pro	
Agent 2.11	SolarWinds			s. All related evidences are mapped to respective major version of the Pro	
Agent 2.2	SolarWinds			s. All related evidences are mapped to respective major version of the Pro	
Agent 2.3	SolarWinds			s. All related evidences are mapped to respective major version of the Pro	
Agent 2.4	SolarWinds			s. All related evidences are mapped to respective major version of the Pro	
Agent Discovery Plugin 1.5				s. All related evidences are mapped to respective major version of the Pro	
Agent Service 1.5	SolarWinds			s. All related evidences are mapped to respective major version of the Pro	
Ambari Agent 7.1	Apache Software Foundation	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
Ambari Server 7.1	Apache Software Foundation	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
Apache Commons Configu	Oracle	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
Apigee Qpid agent 4.50	Google	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
Apigee Qpid agent 4.51	Google	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
Application Lifecycle Mana				s. All related evidences are mapped to respective major version of the Pro	
Application Lifecycle Mana	Micro Focus	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
ArcSight Enterprise Securit	HP	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
ArcSight Enterprise Securit	HP	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
ArcSight Enterprise Securit	HP	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
ArcSight Enterprise Securit	HP	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
ArcSight Enterprise Securit	HP	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
ArcSight Enterprise Securit	HP	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
ArcSight ESM Web 6.5	HP	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
ArcSight ESM Web 6.8	HP	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
Basic Teradata Query 13.1				s. All related evidences are mapped to respective major version of the Pro	
Basic Teradata Query 14.1				s. All related evidences are mapped to respective major version of the Pro	
Basic Teradata Query 15.1	Teradata	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
Basic Teradata Query 16.1	Teradata	This Application is ignored in favor of new wildcardi	ng rule for non-commercial application:	s. All related evidences are mapped to respective major version of the Pro	oduct.
Basic TEradata Query 16.2				s. All related evidences are mapped to respective major version of the Pro	
	Teradata			s. All related evidences are mapped to respective major version of the Pro	
Basic Teradata Query 6.1	Teradata	- 11	•	s. All related evidences are mapped to respective major version of the Pro	
BIND DNS Name server and				s. All related evidences are mapped to respective major version of the Pro	
binutils 2	Software in the Public Interest			s. All related evidences are mapped to respective major version of the Pro	
Bizagi Modeler 1.4	BizAgi			s. All related evidences are mapped to respective major version of the Pro	
	BizAgi			s. All related evidences are mapped to respective major version of the Pro	
	BizAgi			s. All related evidences are mapped to respective major version of the Pro	
	BizAgi			s. All related evidences are mapped to respective major version of the Pro	
	BizAgi			s. All related evidences are mapped to respective major version of the Pro	
Bizagi Modeler 2.4	BizAgi			s. All related evidences are mapped to respective major version of the Pro	
Bizagi Modeler 2.5	BizAgi			s. All related evidences are mapped to respective major version of the Pro	
	BizAgi			s. All related evidences are mapped to respective major version of the Pro	
	BizAgi			s. All related evidences are mapped to respective major version of the Pro	
Bizagi Modeler 2.8	BizAgi			s. All related evidences are mapped to respective major version of the Pro	
Bizagi Modeler 2.9	BizAgi		-	s. All related evidences are mapped to respective major version of the Pro	
	BizAgi			s. All related evidences are mapped to respective major version of the Pro	
Bizagi Modeler 3.3	BizAgi			s. All related evidences are mapped to respective major version of the Pro	
	BizAgi			s. All related evidences are mapped to respective major version of the Pro	
Bizagi Modeler 3.5	BizAgi			s. All related evidences are mapped to respective major version of the Pro	
	BizAgi			s. All related evidences are mapped to respective major version of the Pro	
Bizagi Modeler 3.7	BizAgi			s. All related evidences are mapped to respective major version of the Pro	
Bizagi Modeler 3.8	BizAgi			s. All related evidences are mapped to respective major version of the Pro	
	BizAgi ACRA			s. All related evidences are mapped to respective major version of the Pro	
				s. All related evidences are mapped to respective major version of the Pro	
BizFinx Preparation Tool 2. BizFinx Preparation Tool 2.				s. All related evidences are mapped to respective major version of the Pro	
				s. All related evidences are mapped to respective major version of the Pro	
BizFinx Preparation Tool 2.	ACRA			s. All related evidences are mapped to respective major version of the Pro	
BizFinx Preparation Tool 3.				s. All related evidences are mapped to respective major version of the Pro	
BizFinx Preparation Tool 3.				s. All related evidences are mapped to respective major version of the Pro	
Brave Browser 80.1	Brave Software			s. All related evidences are mapped to respective major version of the Pro	
Brave Browser 84.1	Brave Software			s. All related evidences are mapped to respective major version of the Pro	
	Brave Software			s. All related evidences are mapped to respective major version of the Pro	
	Brave Software			s. All related evidences are mapped to respective major version of the Pro	
Brownstone Equation Edit				s. All related evidences are mapped to respective major version of the Pro	
C Preprocessor2 17.1	Teradata			s. All related evidences are mapped to respective major version of the Pro	
	Calabrio			s. All related evidences are mapped to respective major version of the Pro	
	Calabrio			s. All related evidences are mapped to respective major version of the Pro	
Calabrio ONE Data Server :	Calabrio			s. All related evidences are mapped to respective major version of the Pro	
Calabrio ONE: Platform Ser				s. All related evidences are mapped to respective major version of the Pro	
Call Level Interface 15.0	Teradata	Inis Application is ignored in favor of new wildcardi	ng rule for non-commercial applications	s. All related evidences are mapped to respective major version of the Pro	oduct.

Call Loyal Interface 17.0	Toradata	This Application is improved in favor of now wildereding rule for non-commercial applications. All related evidences are manned to respective major version of the Product
Call Level Interface 17.0	Teradata Teradata	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Call Level Interface 4.7 Citrix Licensing 16	Teradata Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	'	
Citrix Licensing 16.1 Citrix Licensing 16.2	Citrix Systems Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Citrix Licensing 16.3	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Citrix Licensing 16.4	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Citrix Licensing 16.5 Citrix Licensing 16.6	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Citrix Licensing 16.7	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Citrix Licensing 16.8	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Citrix Licensing 16.9 CLIv2 17.1	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Cloud Command Line Inter	Teradata IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Cluster Server Agents for V		This Application is ignored in favor of new wildcarding rule for non-commercial applications. An inelated evidences are mapped to respective major version of the Product.
cockpit 138.1	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
cockpit 154-3	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
cockpit 173.1	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. An Irrelated evidences are mapped to respective major version of the Product.
cockpit 173.2	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
cockpit 196.3	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Command Monitor 10.1	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Command Monitor 10.2	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Command Monitor 10.3	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Command Monitor 10.4	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Command Monitor 10.5	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Command Monitor 10.6	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Command Monitor 10.7	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Command Monitor 9.1	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Command Monitor 9.2	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Command Monitor 9.3	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ConnectWise Control Clien	-	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ConnectWise Control Clien		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ConnectWise Control Clien	ConnectWise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ConnectWise Control Clien		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Content Manager OnDema	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ControlCenter Client 5.2	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Corretto 1.8	Amazon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
CQGNet 7.2	cqg	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
CQGNet 7.3	CQG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
CQGNet 7.4	CQG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Creo Platform Agent	PTC	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Creo Platform Agent 1.1	PTC	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Creo Platform Agent 1.2	PTC	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Creo Platform Agent 1.3	PTC	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Creo Platform Agent 1.4	PTC	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Creo Platform Agent 3.4	PTC	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Creo Platform Agent 3.6	PTC	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Creo Platform Agent 3.8	PTC	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Creo Platform Agent 3.9	PTC	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
CSWlibgcc-s1 4.9	OpenCSW	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
CSWlibgcc-s1 5.5	OpenCSW	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
curl 7.3	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
curl 7.5	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
curl 7.64	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Data Center Security Serve	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Data Center Security Serve	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Data Center Security Serve	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Data Loss Prevention Enfor	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Data Loss Prevention Enfor	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Data Loss Prevention Enfor	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
DatAdvantage UI 5.7	VARONIS SYSTEMS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
DatAdvantage UI 5.8	VARONIS SYSTEMS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
DatAdvantage UI 5.9	VARONIS SYSTEMS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
DatAdvantage UI 6.2	VARONIS SYSTEMS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
DatAdvantage UI 6.3	VARONIS SYSTEMS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
DatAdVantage UI 7.4	VARONIS SYSTEMS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
DatAdVantage UI 7.5	VARONIS SYSTEMS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Datastream Charting Add-	Refinitiv	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Datastream Charting Add-	Refinitiv	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Datastream Charting Add-		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Datastream Charting Add-I		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Datastream Charting Add-I	Refinitiv	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
DB2 Connect Package 6.1	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is largered in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
DB2 XML Extender 5.3 DB2 XML Extender 5.4	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
DB2 XML Extender 5.4 DB2 XML Extender 7.2	IBM	Inis Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
DB2 XML Extender 7.2 DB2 XML Extender 9.5	IBM	Inis Application is ignored in Tavor of new inicident grue for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new inicident grue for non-commercial applications. All related evidences are mapped to respective major version of the Product.
dbForge Studio for Oracle		
THREATHE STRUIG TOL ALGCIE		
	Devart	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Designer 5.1	IntraLinks	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Designer 5.1 Designer 5.2	IntraLinks IntraLinks	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Designer 5.1 Designer 5.2 Designer 5.3	IntraLinks IntraLinks IntraLinks	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Designer 5.1 Designer 5.2 Designer 5.3 Designer 5.4	IntraLinks IntraLinks IntraLinks IntraLinks	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Designer 5.1 Designer 5.2 Designer 5.3 Designer 5.4 Designer 5.5	Intralinks Intralinks Intralinks Intralinks Intralinks	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Designer 5.1 Designer 5.2 Designer 5.3 Designer 5.4 Designer 5.5 Designer 5.8	IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Designer 5.1 Designer 5.2 Designer 5.3 Designer 5.4 Designer 5.5 Designer 5.8 Desktop Telematic 1.1	IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks Sogei	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Designer 5.1 Designer 5.2 Designer 5.3 Designer 5.4 Designer 5.5 Designer 5.8 Desktop Telematic 1.1 devtoolset-7-gdb-gdbserve	Intralinks Intralinks Intralinks Intralinks Intralinks Intralinks Intralinks Sogei Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Designer 5.1 Designer 5.2 Designer 5.3 Designer 5.4 Designer 5.5 Designer 5.5 Designer 5.8 Desktop Telematic 1.1 devtoolset-7-gdb-gdbserve Directory Server Solaris Pa	Intralinks Intralinks Intralinks Intralinks Intralinks Intralinks Sogei Red Hat Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Designer 5.1 Designer 5.2 Designer 5.3 Designer 5.4 Designer 5.5 Designer 5.5 Designer 5.5 Designer 5.8 Desktop Telematic 1.1 devtoolset-7-gdb-gdbserve Directory Server Solaris Pa- Disc to Device 19.1	IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks Sogel Red Hat Oracle Nero	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Designer 5.1 Designer 5.2 Designer 5.3 Designer 5.4 Designer 5.5 Designer 5.5 Designer 5.6 Desidner 5.8 Desktop Telematic 1.1 devtoolset-7-gdb-gdbserve Directory Server Solaris Pa Disc to Device 19.1 dotConnect for Oracle 9.2	IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks Sogei Red Hat Oracie Nero Devart	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version
Designer 5.1 Designer 5.2 Designer 5.3 Designer 5.4 Designer 5.5 Designer 5.5 Designer 5.8 Desktop Telematic 1.1 devtoolset-7-gdb-gdbserve Directory Server Solairs Ba- Disc to Device 19.1 dotConnect for Oracle 9.2 dotConnect for Oracle 9.2	IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks Sogel Red Hat Oracle Nero Devart Devart	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version
Designer 5.1 Designer 5.2 Designer 5.3 Designer 5.3 Designer 5.4 Designer 5.5 Designer 5.8 Designer 5.8 Desktop Telematic 1.1 devtoolset-7-gdb-gdbserve Directory Server Solaris Pa Disc to Device 19.1 dotConnect for Oracle 9.2 dotConnect for Oracle 9.4 dotConnect for Oracle 9.4	IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks Sogel Red Hat Oracle Nero Devart Devart Devart	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version
Designer 5.1 Designer 5.2 Designer 5.3 Designer 5.3 Designer 5.4 Designer 5.5 Designer 5.8 Desig	IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks Sogei Red Hat Oracle Nero Devart Devart Devart Devart	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version
Designer 5.1 Designer 5.2 Designer 5.3 Designer 5.4 Designer 5.5 Designer 5.8 Desktop Telematic 1.1 devtoolset-7-gdb-gdbserve Directory Server Solaris Pa Disc to Device 19.1 dotConnect for Oracle 9.2 dotConnect for Oracle 9.4 dotConnect for Oracle 9.5 dotConnect for Oracle 9.6 ddMan 1.0	IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks Oracle Red Hat Oracle Nero Devart Devart Devart Devart Devart OpenText	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version
Designer 5.1 Designer 5.2 Designer 5.3 Designer 5.4 Designer 5.5 Designer 5.5 Designer 5.8 Desktop Telematic 1.1 devtoolset-7-gdb-gdbserve Directory Server Solaris Pa Disc to Device 19.1 dotConnect for Oracle 9.2 dotConnect for Oracle 9.4 dotConnect for Oracle 9.5 dotConnect for Oracle 9.0 ddMan 1.0 Dymamics CRM for Micross	IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks Sogel Red Hat Oracle Nero Devart Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version
Designer 5.1 Designer 5.2 Designer 5.3 Designer 5.4 Designer 5.5 Designer 5.8 Designer 5.8 Designer 5.8 Designer 5.8 Desider 5.8 Desider 5.8 Desider 5.8 Desider 5.8 Desider 5.8 Desider 5.8 Directory Server Solaris Pa Disc to Device 19.1 dotConnect for Oracle 9.4 dotConnect for Oracle 9.5 dotConnect for Oracle 9.4 Dynamics CRM for Microsc	IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks Sogei Red Hat Oracie Nero Devart	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Designer 5.1 Designer 5.2 Designer 5.3 Designer 5.4 Designer 5.8 Designer 5.8 Designer 5.8 Desktop Telematic 1.1 devtoolset-7-gdb-gdbserve Directory Server Solair 8a Disc to Device 19.1 dotConnect for Oracle 9.2 dotConnect for Oracle 9.6 dotConnect for Oracle 9.6 dotConnect for Oracle 9.6 Dynamics CRM for Microsc Dynamics CRM for Microsc Dynamics CRM for Microsc Eap7-hibernate-core 5.1	IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks Oracle Red Hat Oracle Nero Devart Devart Devart Devart Devart OpenText Microsoft Microsoft Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version
Designer 5.1 Designer 5.2 Designer 5.3 Designer 5.3 Designer 5.4 Designer 5.5 Designer 5.5 Designer 5.8 Desktop Telematic 1.1 devtoolset-7-gdb-gdbserve Directory Server Solaris Pa Disc to Device 19.1 dotConnect for Oracle 9.4 dotConnect for Oracle 9.4 dotConnect for Oracle 9.5 dotConnect for Oracle 9.6 ddMan 1.0 Dynamics CRM for Microsc Dynamics CRM for Microsc Bap7-hibernate-core 5.1 eap7-hibernate-core 5.1	IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks Sogel Red Hat Oracle Nero Devart Devart Devart Devart Devart Devart Devart Microsoft Microsoft Microsoft Red Hat Red Hat Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version
Designer 5.1 Designer 5.2 Designer 5.3 Designer 5.4 Designer 5.8 Designer 5.8 Designer 5.8 Desktop Telematic 1.1 devtoolset-7-gdb-gdbserve Directory Server Solair 8a Disc to Device 19.1 dotConnect for Oracle 9.2 dotConnect for Oracle 9.6 dotConnect for Oracle 9.6 dotConnect for Oracle 9.6 Dynamics CRM for Microsc Dynamics CRM for Microsc Dynamics CRM for Microsc Eap7-hibernate-core 5.1	IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks IntraLinks Oracle Red Hat Oracle Nero Devart Devart Devart Devart Devart OpenText Microsoft Microsoft Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version

Eclipse IDE 4.11	Eclipse Foundation	This Application is less	ared in favor of new wildes all a	rulo for non somma :-!-	applications	All related outdon	or are many	d to recoertive mai-	orgion of the Brades
			ored in favor of new wildcarding ored in favor of new wildcarding						
Eclipse IDE 4.12 Eclipse IDE 4.13	Eclipse Foundation Eclipse Foundation		ored in favor of new wildcarding ored in favor of new wildcarding						
Eclipse IDE 4.14	Eclipse Foundation Eclipse Foundation		ored in favor of new wildcarding						
Eclipse IDE 4.14	Eclipse Foundation Eclipse Foundation		ored in favor of new wildcarding						
Eclipse IDE 4.15	Eclipse Foundation								
			ored in favor of new wildcarding						
Eclipse IDE 4.17 Eclipse IDE 4.18	Eclipse Foundation Eclipse Foundation		ored in favor of new wildcarding ored in favor of new wildcarding						
Eclipse IDE 4.19	Eclipse Foundation		ored in favor of new wildcarding						
Eclipse IDE 4.19	Eclipse Foundation		ored in favor of new wildcarding						
Eclipse IDE 4.21	Eclipse Foundation		ored in favor of new wildcarding						
Eclipse IDE 4.22	Eclipse Foundation		ored in favor of new wildcarding						
Eclipse IDE 4.23	Eclipse Foundation		ored in favor of new wildcarding						
Eclipse IDE 4.3	Eclipse Foundation		ored in favor of new wildcarding						
Eclipse IDE 4.4	Eclipse Foundation		ored in favor of new wildcarding						
Eclipse IDE 4.5	Eclipse Foundation		ored in favor of new wildcarding						
Eclipse IDE 4.6	Eclipse Foundation		ored in favor of new wildcarding						
Eclipse IDE 4.7	Eclipse Foundation		ored in favor of new wildcarding						
Eclipse IDE 4.8	Eclipse Foundation		ored in favor of new wildcarding						
Eclipse IDE 4.9	Eclipse Foundation		ored in favor of new wildcarding						
eFreedom Annual Stateme	StoneRiver		ored in favor of new wildcarding						
eFreedom Annual Stateme	StoneRiver		ored in favor of new wildcarding						
eFreedom Annual Stateme			ored in favor of new wildcarding						
eFreedom Annual Stateme			ored in favor of new wildcarding						
Elasticsearch 1.3	Elasticsearch		ored in favor of new wildcarding						
Elasticsearch 1.5	Elasticsearch		ored in favor of new wildcarding						
Elasticsearch 1.7	Elasticsearch		ored in favor of new wildcarding						
Elasticsearch 2.2	Elasticsearch	This Application is ign	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence	es are mappe	d to respective major v	ersion of the Product
Elasticsearch 2.3	Elasticsearch		ored in favor of new wildcarding						
Elasticsearch 2.4	Elasticsearch	This Application is ign	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence	es are mappe	d to respective major v	ersion of the Product
Elasticsearch 5.2	Elasticsearch	This Application is ign	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence	es are mappe	d to respective major v	ersion of the Product
Elasticsearch 5.3	Elasticsearch		ored in favor of new wildcarding						
Elasticsearch 5.4	Elasticsearch		ored in favor of new wildcarding						
Elasticsearch 5.5	Elasticsearch		ored in favor of new wildcarding						
Elasticsearch 5.6	Elasticsearch	This Application is ign	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence	es are mappe	d to respective major v	ersion of the Product
Elasticsearch 6.1	Elasticsearch		ored in favor of new wildcarding						
Elasticsearch 6.2	Elasticsearch	This Application is ign	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence	es are mappe	d to respective major v	ersion of the Product
Elasticsearch 6.3	Elasticsearch		ored in favor of new wildcarding						
Elasticsearch 6.4	Elasticsearch	This Application is ign	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence	es are mappe	d to respective major v	ersion of the Product
Elasticsearch 6.5	Elasticsearch	This Application is ign	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence	es are mappe	d to respective major v	ersion of the Product
Elasticsearch 6.6	Elasticsearch	This Application is ign	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence	es are mappe	d to respective major v	ersion of the Product
Elasticsearch 6.7	Elasticsearch	This Application is ign	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence	es are mappe	d to respective major v	ersion of the Product
Elasticsearch 6.8	Elasticsearch	This Application is ign	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence	es are mappe	d to respective major v	ersion of the Product
Elasticsearch 8.2	Elasticsearch	This Application is ign	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence	es are mappe	d to respective major v	ersion of the Product
Endpoint Agent 1.85	ThousandEyes	This Application is ign	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence	es are mappe	d to respective major v	ersion of the Product
Endpoint Agent 1.96	ThousandEyes	This Application is ign	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence	es are mappe	d to respective major v	ersion of the Product
Endpoint Agent 1.99	ThousandEyes		ored in favor of new wildcarding						
Enterprise Security Report	Quest		ored in favor of new wildcarding	rule for non-commercia					ersion of the Product
Enterprise Security Report	Quest	Deed to an interest to the							
			ored in favor of new wildcarding						
Enterprise Security Report	Quest	This Application is ign	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence	es are mappe	d to respective major v	ersion of the Product
Enterprise Security Report Enterprise Security Report	Quest Quest	This Application is ignorable This Application is ignorable.	ored in favor of new wildcarding ored in favor of new wildcarding	rule for non-commercia rule for non-commercia	applications.	All related evidence	es are mappe es are mappe	d to respective major v d to respective major v	ersion of the Product ersion of the Product
Enterprise Security Report Enterprise Security Report Enterprise Security Report	Quest Quest Quest	This Application is ignormal This Application is ignormal.	ored in favor of new wildcarding ored in favor of new wildcarding ored in favor of new wildcarding	rule for non-commercia rule for non-commercia rule for non-commercia	applications. applications. applications.	All related evidence All related evidence All related evidence	es are mappe es are mappe es are mappe	d to respective major v d to respective major v d to respective major v	ersion of the Product ersion of the Product ersion of the Product
Enterprise Security Report Enterprise Security Report Enterprise Security Report Enterprise Security Report	Quest Quest Quest Quest	This Application is ignormal This Application is ignormal.	ored in favor of new wildcarding ored in favor of new wildcarding ored in favor of new wildcarding ored in favor of new wildcarding	rule for non-commercia rule for non-commercia rule for non-commercia rule for non-commercia	applications. applications. applications. applications.	All related evidence All related evidence All related evidence All related evidence	es are mappe es are mappe es are mappe es are mappe	d to respective major v d to respective major v d to respective major v d to respective major v	ersion of the Product ersion of the Product ersion of the Product ersion of the Product
Enterprise Security Report Enterprise Security Report Enterprise Security Report	Quest Quest Quest Quest	This Application is ign This Application is ign This Application is ign This Application is ign This Application is ign	ored in favor of new wildcarding ored in favor of new wildcarding	rule for non-commercia rule for non-commercia rule for non-commercia rule for non-commercia rule for non-commercia	applications. applications. applications. applications. applications.	All related evidence All related evidence All related evidence All related evidence All related evidence	es are mappe es are mappe es are mappe es are mappe es are mappe	d to respective major v d to respective major v d to respective major v d to respective major v d to respective major v	ersion of the Product ersion of the Product ersion of the Product ersion of the Product ersion of the Product
Enterprise Security Report Enterprise Security Report Enterprise Security Report Enterprise Security Report Enterprise Security Report eog 3.2	Quest Quest Quest Quest Quest Quest Quest Red Hat	This Application is ign- This Application is ign-	ored in favor of new wildcarding ored in favor of new wildcarding	rule for non-commercia rule for non-commercia rule for non-commercia rule for non-commercia rule for non-commercia rule for non-commercia	applications. applications. applications. applications. applications. applications.	All related evidence	es are mappe es are mappe es are mappe es are mappe es are mappe es are mappe	d to respective major v d to respective major v	ersion of the Product ersion of the Product
Enterprise Security Report Enterprise Security Report Enterprise Security Report Enterprise Security Report Enterprise Security Report eog 3.2 eSigner 4.1	Quest Quest Quest Quest Quest Quest Red Hat Thales Group	This Application is ign This Application is ign	ored in favor of new wildcarding ored in favor of new wildcarding	rule for non-commercia rule for non-commercia rule for non-commercia rule for non-commercia rule for non-commercia rule for non-commercia rule for non-commercia	applications. applications. applications. applications. applications. applications. applications.	All related evidence	es are mappe es are mappe es are mappe es are mappe es are mappe es are mappe es are mappe	d to respective major v d to respective major v	ersion of the Product ersion of the Product
Enterprise Security Report Enterprise Security Report Enterprise Security Report Enterprise Security Report Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2	Quest Quest Quest Quest Quest Quest Red Hat Thales Group Thales Group	This Application is igni This Application is igni	ored in favor of new wildcarding ored in favor of new wildcarding	rule for non-commercia rule for non-commercia	applications. applications. applications. applications. applications. applications. applications. applications.	All related evidence	es are mappe es are mappe	d to respective major v d to respective major v	ersion of the Product ersion of the Product
Enterprise Security Report Enterprise Security Report Enterprise Security Report Enterprise Security Report Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2	Quest Quest Quest Quest Quest Thales Group Quest Quest Quest Red Hat Thales Group Thales Group Thales Group	This Application is ign This Application is ign	ored in favor of new wildcarding ored in favor of new wildcarding	rule for non-commercia rule for non-commercia	applications. applications. applications. applications. applications. applications. applications. applications. applications. applications.	All related evidence	es are mappe es are mappe	d to respective major v	ersion of the Product ersion of the Product
Enterprise Security Report Enterprise Security Report Enterprise Security Report Enterprise Security Report Enterprise Security Report Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 Corp eSigner 4.4	Quest Quest Quest Quest Quest Red Hat Thales Group Thales Group Thales Group Thales Group Thales Group	This Application is ign This Application is ign	ored in favor of new wildcarding ored in favor of new wildcarding	rule for non-commercia rule for non-commercia	applications.	All related evidence	es are mappe es are mappe	d to respective major v	ersion of the Product ersion of the Product
Enterprise Security Report Enterprise Security Report Enterprise Security Report Enterprise Security Report eog 3.2 esigner 4.1 esigner 4.2 esigner 4.2 esigner 4.2 designer 4.4 esigner 4.4 esigner 4.4	Quest Quest Quest Quest Quest Red Hat Thales Group	This Application is ign This Application is ign	ored in favor of new wildcarding ored in favor of new wildcarding	rule for non-commercia rule for non-commercia	applications.	All related evidence	es are mappe es are mappe	d to respective major v	ersion of the Product ersion of the Product
Enterprise Security Report Enterprise Security Report Enterprise Security Report Enterprise Security Report egg 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 corp eSigner 4.4 eSigner 5.0 corp	Quest Quest Quest Quest Quest Quest Red Hat Thales Group	This Application is ign This A	ored in favor of new wildcarding ored in favor of new wildcarding	rule for non-commercia rule for non-commercia	applications.	All related evidence	es are mappe es are mappe	d to respective major v d to r	ersion of the Product ersion of the Product
Enterprise Security Report Enterprise Security Report Enterprise Security Report Enterprise Security Report Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 Corp eSigner 4.4 Corp eSigner 5.0 Corp eSigner 6.1	Quest Quest Quest Quest Quest Red Hat Thales Group	This Application is ign This Application is ign	ored in favor of new wildcarding ored in favor of new wildcarding	rule for non-commercia rule for non-commercia	applications.	All related evidence	es are mappe es are mappe	d to respective major v	ersion of the Product ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion
Enterprise Security Report eog 3.2 esigner 4.1 esigner 4.2 esigner 4.2 corp esigner 4.4 esigner 4.4 corp esigner 5.0 Corp esigner 5.0 Corp esigner 6.1 esigner 6.1 corp	Quest Quest Quest Quest Quest Red Hat Thales Group	This Application is ign	ored in favor of new wildcarding	rule for non-commercia rule for non-commercia	applications.	All related evidence.	es are mappe es are mappe	d to respective major v	ersion of the Product ersion of the Product
Enterprise Security Report Enterprise Security Report Enterprise Security Report Enterprise Security Report Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 4.4 Corp eSigner 6.1 eSigner 6.1 eSigner 6.1	Quest Quest Quest Quest Quest Red Hat Thales Group	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia rule for non-commercia	applications.	All related evidence.	es are mappe es are mappe	d to respective major v d to r	ersion of the Product ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersio
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 4.4 Corp eSigner 4.4 Corp eSigner 6.1 Corp eSigner 6.1 eSigner 6.3 eSigner 6.3	Quest Quest Quest Quest Quest Red Hat Thales Group	This Application is ign This A	ored in favor of new wildcarding ored in favor of new wildcarding, ored in favor of new wildcarding,	rule for non-commercia rule for non-commercia	applications.	All related evidence.	es are mappe es are mappe	d to respective major v d to r	ersion of the Product ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ers
Enterprise Security Report eog 3.2 esigner 4.1 esigner 4.2 esigner 4.2 corp esigner 4.4 esigner 4.4 corp esigner 5.0 Corp esigner 6.1 esigner 6.1 esigner 6.1 esigner 6.4 esigner 6.4	Quest Quest Quest Quest Quest Red Hat Thales Group	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia rule for non-commercia	applications.	All related evidence.	es are mappe es are mappe	d to respective major v d to r	ersion of the Product ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersio
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 6.1 eSigner 6.1 eSigner 6.3 eSigner 6.3 eSigner 6.4 eSigner 6.4 eSigner 6.4 eSigner 6.4 eSigner 6.5	Quest Quest Quest Quest Quest Quest Red Hat Thales Group	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia rule f	applications.	All related evidence.	es are mappe es are mappe	d to respective major v	ersion of the Product ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersi
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 4.4 Corp eSigner 6.1 Corp eSigner 6.1 Corp eSigner 6.1 eSigner 6.3 eSigner 6.4 eSigner 6.5 eSigner 6.4	Quest Quest Quest Quest Quest Quest Red Hat Thales Group	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia rule f	applications.	All related evidence.	es are mappe es are mappe	d to respective major v	ersion of the Product ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion ersion
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 Corp eSigner 4.4 eSigner 4.4 Corp eSigner 5.0 Corp eSigner 6.1 eSigner 6.1 eSigner 6.1 eSigner 6.2 eSigner 6.3 eSigner 6.4 eSigner 6.5 eSigner 6.5 eSigner 6.6	Quest Quest Quest Quest Quest Quest Red Hat Thales Group	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia rule for non-commercia	applications.	All related evidence.	es are mappe es are mappe	d to respective major v	ersion of the Product
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 6.1 eSigner 6.6	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia rule f	applications.	All related evidence All relat	es are mappe es are mappes es es are mappes es es are mappes	d to respective major v	ersion of the Product ersion ersio
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 4.4 Corp eSigner 6.1 eSigner 6.1 eSigner 6.1 eSigner 6.1 eSigner 6.5 eSigner 6.6 eSigner 6.6 eSigner 6.6 eSigner 6.7 eSigner 6.7	Quest Quest Quest Quest Quest Quest Quest Thales Group	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia rule f	applications.	All related evidence.	es are mappe es are mappe	d to respective major v	ersion of the Product ersion
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 6.1 eSigner 6.6	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia rule f	applications.	All related evidence.	es are mappe es are mappe	d to respective major v	ersion of the Product ersion ersio
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 Corp eSigner 4.4 eSigner 4.4 Corp eSigner 6.1 eSigner 6.1 Corp eSigner 6.1 eSigner 6.1 eSigner 6.6 eSigner 6.6 eSigner 6.7 eSigner 6.8	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia rule f	applications.	All related evidence All relat	es are mappe es are mappes es are mappes	d to respective major v	ersion of the Product
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 6.1 eSigner 6.1 eSigner 6.6 eSigner 6.6 eSigner 6.7 eSigner 6.8	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia rule f	applications.	All related evidence.	es are mappe es are mappe	d to respective major v	ersion of the Product ersion ersio
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 4.4 corp eSigner 6.1 eSigner 6.1 eSigner 6.1 eSigner 6.1 eSigner 6.5 eSigner 6.6 eSigner 6.7 eSigner 6.7 eSigner 6.7 eSigner 6.7 eSigner 6.7 eSigner 6.8 eSigner 6.8 eSigner 6.8 eSigner 6.8 eSigner 6.7 eSigner 6.7 eSigner 6.8 eSigner 6.9	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence.	es are mappe es are mappe	d to respective major v	ersion of the Product ersion
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 Corp eSigner 4.4 eSigner 4.4 Corp eSigner 6.4 eSigner 6.1 Corp eSigner 6.1 Corp eSigner 6.1 eSigner 6.6 eSigner 6.7 eSigner 6.8 eSigner 6.7 eSigner 6.8 eSigner 6.7 eSigner 6.7 eSigner 6.8	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia rule f	applications.	All related evidence.	es are mappe es are mappe	d to respective major v d to r	ersion of the Product ersion
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 Corp eSigner 6.1 eSigner 6.6 eSigner 6.6 eSigner 6.7 eSigner 6.7 eSigner 6.7 eSigner 6.7 eSigner 6.7 eSigner 6.8 eSigner 6.7 eSigner 6.8 eSigner 6.9 eS	Quest Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group Matt Wu Matt Wu Matt Wu Matt Wu	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence.	es are mappe es are mappe	d to respective major v	ersion of the Product ersion e
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 4.4 Corp eSigner 6.1 eSigner 6.1 Corp eSigner 6.1 eSigner 6.3 eSigner 6.4 eSigner 6.6 eSigner 6.7 eSigner 6.7 eSigner 6.7 eSigner 6.8 eSigner 6.8 eSigner 6.8 eSigner 6.8 eSigner 6.9 eSigne	Quest Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia rule rule for non-commercia rule for non-comm	applications.	All related evidence.	es are mappe es are mappe	d to respective major v	ersion of the Product
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 Corp eSigner 4.4 eSigner 4.4 Corp eSigner 6.1 eSigner 6.1 eSigner 6.1 eSigner 6.1 eSigner 6.3 eSigner 6.6 eSigner 6.6 eSigner 6.6 eSigner 6.7 corp eSigner 6.7 eSigner 6.8 eSigner 6.8 eSigner 6.7 eSigner 6.7 eSigner 6.8 eSigner 6.8 eSigner 6.8 eSigner 6.8 eSigner 6.8 eSigner 6.8 eSigner 6.9	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia rule f	applications.	All related evidence.	es are mappe es are mappe	d to respective major v d to r	ersion of the Product
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 6.1 eSigner 6.1 eSigner 6.1 eSigner 6.1 eSigner 6.1 eSigner 6.6 eSigner 6.7 eSigner 6.6 eSigner 6.7 eSigner 6.7 eSigner 6.8 eSigner 6.8 eSigner 6.8 eSigner 6.9 eSig	Quest Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group Matt Wu Teradata	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence.	es are mappe es are mappe	d to respective major v	ersion of the Product ersion e
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 6.1 eSigner 6.1 eSigner 6.6 eSigner 6.6 eSigner 6.7 eSigner 6.6 eSigner 6.7 eSigner 6.7 eSigner 6.8 eSigner 6.8 eSigner 6.9 eSig	Quest Quest Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group Thales G	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence.	es are mappe es are mappe	d to respective major v	ersion of the Product ersion
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 4.4 Corp eSigner 6.1 Corp eSigner 6.1 Corp eSigner 6.1 Corp eSigner 6.5 eSigner 6.6 eSigner 6.7 eSigner 6.8 eSigner 6.8 eSigner 6.8 eSigner 6.8 eSigner 6.9 eSigner	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group Thales	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence.	es are mappe es are mappe	d to respective major v	ersion of the Product
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 4.4 Corp eSigner 6.1 eSigner 6.1 eSigner 6.1 eSigner 6.1 eSigner 6.7 eSigner 6.8 eSigner 6.6 eSigner 6.7 eSigner 6.8 eSigner 6.9 eXterior 6.8 eSigner 6.8 eSigner 6.9 eXterior 6.8 eSigner 6.9 eXterior 6.8 eSigner 6.9 eXterior 6.8 eSigner 6.9 eSigner	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group Thales	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence.	es are mappess are	d to respective major v d to r	ersion of the Product
Enterprise Security Report eng 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 6.1 eSigner 6.1 eSigner 6.6 eSigner 6.6 eSigner 6.7 eSigner 6.6 eSigner 6.7 eSigner 6.7 eSigner 6.8 eSigner 6.8 eSigner 6.9 eSig	Quest Quest Quest Quest Quest Quest Quest Quest Quest And	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence.	es are mappe es are mappe	d to respective major v	ersion of the Product ersion ersio
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 4.4 Corp eSigner 6.1 eSigner 6.1 eSigner 6.1 eSigner 6.1 eSigner 6.6 eSigner 6.7 eSigner 6.7 eSigner 6.8 eSigner 6.8 eSigner 6.8 eSigner 6.9 eSigner 6.7 eSigner 6.9	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group Thales	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence.	es are mappe es are mappe	d to respective major v	ersion of the Product ersion ersio
Enterprise Security Report eog 3.2 esigner 4.1 esigner 4.2 esigner 4.2 esigner 4.4 esigner 4.4 Corp esigner 6.1 esigner 6.1 esigner 6.1 esigner 6.1 esigner 6.6 esigner 6.7 esigner 6.8 esigner 6.8 esigner 6.6 esigner 6.7 esigner 6.8 esigner 6.8 esigner 6.8 esigner 6.8 esigner 6.7 esigner 6.7 esigner 6.7 esigner 6.7 esigner 6.8 es	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group Thales	This Application is ign This A	ored in favor of new wildcarding, ored i	rule for non-commercia	applications.	All related evidence.	es are mappe es are mappe	d to respective major v	ersion of the Product ersion ersio
Enterprise Security Report eng 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 6.1 eSigner 6.1 eSigner 6.6 eSigner 6.6 eSigner 6.7 eSigner 6.6 eSigner 6.7 eSigner 6.7 eSigner 6.8 eSigner 6.8 eSigner 6.9 eSig	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group Thales	This Application is ign This A	ored in favor of new wildcarding, ored in favor of new wildcarding ored in favor of	rule for non-commercia	applications.	All related evidence.	es are mappe es are mappe	d to respective major v	ersion of the Product
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 4.4 Corp eSigner 6.1 Corp eSigner 6.1 Corp eSigner 6.1 Corp eSigner 6.1 Corp eSigner 6.7 eSigner 6.8 eSigner 6.8 eSigner 6.8 eSigner 6.8 eSigner 6.9 eSigner 6.9 eSigner 6.9 eSigner 6.9 eSigner 6.9 eSigner 6.9 eSigner 6.7 eSigner 6.9 eSi	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group Thales	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence.	es are mappe es are mappe	d to respective major v	ersion of the Product ersion
Enterprise Security Report eog 3.2 esigner 4.1 esigner 4.2 esigner 4.2 esigner 4.2 corp esigner 4.4 esigner 4.4 corp esigner 6.1 esigner 6.1 esigner 6.1 esigner 6.1 esigner 6.1 esigner 6.3 esigner 6.4 esigner 6.5 esigner 6.6 esigner 6.7 esigner 6.8 esigner 6.6 esigner 6.6 esigner 6.7 esigner 6.8 esigner 6.8 esigner 6.9 esigner 6	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group Thales	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence All relat	es are mappe es are mappe	d to respective major v d to r	ersion of the Product
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 6.1 eSigner 6.1 eSigner 6.1 eSigner 6.6 eSigner 6.6 eSigner 6.7 eSigner 6.6 eSigner 6.6 eSigner 6.7 eSigner 6.7 eSigner 6.8 eSigner 6.8 eSigner 6.9 eSig	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group Thales	This Application is ign This A	ored in favor of new wildcarding, ored in favor of new wildcarding ored in favor	rule for non-commercia	applications.	All related evidence All relat	es are mappe es are mappe	d to respective major v	ersion of the Product ersion e
Enterprise Security Report eog 3.2 esigner 4.1 esigner 4.2 esigner 4.2 esigner 4.2 corp esigner 6.1 corp esigner 6.1 corp esigner 6.1 corp esigner 6.6 corp esigner 6.6 esigner 6.7 esigner 6.6 esigner 6.6 esigner 6.7 esigner 6.8 esigner 6.8 esigner 6.8 esigner 6.9 esigner 6.8 esigner 6.9	Quest Quest Quest Quest Quest Quest Quest Quest An A	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia	applications. ap	All related evidence.	es are mappe es are mappe	d to respective major v	ersion of the Product ersion
Enterprise Security Report eog 3.2 esigner 4.1 esigner 4.2 esigner 4.2 esigner 4.2 corp esigner 4.4 esigner 4.4 corp esigner 6.1 esigner 6.1 esigner 6.1 esigner 6.1 esigner 6.7 esigner 6.6 esigner 6.7 esigner 6.8 esigner 6.8 esigner 6.8 esigner 6.9 esigner 6	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group Thales	This Application is ign This A	ored in favor of new wildcarding, ored in favor of new wildcarding ored in fa	rule for non-commercia	applications.	All related evidence All relat	es are mappe es ar	d to respective major v	ersion of the Product
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 6.1 eSigner 6.1 eSigner 6.6 eSigner 6.6 eSigner 6.7 eSigner 6.6 eSigner 6.7 eSigner 6.7 eSigner 6.8 eSigner 6.8 eSigner 6.9 eSig	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group Thales	This Application is ign This A	ored in favor of new wildcarding, ored in favor of new wildcarding ored in fav	rule for non-commercia	applications.	All related evidence All relat	es are mappe es ar	d to respective major v	ersion of the Product ersion ersio
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.2 Corp eSigner 6.1 Corp eSigner 6.1 Corp eSigner 6.1 Corp eSigner 6.6 eSigner 6.7 eSigner 6.8 eSigner 6.8 eSigner 6.8 eSigner 6.8 eSigner 6.8 eSigner 6.9 eSign	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group Thales	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence.	es are mappe es are mappe	d to respective major v	ersion of the Product ersion ersion ersion ersion ersion ersion ersion ersion ersion ers
Enterprise Security Report eog 3.2 esigner 4.1 esigner 4.2 esigner 4.2 esigner 4.2 esigner 4.4 esigner 4.4 corp esigner 6.1 esigner 6.1 esigner 6.1 esigner 6.1 esigner 6.7 esigner 6.7 esigner 6.8 esigner 6.6 esigner 6.7 esigner 6.8 esigner 6.8 esigner 6.9 esigner 6.1 esigner 6.3 esigner 6.1 esigner 6.3 esigner 6.4 esigner 6.3 esigner 6.3 esigner 6.3 esigner 6.3 esigner 6.9 es	Quest Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group T	This Application is ign This A	ored in favor of new wildcarding, ored in favor of new wildcarding ored in fav	rule for non-commercia	applications.	All related evidence All relat	es are mappe es ar	d to respective major v	ersion of the Product ersion ersion ersion ersion ersion ersion ersion ersion ersion ers
Enterprise Security Report eng 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 6.1 eSigner 6.1 eSigner 6.6 eSigner 6.6 eSigner 6.7 eSigner 6.6 eSigner 6.6 eSigner 6.7 eSigner 6.7 eSigner 6.8 eSigner 6.8 eSigner 6.9 eSig	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group Thales	This Application is ign This A	ored in favor of new wildcarding, ored in favor of new wildcarding ored in fa	rule for non-commercia	applications.	All related evidence All relat	es are mappe	d to respective major v	ersion of the Product ersion ersion ersion ersion ersion ersion ersion ersion ersion ers
Enterprise Security Report eog 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.2 eSigner 6.1 eSigner 6.1 Corp eSigner 6.1 eSigner 6.1 eSigner 6.6 eSigner 6.7 eSigner 6.6 eSigner 6.7 eSigner 6.7 eSigner 6.8 eSigner 6.8 eSigner 6.8 eSigner 6.9 eSigner	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group Thales	This Application is ign This A	ored in favor of new wildcarding	rule for non-commercia	applications.	All related evidence.	es are mappe es ar	d to respective major v	ersion of the Product
Enterprise Security Report eng 3.2 eSigner 4.1 eSigner 4.2 eSigner 4.2 eSigner 4.4 eSigner 6.1 eSigner 6.1 eSigner 6.6 eSigner 6.6 eSigner 6.7 eSigner 6.6 eSigner 6.6 eSigner 6.7 eSigner 6.7 eSigner 6.8 eSigner 6.8 eSigner 6.9 eSig	Quest Quest Quest Quest Quest Quest Quest Red Hat Thales Group Thales	This Application is ign This A	ored in favor of new wildcarding, ored in favor of new wildcarding ored in fa	rule for non-commercia	applications.	All related evidence.	es are mappe es ar	d to respective major v	ersion of the Product

C C 01 E	la	
firefox 91.5	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
firefox 91.6	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
firefox 91.7	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
firefox 91.8	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
firefox 91.9	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
firefox ESR 60.6	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
firefox ESR 60.9	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
firefox ESR 68.10	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
firefox ESR 68.12	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
firefox ESR 68.2	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
firefox ESR 68.5	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
firefox ESR 68.7	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
firefox ESR 68.8	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
firefox ESR 68.9	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
firefox-devel 1	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Flipper 0.4	Facebook	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Flipper 0.5	Facebook	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Flipper 0.6	Facebook	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Flipper 0.7	Facebook	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Flipper 0.8	Facebook	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Folder Size 2.6	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Folder Size for Windows 2.	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Folder Size for Windows 2.	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Folder Size for Windows 2.	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
foreman	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
foreman 2.3	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
FRP Treasury 2.4	Sage Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Gateway Components 15.2	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Gateway Components 15.3	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Gateway Components 15.4	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Gateway Components 15.5	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Gateway Components 15.7	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Gateway Components 15.8	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Gateway Components 15.9	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
gcc 4.7	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
gcc 4.9	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
gcc-8 4.7	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
gcc-base 4.2	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
gcc-base 4.3	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
gcc-base 4.4	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
gcc-base 4.6	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
gcc-base 4.7	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Genesys Meeting Center 4	West	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Genesys Meeting Center 4	West	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Genesys Meeting Center 4		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Genesys Meeting Center 4.	West	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Genesys Meeting Center 4	West	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Genesys Meeting Center 4	West	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
gitlab-ce 11.1	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
gitlab-ce 8.2	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
GoldenGate Monitor and \	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
GoldenGate Monitor and \	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.14		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.17	Grammarly	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.18	Grammarly	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.2	Grammarly	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.20	Grammarly	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.22	Grammarly	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.24	Grammarly	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.27	Grammarly	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.29	Grammarly	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.3	Grammarly	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.30	'	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.32		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.33		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.34	'	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.35		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.36	Grammarly	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.38		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.39		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.4	Grammarly	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.40	Grammarly	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.5	Grammarly	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.54	'	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Grammarly for Safari 9.58	Grammarly	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
gzip (SMCgzip) 1.3	gzip Project	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
gzip 1	Free Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
HBAnyware 4.1	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
HBAnyware FC Host Bus A	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
HBAnyware FC Host Bus A		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
hdparm 9.16	CentOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
hdparm 9.54	CentOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
HDX Monitor for XenDeskt	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Hitachi Remote Ops Monit		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Hitachi Remote Ops Monit		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
HPC Pack 2016 Server Com		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
HPC Pack 2016 Server Com		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
HPC Pack 2016 Server Com		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All treated evidences are mapped to respective major version of the Product.
HPC Pack 2019 Server Com		This Application is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
iConstruct 2022	iConstruct	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Inspector XE 21.4	Intel	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Instant Client 21.3	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. An eladed evidences are mapped to respective major version of the Product.
Instant Client Basic	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Instant Client Basic 11.2	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Instant Client Basic 11.2	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Instant Client Basic 12.2	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Instant Client Basic 19.10	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. An elasted evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Instant Client Basic 19.12	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Instant Client Basic 19.14	Oracle	Inis Application is ignored in favor of new windcarding rule for non-commercial applications. An related evidences are mapped to respective major version or the Product. This Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.

Instant Client Basic 19.9	Orașia	This Application is imposed in favor of any will dearling rule for any commortial applications. All soleted oxidences are managed to represting major unrise of the Deadust
	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Instant Client Basic 21.4	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Instant Client Basic 21.5	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Instant Replay2 2.1	Articulate Global	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Investment Management S	Charles River Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Investment Management S	Charles River Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Java API for XML Parsing 1	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Java API for XML Parsing 1	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
KACE Agent 10.1	Quest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
KACE Agent 10.2	Quest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
KACE Agent 11.1	Quest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
KACE Agent 12.1	Quest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
KACE Agent 5.4	Quest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
KACE Agent 5.5	Quest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All treated evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All treated evidences are mapped to respective major version of the Product.
KACE Agent 6.2	Quest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
KACE Agent 6.3	Quest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
KACE Agent 6.4	Quest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
KACE Agent 7.1	Quest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
KACE Agent 7.2	Quest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
KACE Agent 8.1	Quest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
KACE Agent 9.1	Quest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libcurl3 7.38	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libcurl3 7.52	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libcurl4 7.74	Debian	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libgmp10 2:6.0	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libjpeg-turbo8 1.3	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libjpeg-turbo8 1.4	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libjpeg-turbo8 1.5	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libncursesw5 6.1	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libncursesw5 6.2	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libpango-1.0-0 1.3	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libpango-1.0-0 1.4	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libssh2-1 1.7	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libssh2-1 1.8	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libssh2-1 1.9	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
License Management 2.3	Siemens	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
License Management 2.5	Siemens	Inis Application is ignored in favor of new windcarding rule for non-commercial applications. An Irelated evidences are mapped to respective major version or the Product. This Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
License Server 5.2 License Server 5.3	Chaos Software Group Chaos Software Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
License Server 5.4	Chaos Software Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
License Server 5.5	Chaos Software Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Liquidnet	Liquidnet	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Liquidnet 3.1	Liquidnet	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Liquidnet 3.6	Liquidnet	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Liquidnet 5.1	Liquidnet	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Liquidnet 5.11	Liquidnet	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Liquidnet 5.2	Liquidnet	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Liquidnet 5.21	Liquidnet	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Liquidnet 5.6	Liquidnet	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Liquidnet 5.8	Liquidnet	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Luna HSM Client 10.2	Thales Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Luna HSM Client 10.3	Thales Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Luna HSM Client 10.4	Thales Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Luna HSM Client 5.3	Thales Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Luna HSM Client 5.4	Thales Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Luna HSM Client 6.2	Thales Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Luna HSM Client 6.3	Thales Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Luna HSM Client 7.2	Thales Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Thales Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Luna HSM Client 7.3		
Luna HSM Client 7.4	Thales Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mariadb 10.1	MariaDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MariaDB-shared 10.1	MariaDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MariaDB-shared 10.2	MariaDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MariaDB-shared 10.3	MariaDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MariaDB-shared 10.4	MariaDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MariaDB-shared 10.5	MariaDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MariaDB-shared 10.6	MariaDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MATLAB Component Runti	MathWorks	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MATLAB Component Runti	MathWorks	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MATLAB Component Runti	MathWorks	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MATLAB Component Runti		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MATLAB Component Runti	MathWorks	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
maven30-maven-remote-r	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Memory Clean 2.1	FIPLAB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mesa-libGL	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mesa-libGL 10.6	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mesa-libGL 11.2	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mesa-libGL 18.3	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mesa-libGL 19.3	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mesa-libGL 20.3	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. An I related evidences are mapped to respective major version of the Product.
mesa-libGL 7.10	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. An inelated evidences are mapped to respective major version of the Product.
		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mini Remote Control Agen		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mini Remote Control Agen		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mini Remote Control Agen		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mini Remote Control Agen		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mini Remote Control Agen	SolarWinds	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mini Remote Control Agen	SolarWinds	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mini Remote Control Clien		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mini Remote Control Clien		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mini Remote Control Clien	SolarWinds	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mini Remote Control Clien	SolarWinds	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mini Remote Control Clien	SolarWinds	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mini Remote Control Clien	SolarWinds	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mini Remote Control Clien	SolarWinds	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mini Remote Control Clien		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mini Remote Control Clien		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.

Model Repository 3.6	SAS Institute	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Model Repository 3.7	SAS Institute	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 5.4	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 5.5	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 5.7	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 5.9	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 7.1	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 7.10	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 7.11	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 7.12	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 7.13	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 7.14	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 7.15	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 7.16	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 7.17	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 7.2	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 7.3	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 7.4	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 7.5	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 7.6	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 7.7	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 7.8	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 7.9	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 8.1	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 8.10	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 8.11	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 8.12 Morningstar Add-In 8.13	Morningstar Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 8.13 Morningstar Add-In 8.15	Morningstar	Inis Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 8.15	Morningstar	Inis Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 8.17	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 8.18	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 8.2	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 8.3	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 8.4	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 8.5	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 8.6	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 8.7	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 8.8	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Morningstar Add-In 8.9	Morningstar	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MultiLoad 17.1	Teradata	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MySQL 1.2 Community	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MySQL 5.1 Community	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MySQL 5.4 Community	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MySQL 5.5 Community	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MySQL 5.6 Community	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MySQL 5.7 Community	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mysql-community-server 5	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mysql-community-server 5	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
NcFTP - client application i	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ncurses-base 6.0	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ncurses-base 6.2	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Networker Client 6.1	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Networker Client 6.2	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Networker Client 7.2	Dell Technologies Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Networker Client 7.2 Networker Client 7.4	Dell Technologies Dell Technologies Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5	Dell Technologies Dell Technologies Dell Technologies Dell Technologies Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.6	Dell Technologies Dell Technologies Dell Technologies Dell Technologies Dell Technologies Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.6 Networker for Solaris Back	Dell Technologies Dell Technologies Dell Technologies Dell Technologies Dell Technologies Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.6 Networker for Solaris Back Networker for Solaris Back	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.6 Networker for Solaris Back Networker for Solaris Back NetWorker for Solaris Back	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.6 Networker for Solaris Back Networker for Solaris Back NetWorker for Solaris Back NetWorker for Solaris Back	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.6 Networker for Solaris Back Networker for Solaris Back NetWorker for Solaris Back	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.6 Networker for Solaris Back Networker for Solaris Back NetWorker for Solaris Back NetWorker for Solaris Back Networker for Solaris Back	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.6 Networker for Solaris Back Networker for Solaris Back	Dell Technologies CentOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.6 Networker for Solaris Back Networker for Solaris Back	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.6 Networker Client 7.6 Networker for Solaris Back NetworkManager 1.2 NetworkManager 1.3 NetworkManager	Dell Technologies Cell Technologies Dell Technologies Rell Hat Red Hat Red Hat Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Glent 7.6 Networker for Solaris Back NetworkManager 1.2 NetworkManager 1.2 NetworkManager 1.4 nginx14-nginx 1.4 nginx16 1 nodejs 10 nodejs 10	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Gro Solaris Back Networker for Solaris Back NetworkManager 1.3 NetworkManager 1.3 Interver Manager 1.3 Indels 10 Indels 10 Indels 10 Indels 10.10 Indels 10.20	Dell Technologies Dell Technol	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.6 Networker Client 7.6 Networker Client 7.6 Networker for Solaris Back NetworkManager 1.2 NetworkManager 1.36 nginx14-nginx 1.4 nginx16 1 nodejs 10 nodejs 10.10 nodejs 10.20 nodejs 10.20	Dell Technologies Rell Technologies CentOS CentOS Red Hat Red Hat Red Hat Red Hat Oracle Oracle Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.6 Networker Grosolaris Back NetWorker for Solaris Back NetworkManager 1.36 nginx14-nginx 1.4 nginx16 1 nodejs 10 nodejs 10.16 nodejs 10.21 nodejs 10.21	Dell Technologies Dell Technol	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.6 Networker for Solaris Back NetworkManager 1.2 NetworkManager 1.36 nginx14-nginx16 nodejs 10 nodejs 10 nodejs 10.16 nodejs 10.20 nodejs 10.24 Office Plug-in 9.1	Dell Technologies Dell Technol	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.6 Networker Client 7.6 Networker for Solaris Back NetworkManager 1.2 NetworkManager 1.3 nginx16-1 nodejs 10 nodejs 10 nodejs 10.10 nodejs 10.20 nodejs 10.21 nodejs 10.21 nodejs 10.21 nodejs 10.21 nodejs 10.21 nodejs 10.21	Dell Technologies Dell Technol	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.6 Networker Grosolaris Back NetWorker for Solaris Back NetworkManager 1.2 NetworkManager 1.2 NetworkManager 1.36 nginx14-nginx 1.4 nginx16 1 nodejs 10 nodejs 10.16 nodejs 10.20 nodejs 10.21 nodejs 10.21 nodejs 10.22 Office Plug-in 9.1 Office Plug-in 9.2 Office Plug-in 9.2	Dell Technologies Dell Technol	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.6 Networker for Solaris Back NetworkManager 1.2 NetworkManager 1.36 nginx14-nginx14 nginx16-ginx1.4 nginx16-ginx1.4 nodejs 10.16 nodejs 10.20 nodejs 10.21 Office Plug-in 9.1 Office Plug-in 9.1 Office Plug-in 9.4 OLE DB Access Module 17.	Dell Technologies Dell Technol	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.6 Networker Client 7.6 Networker For Solaris Back NetworkManager 1.2 NetworkManager 1.3 NetworkManager 1.3 nodejs 10 nodejs 10 nodejs 10.1 nodejs 10.20 nodejs 10.21 nodejs 10.24 Office Plug-in 9.1 Office Plug-in 9.1 Office Plug-in 9.2 Office Plug-in 9.4 OLE DB Access Module 17. One Endpoint 19.04	Dell Technologies Dell Technol	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.6 Networker Grosolaris Back NetWorker for Solaris Back NetworkManager 1.2 NetworkManager 1.2 NetworkManager 1.36 nginx14-nginx 1.4 nginx16 1 nodejs 10 nodejs 10.16 nodejs 10.20 nodejs 10.21 nodejs 10.21 nodejs 10.22 Office Plug-in 9.1 Office Plug-in 9.1 OIF DB Access Module 17. One Endpoint 19.04 One Endpoint 19.04	Dell Technologies Dell Technol	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.6 Networker for Solaris Back Networker for Solaris Ba	Dell Technologies Dell Technol	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.6 Networker for Solaris Back Networkhanager 1.36 nginx14-nginx 1.4 nginx16 1 nodejs 10 nodejs 10.10 nodejs 10.11 nodejs 10.20 nodejs 10.21 nodejs 10.21 Office Plug-in 9.1 Office Plug-in 9.1 Office Plug-in 9.2 Office Plug-in 9.4 One Endpoint 19.04 One Endpoint 19.04 One Endpoint 19.06 One Endpoint 19.08	Dell Technologies CentOS CentOS CentOS CentOS CentOS Red Hat Red Hat Red Hat Red Hat Proceed Red Hat Procepoint Forcepoint Forcepoint Forcepoint Forcepoint	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.5 Networker Grosolaris Back NetWorker for Solaris Back NetworkManager 1.2 NetworkManager 1.2 NetworkManager 1.3 NetworkManager 1.3 Nodejs 10 Nodejs 10 Nodejs 10 Nodejs 10 Nodejs 10.21 Nodejs 10.21 Nodejs 10.24 Office Plug-in 9.1 Office Plug-in 9.1 Office Plug-in 9.4 OLE DB Access Module 17. One Endpoint 19.04 One Endpoint 19.08 One Endpoint 19.08 One Endpoint 19.1 One Endpoint 19.1	Dell Technologies Dell Technol	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.6 Networker for Solaris Back Networkhanager 1.36 nginx14-nginx 1.4 nginx16 1 nodejs 10 nodejs 10.10 nodejs 10.11 nodejs 10.20 nodejs 10.21 nodejs 10.21 Office Plug-in 9.1 Office Plug-in 9.1 Office Plug-in 9.2 Office Plug-in 9.4 One Endpoint 19.04 One Endpoint 19.04 One Endpoint 19.06 One Endpoint 19.08	Dell Technologies CentOS CentOS CentOS CentOS CentOS Red Hat Red Hat Red Hat Red Hat Proceed Red Hat Procepoint Forcepoint Forcepoint Forcepoint Forcepoint	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.5 Networker Client 7.5 Networker For Solaris Back Networkhanager 1.36 nginx14-nginx 1.4 nginx16 1 nodejs 10 nodejs 10 nodejs 10.10 nodejs 10.20 nodejs 10.21 nodejs 10.22 Office Plug-in 9.1 Office Plug-in 9.1 Office Plug-in 9.4 One Endpoint 19.04 One Endpoint 19.06 One Endpoint 19.06 One Endpoint 19.06 One Endpoint 19.01	Dell Technologies CentOS CentOS Red Hat Red Hat Red Hat Red Hat Red Hat Price Hologies Dracie Dracie Dracie Dracie Dracie Dracie Dracie Teradata Forcepoint Red Hat Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.6 Networker Client 7.6 Networker for Solaris Back NetworkManager 1.2 NetworkManager 1.36 nginx14-nginx 1.4 nginx16 1 nodejs 10.10 nodejs 10.10 nodejs 10.21 nodejs 10.24 Office Plug-in 9.1 Office Plug-in 9.1 Office Plug-in 9.1 Office Plug-in 9.4 OLE DB Access Module 17. One Endpoint 19.04 One Endpoint 19.08 One Endpoint 19.08 One Endpoint 19.08 One Endpoint 19.10	Dell Technologies Dell Technol	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.5 Networker Client 7.6 Networker for Solaris Back NetworkManager 1.2 NetworkManager 1.2 NetworkManager 1.36 nginx14-nginx 1.4 nginx16 1 nodejs 10 nodejs 10 nodejs 10.20 nodejs 10.21 nodejs 10.21 nodejs 10.22 Office Plug-in 9.1 Office Plug-in 9.1 Office Plug-in 9.4 OLE DB Access Module 17. One Endpoint 19.04 One Endpoint 19.06 One Endpoint 19.08 One Endpoint 19.1	Dell Technologies Dell Technol	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.6 Networker For Solaris Back Networker for Solaris Ba	Dell Technologies Dell Technol	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.5 Networker Grosolaris Back Networker for Solaris Back NetworkManager 1.2 NetworkManager 1.2 NetworkManager 1.2 NetworkManager 1.2 nodejs 10. nodejs 10. nodejs 10. nodejs 10. nodejs 10. nodejs 10.21 nodejs 10.24 Office Plug-in 9.1 Office Plug-in 9.1 Office Plug-in 9.2 Office Plug-in 9.2 Office Plug-in 9.0 One Endpoint 19.06 One Endpoint 19.08 One Endpoint 19.08 One Endpoint 19.01 Openshift CLI Openshift CLI Openshift CLI Openshift CLI 3.1 Openshift CLI 3.1 Openshift CLI 3.3 Openshift CLI 3.3	Dell Technologies Dell Technol	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.5 Networker Client 7.6 Networker for Solaris Back NetworkManager 1.2 NetworkManager 1.2 NetworkManager 1.36 nodejs 10. nodejs 10. nodejs 10. nodejs 10. nodejs 10.21 nodejs 10.21 nodejs 10.22 noffice Plug-in 9.1 Office Plug-in 9.1 Office Plug-in 9.1 OIFice Plug-in 9.4 OLE DB Access Module 17. One Endpoint 19.04 One Endpoint 19.06 One Endpoint 19.08 One Endpoint 19.1 One Endpoint 19.1 Openshift CLI Openshift CLI 3.10 Openshift CLI 3.10 Openshift CLI 3.4 Openshift CLI 3.4	Dell Technologies Dell Technol	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.5 Networker Client 7.6 Networker for Solaris Back NetworkManager 1.2 NetworkManager 1.3 NetworkManager 1.3 NetworkManager 1.3 Nodejs 10.	Dell Technologies Dell Technol	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.6 Networker Gr Solaris Back Networker for Solaris Bac	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.5 Networker Glent 7.5 Networker for Solaris Back NetworkManager 1.2 NetworkManager 1.2 NetworkManager 1.2 NetworkManager 1.2 nodejs 10 nodejs 10 nodejs 10 nodejs 10 nodejs 10.1 nodejs 10.2 Office Plug-in 9.1 Office Plug-in 9.1 Office Plug-in 9.2 Office Plug-in 9.2 Office Plug-in 9.2 Office Plug-in 9.2 Office Plug-in 9.3 One Endpoint 19.06 One Endpoint 19.06 One Endpoint 19.06 One Endpoint 19.07 One Endpoint 19.07 One Endpoint 19.08 One Endpoint 19.08 One Endpoint 19.09 One Endpoint 19.09 One Endpoint 19.01 Openshift CLI 3.1 Openshift CLI 3.1 Openshift CLI 3.3 Openshift CLI 3.3 Openshift CLI 3.4 Openshift CLI 3.4 Openshift CLI 3.6 OpensSSH 8 opensVPN Connect 2.1	Dell Technologies Dentologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.5 Networker Client 7.6 Networker for Solaris Back NetworkManager 1.2 NetworkManager 1.2 NetworkManager 1.3 NetworkManager 1.3 NetworkManager 1.3 Nodejs 10. Nodejs 1	Dell Technologies Deracle Oracle Orac	his Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.6 Networker Gr Solaris Back Networker for Solaris Bac	Dell Technologies CentOS CentOS CentOS CentOS CentOS Sed Hat Red H	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.5 Networker Glient 7.6 Networker for Solaris Back NetworkManager 1.2 NetworkManager 1.2 NetworkManager 1.2 NetworkManager 1.2 NetworkManager 1.1 nodejs 10 nodejs 10 nodejs 10 nodejs 10.1 nodejs 10.1 nodejs 10.2 Office Plug-in 9.1 Office Plug-in 9.1 Office Plug-in 9.2 Office Plug-in 9.2 Office Plug-in 9.4 OLE DB Access Module 17. One Endpoint 19.06 One Endpoint 19.06 One Endpoint 19.06 One Endpoint 19.07 One Endpoint 19.08 One Endpoint 19.08 One Endpoint 19.08 One Endpoint 19.01 Openshift CLI 3.1 Openshift CLI 3.1 Openshift CLI 3.3 Openshift CLI 3.3 Openshift CLI 3.4 Openshift CLI 3.4 Openshift CLI 3.5 OpensYPN Connect 2.5 OpenVPN Connect 2.5 OpenVPN Connect 2.5 OpenVPN Connect 2.5	Dell Technologies CentOS Red Hat Ref H	his Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.5 Networker Client 7.6 Networker for Solaris Back NetworkManager 1.2 NetworkManager 1.3 NetworkManager 1.3 NetworkManager 1.3 NetworkManager 1.3 Nodejs 10. Nodejs 1	Dell Technologies Deracle Oracle Oracle Oracle Oracle Oracle Oracle Oracle Deracle Derac	Inis Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.6 Networker Grisolaris Back Networker for Solaris Bac	Dell Technologies CentOS CentOS CentOS CentOS Sed Hat Red Hat Re	Inis Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro
Networker Client 7.2 Networker Client 7.4 Networker Client 7.5 Networker Client 7.5 Networker Client 7.5 Networker Client 7.6 Networker for Solaris Back NetworkManager 1.2 NetworkManager 1.3 NetworkManager 1.3 NetworkManager 1.3 NetworkManager 1.3 Nodejs 10. Nodejs 1	Dell Technologies Deracle Oracle Oracle Oracle Oracle Oracle Oracle Oracle Deracle Derac	Inis Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Pro

ODEV Coopper Coftware 2.2	Onov	This Application is ignored in four of pour utilidearding rule for non-commercial applications. All soleted outdoors are manual to repositive major version of the Deputy
OPEX Scanner Software 3.2 OPEX Scanner Software 5.5	Opex Opex	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Oracle Net 21c	Oracle	Inis Application is ignored in favor of new inicarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new inicarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
PDF24 Creator 10.1	Geek Software	his Application is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
PDF24 Creator 10.7	Geek Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Perl 5.8.4 (non-core) 11	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
PhotoPad Image Editor 5.1	NCH Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
PhotoPad Image Editor 5.2	NCH Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
PhotoPad Image Editor 5.3	NCH Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
PhotoPad Image Editor 5.4	NCH Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
PhotoPad Image Editor 5.5	NCH Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
PHP Manager 2 for IIS 2.6	LeXtudio	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Plan Explorer 2020.16	SentryOne	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Plan Explorer 2020.20	SentryOne	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
postgresql-odbc 12.2	PostgreSQL Global Development Grou	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
postgresql-odbc 8.3	PostgreSQL Global Development Grou	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
postgresql-server 12.11	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
postgresql-server 12.5	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
postgresql-server 12.7	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
postgresql-server 12.9	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Postman 9.20	Postman	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Power Advisor 10.5	Hewlett Packard Enterprise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Power Advisor 9.7	Hewlett Packard Enterprise Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Power BI Gateway Compor Power BI Gateway Compor	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Power BI Gateway Compor	Microsoft	his Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Power BI Gateway Compor	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Power BI Gateway Compor	Microsoft	his Application is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
proftpd 1.3	ProFTPD Project	his Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python 3.7	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python 3.9	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python3-werkzeug 0.1	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python-lxml	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python-lxml 2.2	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python-markupsafe 0.11	CentOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python-pyasn1 0.1	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python-pyasn1 0.3	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python-pyasn1 0.4	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python-werkzeug 0.14	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python-werkzeug 0.16	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Client	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Client 11.24	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Olik Sense Client 12.16	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Client 12.26	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Client 12.36	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Client 12.44	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Client 13.21	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Client 13.32 Qlik Sense Client 13.4	QlikTech International QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Client 13.5	QlikTech International	his Application is ignored in favor of new wildcarding rule for non-commercial applications. An elasted evidences are inapped to respective injury or the wildcarding rule for non-commercial applications. All related evidences are inapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Client 13.72	QlikTech International	his Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Client 13.9	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Client 14.28	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Client 14.44	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Client 14.5	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Client 14.54	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Client 2.1	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Client 2.2	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Client 3.1	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Client 3.2	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Engine	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Engine 10.28	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Engine 10.3	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Engine 10.7	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Engine 11.24	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Olik Sense Engine 12.26	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Engine 12.36 Qlik Sense Engine 12.44	QlikTech International QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Engine 12.44 Qlik Sense Engine 12.5	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Engine 12.5	QlikTech International	Inis Application is ignored in favor of new wildcarding rule for non-commercial applications, an related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Engine 13.32	QlikTech International	his Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Engine 13.4	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Engine 13.5	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Engine 13.6	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Engine 13.72	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Engine 13.9	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Engine 14.44	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Engine 14.5	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Engine 14.54	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Engine 2.1	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Engine 2.2	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Repository	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Repository 10.1	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Repository 10.2		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Olik Sense Repository 11.2	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Repository 12.1		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Olik Sense Repository 12.3	QlikTech International QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Repository 12.4 Qlik Sense Repository 13.1	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Repository 13.1		Inis Application is ignored in favor of new wilocarding rule for non-commercial applications, an related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wilocarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Repository 13.3	QlikTech International	his Application is ignored in favor of new wildcarding rule for non-commercial applications. An elasted evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Repository 13.5	QlikTech International	his Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Repository 13.6		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Repository 13.7		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Repository 13.9	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Repository 14.4		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Repository 14.5		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.

Qlik Sense Repository 14.5	OlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Repository 2.1	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Repository 2.2	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Repository 26.1		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Olik Sense Scheduler	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Scheduler 10.18	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Scheduler 10.28		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Olik Sense Scheduler 10.7		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Scheduler 11.24	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Scheduler 12.16		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Scheduler 12.26		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Scheduler 12.36		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Scheduler 12.44	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Scheduler 13.10	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Scheduler 13.21	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Scheduler 13.32	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Scheduler 13.5		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Scheduler 13.6		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Scheduler 13.72		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Scheduler 13.9	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Scheduler 14.44	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Scheduler 14.5		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Scheduler 14.54		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Scheduler 18.8	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Scheduler 2.1	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Qlik Sense Scheduler 2.2	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Quartz Composer 2.5 Redis 2.4	Apple Redis Labs	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Redis 2.4	Redis Labs	Inis Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Redis 2.8	Redis Labs	This Application is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product.
redis 3.0	Remi Collet	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
redis 3.2	Remi Collet	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
redis 6.2	Remi Collet	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Redis on Windows 2.4	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Reference Manager 2.34	Mendeley	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Reference Manager 2.6	Mendeley	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Remedy User 4.5	BMC	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Remedy User 5.1	BMC	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Remedy User 6.3	BMC	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Remedy User 7.1	BMC	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Remedy User 7.5	BMC	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Remedy User 7.6	BMC	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Replay 2.6	Articulate Global	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Replay 360 2.11	Articulate Global	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Replay 360 2.13	Articulate Global	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Replay 360 2.16	Articulate Global	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Replay 360 2.17	Articulate Global	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Replay 360 2.19	Articulate Global	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Replay 360 2.2	Articulate Global	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Replay 360 2.20	Articulate Global	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Replay 360 2.21	Articulate Global	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Replay 360 2.22	Articulate Global	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Replay 360 2.23	Articulate Global	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Replay 360 2.3	Articulate Global	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Replay 360 2.5	Articulate Global	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Replay 360 2.6 Replay 360 2.7	Articulate Global Articulate Global	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Replay 360 2.8	Articulate Global	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Replay 360 2.9	Articulate Global	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-dotnet22-runtime 2.2	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-maven35-apache-comm		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-maven35-apache-comm		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-php70-php-cli 7.2	PHP Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-postgresql10-postgresq		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-postgresql10-postgresq		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-postgresql10-postgresq		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-postgresql12-postgresq		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-postgresql95-postgresq		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
RingCentral Phone 10.1	RingCentral	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
RingCentral Phone 10.2	RingCentral	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
RingCentral Phone 10.3	RingCentral	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
RingCentral Phone 19.3	RingCentral	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
RingCentral Phone 19.4 RingCentral Phone 21.2	RingCentral	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
RingCentral Phone 21.2	RingCentral	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
RingCentral Phone 21.4	RingCentral RingCentral	Inis Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
RiskFoundation 7.1	Moody's Analytics	Inis Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Rsyslog 8.15	Adiscon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Rsyslog 8.19	Adiscon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rsyslog 8.2	Software in the Public Interest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Rsyslog 8.40	Adiscon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Rust 1.2	Mozilla	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Rust 1.42	Mozilla	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Rust 1.43	Mozilla	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Rust 1.45	Mozilla	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Rust 1.49	Mozilla	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Rust 1.54	Mozilla	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Rust 1.55	Mozilla	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Rust 1.57	Mozilla	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ScreenConnect 6.1	Elsinore Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ScreenConnect 6.2	Elsinore Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ScreenConnect 6.4	Elsinore Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ScreenConnect 6.6	Elsinore Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ScreenConnect Client 19.4	ConnectWise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ScreenConnect Client 19.6	ConnectWise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ScreenConnect Client 20	ConnectWise ConnectWise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ScreenConnect Client 20.4		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ScroonConnect Client C 2		
ScreenConnect Client 6.2 ScreenConnect Client 6.3	ConnectWise ConnectWise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.

Carran Carran and Climat C. C.	C	This Application is been discovered by the property of the Pro
ScreenConnect Client 6.6	ConnectWise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
scx 1	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
scx 1.3	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
scx 1.4	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
scx 1.5	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
scx 1.6	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
seahorse 3.2	GNOME Project	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Semperis DS Protector Age	Semperis	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Setup and Configuration Se	Intel	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SimpliVity Extension for vS		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SMCwget 1.8	Free Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Source for the GNU Bourne	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Spotfire Statistics Services		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Spotfire Statistics Services	TIBCO	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All treated evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All treated evidences are mapped to respective major version of the Product.
		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Spyder 5.2	Spyder Project	
Stable 58	Opera Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Stable 62.0	Opera Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Stable 66.0	Opera Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Stable 69.0	Opera Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Stable 71.0	Opera Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Stable 72.0	Opera Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Stable 73.0	Opera Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Stable 74.0	Opera Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Stable 75.0	Opera Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Stable 77.0	Opera Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Stable 78.0	Opera Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Stable 79.0	Opera Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Stable 80.0	Opera Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Stable 81.0	Opera Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Stable 82.0	Opera Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Stable 84	Opera Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
StayLinked Administrator 1	StayLinked	This Application is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product.
StayLinked Administrator 1	StayLinked	This Application is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product.
Storage Sync Agent 10.1	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storage Sync Agent 11.2	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storage Sync Agent 11.3	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storage Sync Agent 12.1	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storage Sync Agent 14.1	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storage Sync Agent 3.1	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storage Sync Agent 3.2	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storage Sync Agent 3.3	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storage Sync Agent 4.1	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storage Sync Agent 4.2	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storage Sync Agent 4.3	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storage Sync Agent 5.1	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storage Sync Agent 5.2	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storage Sync Agent 6.1	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storage Sync Agent 6.2	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storage Sync Agent 6.3	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Microsoft	
Storage Sync Agent 7.1		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storage Sync Agent 7.2	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storage Sync Agent 9.1	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Storm 1.2	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
sysstat 11.6	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Sysstat 12.2	Sebastien Godard	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
System Center Operations	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
System Center Operations	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
System Center Operations	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
System Center Operations	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
System Center Operations	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
System Emulation Tool 17.	Teradata	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Tableau Public 2021.2	Tableau Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Tableau Public 2021.3	Tableau Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Tableau Public 2021.4	Tableau Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Termius 2.3	Crystalnix	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Termius 3.5	Crystalnix	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Termius 4.1	Crystalnix	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Termius 4.2	Crystalnix	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Termius 4.9	Crystalnix	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Termius 6.1	Crystalnix	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Termius 6.3	Crystalnix	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Termius 6.4	Crystalnix	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Termius 6.5	Crystalnix	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Termius 7.1	Crystalnix	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Termius 7.2	Crystalnix	This Application is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product.
Termius 7.2	Crystalnix	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Termius 7.5	Crystalnix	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Termius 7.7	Crystalnix	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
The Zip compression librar	zlib	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ThinkPad Active Protection		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ThinkVantage Active Prote		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
To-Do 1.2	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
To-Do 1.3	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
To-Do 1.4	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
To-Do 2.1	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
To-Do 2.2	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
To-Do 2.3	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
To-Do 2.4	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
To-Do 2.5	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
To-Do 2.7	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
To-Do 2.8	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
TPump 17.1	Teradata	This Application is ignored in favor of new wildcarding rule for non-commercial applications. An inelated evidences are mapped to respective major version of the Product.
Trace Analyzer and Collect	Intel	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Veritas Cluster Server Ente		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Veritas Cluster Server Ente		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Veritas Cluster Server Ente		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Veritas Cluster Server Ente	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Veritas Group Membership	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Veritor	
Veritas Group Membership	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.

Veritas Group Membership		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Veritas Group Membership		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Veritas Group Membership		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Veritas Group Membership		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Veritas Group Membership	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Veritas Mapping Services 7	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Veritas Support Tools 4.0	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Veritas Support Tools 5.5	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Veritas Support Tools 5.6	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Veritas Support Tools 6.1	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Veritas Support Tools 6.2	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Veritas Support Tools 7.1	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Veritas Support Tools 7.2	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Veritas Support Tools 7.3	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Veritas Support Tools 7.4	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Viber 16.3	Rakuten	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Viber 16.4	Rakuten	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Viber 16.5	Rakuten	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Viber 16.6	Rakuten	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Viber 16.7	Rakuten	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Viber 16.8	Rakuten	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Viber 16.9	Rakuten	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Vim 8.1	Amazon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
vim-enhanced 8.0	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Visual C++ 9.0 Runtime for	Nuance Communications	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Vulkan SDK 1.0	LunarG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Weblink Desktop 1.3	Automotive Data Solutions	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
WhoCrashed 3.04	Resplendence Software Projects	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
WhoCrashed 6.50	Resplendence Software Projects	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
WhoCrashed 6.6	Resplendence Software Projects	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
WhoCrashed 6.60	Resplendence Software Projects	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
WhoCrashed 6.65	Resplendence Software Projects	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
WhoCrashed 6.70	Resplendence Software Projects	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Workplace Cloud Client 5.4	Xerox	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Workplace Cloud Client 5.6	Xerox	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Workplace Cloud Client 5.7	Xerox	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
zenmap 7.4	Gordon Lyon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
zenmap 7.5	Gordon Lyon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
zenmap 7.50	Gordon Lyon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
zenmap 7.6	Gordon Lyon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Zenmap 7.7	Gordon Lyon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Zenmap 7.8	Gordon Lyon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
zenmap 7.9	Gordon Lyon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Zoom Client for VDI 5.4	Zoom Video Communications	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Total = 936		