## List of Applications Deleted in ARL #2703

And the formation of the common and
The Control of No. 1997.  The American Service of the Control of Service of S
The finance of 12. Mesoph Transportation of the transport is not to each actual to the common application at interest decisions in required in the finance of the common application and interest decisions in regular of the control of the common application and interest decisions in regular of the control of the common application and interest decisions in regular of the control of the common application and interest decisions are required in regular and in formal control of the common application and interest decisions are required in regular and in formal control of the common application and interest decisions are required in regular and in formal control of the common application and interest decisions are required in regular and in formal control of the common application and interest decisions are required in regular and in formal control of the common application and interest decisions are required in regular and in formal control of the common application and interest decisions are required in regular and in the control of the common application and interest decisions are required in regular and in regular and in the common application and interest decisions are required in regular and interest decisions are required in r
The factors from the factors of the process of the factors of the
The factors from the factors of the process of the factors of the
In galaction in ground in the residence of the part from the part from the part from the part of the p
September 1-1. Pleases  The depletion is good in four flow attentioning with the common appetitude. All control common and the best common appetitude of the common appetit
International Production 281. Mores The physicians in good in four of the outburstering on the two commons application. All residencies in magned in respective major except of the Park March 181 for the Par
International Production 281. Mores The physicians in good in four of the outburstering on the two commons application. All residencies in magned in respective major except of the Park March 181 for the Par
Authorities (Providence 2014) Poses —  the Application is gasted in from of these attached by the non-commonical applications. All providence declines are magned for supporting new more of the first providence of the common of
School for Market store Servers' Sensors.  In Signature as garden from of the authorising server from recommend application. All detect endors on empore to respect to many control of the Authorisin of the Control of the Authorisin of the Authoris
Independent of the First Control of the Protection of the Protecti
Interfect (16.13.1.4.1
Interferent PRI 1 Coart  The Application is special from the found when authority and be man commenced applications. A tributed education can applied the application of the Principle Coart Coa
Description (ER 27)  The Secription of the Period Agent (27)  The Secription of the Secription of the Secription of the Secription of the Secription Agent (27)  Allers Agent (22)  Allers Agent (23)  Allers Agent (22)  Allers Agent (23)  Agent (23)  Allers Agen
min agent 7.2 beaution  This Agent action is general in force of the sea allocation put to the outcomercial agent force. Intrinsic devices are required to require the property of the propert
min agent 7.2 beaution  This Agent action is general in force of the sea allocation put to the outcomercial agent force. Intrinsic devices are required to require the property of the propert
Sint Agent 7.5. Included  This Agent 1.5. Includes  This Agent 2.5. In
District Agent 7.5  Financians  The Applications, sproof in from of the motivation o
Entit Ager? T.  Included S.  In
Date Specific S.  Standard T.S.  Standard S.  Proceedings of the Standard S.  Proceedings of t
Sinte Agent 8.1 modelmen of the conforce will be a produced in produced to the conforce and publication and the conforce and publication in produced in the conforce and publication and the conforced applications. An ordinal confidence are negoted to respective responses on the Produced and the conforced and the conforced applications. An ordinal confidence are negoted to respective responses on the produced and the conforced and the conforced applications. An ordinal confidence are negoted to response to response to the produced applications. An ordinal confidence are negoted to response to response to the produced applications. An ordinal confidence are negoted to response to response to the produced applications. An ordinal confidence are negoted to response to response to the produced applications. An ordinal confidence are negoted to response to response to the produced applications. An ordinal confidence are negoted to response to response to the produced applications. An ordinal confidence are negoted to response to response to the produced applications. An ordinal confidence are negoted to response to response to the produced applications. An ordinal confidence are negoted to response to response to the produced applications and the produced applications. An ordinal confidence are negoted to respond to response to respons
stable 1.2 for filed by the company of the most and the company of
stable 1.2 for filed by the company of the most and the company of
unable tower u.S
pushes common \$1.24 for 18 mod application in ground in two of two well-carring role for non-common applications. An intender confinence are mapped to respective major version of the Product Agriculture in ground in two of two well-carring role for non-common applications. An intender confinence are mapped to respective major version of the Product Agriculture in Special Production in Special
specimens of 2.4 Med let  The Application on grower in New of New allicating specimens are no commoned applications. All related evidences are mapped to respective regive respons of the New Application is (Propt August 1997). The Application is growed in New Orl New allications in the new commoned applications. All related evidences are mapped to respective regive version of the New Application is (Propt August 1997). The Application is growed in New Orl New allications in the new Commoned applications. All related evidences are mapped to respective regive version of the New Application is (Propt August 1997). The Application is growed in New Orl New allications in the new Commoned applications. All related evidences are mapped to respective regive version of the New Orl New Application is growed in New Orl New allications in the new Commoned applications. All related evidences are mapped to respective regive version of the New Orl New Application is growed in New Orl New allications in the new Commoned applications. All related evidences are mapped to respective regive version of the New Orl New Application is growed in New Orl New allications in the new Orl New Application is growed in New Orl New Application is growed in New Orl New Applications in New Orl New Applications is growed in New Orl New Applications in New Orl New Applications is growed in New Orl New Applications in New Orl New Applications is growed in New Orl New Applications in New Orl New Applications is growed in New Orl New Applications in New Orl New Applications is growed in New Orl New Applications in New Orl New Applications is growed in New Orl New Applications in New Orl New Applications is growed in New Orl New Applications in New Orl New Applications is growed in New Orl New Applications in New Orl New Applications is growed in New Orl New Applications in New Orl New Applications is growed in New Orl New Applications in New Orl New Applications is growed in New Orl New Applications in New Orl New Applications is growed in New Orl Ne
justiche menne 2.2 met 18 m. Die Applications is growed in been of new widership quick for more commercial applications. An intendic editiones are mapped to respective major version of the Product Applications (Archive) throughout the Commercial applications. An intendic editions are mapped to respective major version of the Product Applications (Archive) throughout the Commercial applications. An intendic editions are mapped to respective major version of the Product Applications (Archive) throughout the Commercial applications. An intendic editions are mapped to respective major version of the Product Applications (Archive) throughout the Commercial applications. An intendic editions are mapped to respective major version of the Product Applications (Archive) throughout the Commercial applications. An intendic editions of the Production of the Production (Archive) throughout the Commercial applications. An intendic editions of the Production (Archive) throughout the Commercial applications. An intendic editions of the Production (Archive) throughout the Production (Archive) through through the Production (Archive) through through through through through through through through through
Section 1.2 Mis deptication in Special Management of the Prote Organization and Company of the Protein Application in Section Section 1.2 Missagement of the Protein Section Section 1.2 Missagement of the Protein Sect
Againstation (Reychi Masagement More Foots This Againstation (Agricultum) (Reychi Masagement More Foots) This Againstation (Reychi Masagement More Foots) This Againstation (Agricultum) (Reychi Masagement More Foots) This Againstation (Reychi M
Expolations in Miscola Management officer focus This Againstation is granted in focus of new withdrawing to five for non-commental againstation. All related endorme, are magned to respective major vession of the mod Againstation Underly Management (Mors Totus This Againstation Security (Mor
Expolations in Miscola Management officer focus This Againstation is granted in focus of new withdrawing to five for non-commental againstation. All related endorme, are magned to respective major vession of the mod Againstation Underly Management (Mors Totus This Againstation Security (Mor
Explosition (Procede Management Motor Focus This Application is growed in these of new withbridging but for non-commental applications. All related endences are mapped to respective many events of the Prot Application (Indept Management Motor Focus This Application is growed in these of new withbridging but for non-commental applications. All related endences are mapped to respective many events of the Prot Application (Indept Management Motor Focus This Application is growed in these of new withbridging publication. All related endences are mapped to respective many events of the Prot Application (Indept Management Motor Focus This Application is growed in these of new withbridging publication. All related endences are mapped to respective many events of the Prot Application (Indept Management Motor Focus This Application is growed in these of new withbridging publication. All related endences are mapped to respective many events of the Prot Array Configuration (IND. 21.2 All related Endeated Stephen). This Application is growed in these of new withbridging publication. All related endences are mapped to respective many events of the Prot Array Configuration (IND. 21.2 All related Endeated Stephen). This Application is growed in these of new withbridging publication. All related endences are mapped to respective many events of the Prot Array Configuration (IND. 21.2 All related Endeated Endeated Stephen Management Motor Management Managem
Experience infraction flowering throughout of force or processing and experience of the proof of
Experience infraction flowering throughout of force or processing and experience of the proof of
Expectation Descript Managemen Micro Foco.  This Application in Sequent for the Proof of new widespring spik for non-commercial applications. All related evidences are magnet for respective major version of the Proof Application inclination of the Proof of new widespring spik for non-commercial applications. All related evidences are magnet for respective major version of the Proof Application inclination of the Proof
Expectation Minister Management Micro Passon.  This Applications Supposed in those of new windcarding rule for one commercial applications. All related evidences are magged to respective major version of the Prob Applications Supposed in these of new windcarding rule for one commercial applications. All related evidences are magged to respective major version of the Prob Applications Supposed in these of new windcarding rule for one commercial applications. All related evidences are magged to respective major version of the Prob Applications Supposed in Supposed in Supposed in Supposed in Supposed in Supposed in Supposed Supposed in Supposed
Experience in the contract of
Experience in the contract of
Explications (applications). All related evidences are magnetic respective major, version of the Prod Arry, Configuration (1911); CLT 27 elevented Packard Citergrish The Applications) agreed in the or of new whitedring (see for non-commercial applications). Are related evidences are magneted to respective major, version of the Prod Arry, Configuration (1911); CLT 26 elevented Packard Citergrish The Applications) agreed in the or of new whitedring (see for non-commercial applications). Are related evidences are magneted to respective major, version of the Prod Arry, Configuration (1911); CLT 26 elevented Packard Citergrish The Applications) agreed in favor of new whitedring (see for non-commercial applications). A related evidences are magneted to respective major version of the Prod Arry, Configuration (1911); CLT 26 elevented Packard Citergrish The Applications (see for non-commercial applications). Are related evidences are magneted to respective major version of the Prod Arry, Configuration (1911); CLT 28 elevented Packard Citergrish The Applications (see for non-commercial applications). Are related evidences are magneted to respective major version of the Prod Arry, Configuration (1911); CLT 28 elevented Packard Citergrish The Applications (see for non-commercial applications). Are related evidences are magneted to respective major version of the Prod Arry, Configuration (1911); CLT 28 elevented Packard Citergrish The Applications (see for non-commercial applications). Are related evidences are magneted to respective major version of the Prod Arry, Configuration (1911); CLT 28 elevented Packard Citergrish The Applications is guidented and produces are magneted to respective major version of the Prod Arry, Configuration (1911); CLT 28 elevented Packard Citergrish The Applications is guidented and produces are magneted to respective major version of the Prod Arry, Configuration (1911); CLT 28 elevented Packard Citergrish The Applications is guidented and produces are magneted to respective major version of t
Name Configuration (1887) CLT 27, develot the shade of temperal the Application is genored in favor of new widestrating use from no-commercial applications. An elasted evidence, are mapped to respective major version of the Product Array Configuration (1881) CLT 27, develot the School Control of the Product Array Configuration (1881) CLT 27, develot the School Control of the Product Array Configuration (1881) CLT 27, develot the School Control of the Product Array Configuration (1881) CLT 28, develot the School Control of the Product Array Configuration (1881) CLT 28, develot the School Control of the Product Array Configuration (1881) CLT 28, develot the School Control of the Product Array Configuration (1881) CLT 28, develot the School Control of the Product Array Configuration (1881) CLT 28, develot the School Control of the Product Array Configuration (1881) CLT 28, develot the School Control of the Product Array Configuration (1881) CLT 28, develot the School Control of the Product Array Configuration (1881) CLT 28, develot the School Control of the Product Array Configuration (1881) CLT 28, develot the School Control of the Product Array Configuration (1881) CLT 28, develot the School Control of the Product Array Configuration (1881) CLT 28, develot the School Control of the Product Array Configuration (1881) CLT 28, develot the School Control of the Product Array Configuration (1881) CLT 28, develot the School Control of the Product Array Configuration (1881) CLT 28, develot the School Control of the Product Array Configuration (1881) CLT 28, develot the School Control of the Product Array Configuration (1881) CLT 28, develot the School Control of the Product Array Configuration (1881) CLT 28, develot the School Control of the Product Array Configuration (1881) CLT 28, develot the School Control of the Product Array Configuration (1881) CLT 28, develot the School Control of the Product Array Configuration (1881) CLT 28, develot the School Control of the Product Array Configuration (1881) CLT 28, develot
Arry Configuration (URIN) CLT 27 Seewhelt Basked Deterprint: The Application is general in favor of new widestrang use from no commercial applications. All related evidences are mapped to respective major version of the Prod Arry Configuration (URIN) CLT 22 Seewhelt Basked Temprint: The Application is general in Favor of new widestrang use from no commercial applications. All related evidences are mapped to respective major version of the Prod Arry Configuration (URIN) CLT 22 Seewhelt Basked Clterprint: The Application is general in Favor of new widestrang use from the Production of the Production o
Arry Configuration (URIN) CLT 27 Seewhelt Basked Deterprint: The Application is general in favor of new widestrang use from no commercial applications. All related evidences are mapped to respective major version of the Prod Arry Configuration (URIN) CLT 22 Seewhelt Basked Temprint: The Application is general in Favor of new widestrang use from no commercial applications. All related evidences are mapped to respective major version of the Prod Arry Configuration (URIN) CLT 22 Seewhelt Basked Clterprint: The Application is general in Favor of new widestrang use from the Production of the Production o
Arry Configuration (18th) CLT 27 develoted the shared interprint Phis Application is general in freor of new widestrang rule from non-momental applications. All related evidences are mapped to respective major version of the Product Arry Configuration (18th) CLT 27 selevelet the Schard Enterprint Phis Application is general in fewer of new widestrang rule from non-momental applications. All related evidences are mapped to respective major version of the Product Arry Configuration (18th) CLT 28 related the Configuration (
Europ Configuration Utility CLI 27 Seweett Packard Feterripar (This Application is grooted in flavor of new wildcarding rule for non-commercial applications. All related evidences are reapped to respective major version of the Prod Array Configuration Utility CLI 28 Sewette Packard Enterprisal (This Application is grooted in flavor of new wildcarding rule for non-commercial applications. All related evidences are reapped to respective major version of the Prod Array Configuration Utility (LLI 25) Sewette Packard Enterprisal This Application is grooted in flavor of new wildcarding, rule for non-commercial applications. All related evidences are reapped to respective major version of the Prod Array Configuration Utility (LLI 25) Sewette Packard Enterprisal This Application is grooted in flavor of new wildcarding, rule for non-commercial applications. All related evidences are reapped to respective major version of the Prod Array Configuration Utility (LLI 25) Sewette Packard Enterprise (This Application is grooted in flavor of new wildcarding, rule for non-commercial applications. All related evidences are reapped to respective major version of the Prod Array Configuration Utility (LLI 25) Sewette Packard Enterprise (This Application is grooted in flavor of new wildcarding, rule for non-commercial applications. All related evidences are reapped to respective major version of the Prod Array Configuration Utility (LLI 25) Sewette Packard Enterprise (This Application is grooted in flavor of new wildcarding, rule for non-commercial applications. All related evidences are reapped to respective major version of the Prod Array Configuration Utility (LLI 25) Sewette Packard Enterprise (This Application is grooted in flavor of new wildcarding, rule for non-commercial applications. All related evidences are reapped to respective major version of the Prod Array Configuration Utility (LLI 25) Sewette Packard Enterprise (This Application is grooted in flavor of new wildcarding, rule for non-commercial applications. All relate
Targ Configuration URBY CLT 21 sevent Packard Emprorial This Application is genored in flavor of new widecarding, use for non-commercial applications. All related evidences are mapped to respective major evision of the Proof Array Configuration URBY CLT 21. Hewelth Packard Emprorial This Application is genored in flavor of new widecarding, use for non-commercial applications. All related evidences are mapped to respective major evision of the Proof Array Configuration URBY CLT 22. Hewelth Packard Emprorial This Application is genored in flavor of new widecarding, use for non-commercial applications. All related evidences are mapped to respective major evision of the Proof Array Configuration URBY CLT 22. Hewelth Packard Emprorial This Application is genored in flavor of new widecarding, use for non-commercial applications. All related evidences are mapped to respective major version of the Proof Array Configuration URBY CLT 23. Hewelth Packard Emprorial This Application is genored in flavor of new widecarding, use for non-commercial applications. All related evidences are mapped to respective major version of the Proof Array Configuration URBY CLT 23. Hewelth Packard Emprorial This Application is genored in flavor of new widecarding, use for non-commercial applications. All related evidences are mapped to respective major version of the Proof Array Configuration URBY CLT 23. Hewelth Packard Emprorial This Application is genored in flavor of new widecarding, use for non-commercial applications. All related evidences are mapped to respective major events of the Proof Array Configuration URBY CLT 23. Hewelth Packard Emprorial This Application is genored in flavor of new widecarding, use for non-commercial applications. All related evidences are mapped to respective major events of the Proof Array Configuration URBY CLT 23. Hewelth Packard Emprorial This Application is genored in flavor of new widecarding, use for non-commercial applications. All related evidences are mapped to respective major events of the Proof
Targ Configuration URBY CLT 21 sevent Packard Emprorial This Application is genored in flavor of new widecarding, use for non-commercial applications. All related evidences are mapped to respective major evision of the Proof Array Configuration URBY CLT 21. Hewelth Packard Emprorial This Application is genored in flavor of new widecarding, use for non-commercial applications. All related evidences are mapped to respective major evision of the Proof Array Configuration URBY CLT 22. Hewelth Packard Emprorial This Application is genored in flavor of new widecarding, use for non-commercial applications. All related evidences are mapped to respective major evision of the Proof Array Configuration URBY CLT 22. Hewelth Packard Emprorial This Application is genored in flavor of new widecarding, use for non-commercial applications. All related evidences are mapped to respective major version of the Proof Array Configuration URBY CLT 23. Hewelth Packard Emprorial This Application is genored in flavor of new widecarding, use for non-commercial applications. All related evidences are mapped to respective major version of the Proof Array Configuration URBY CLT 23. Hewelth Packard Emprorial This Application is genored in flavor of new widecarding, use for non-commercial applications. All related evidences are mapped to respective major version of the Proof Array Configuration URBY CLT 23. Hewelth Packard Emprorial This Application is genored in flavor of new widecarding, use for non-commercial applications. All related evidences are mapped to respective major events of the Proof Array Configuration URBY CLT 23. Hewelth Packard Emprorial This Application is genored in flavor of new widecarding, use for non-commercial applications. All related evidences are mapped to respective major events of the Proof Array Configuration URBY CLT 23. Hewelth Packard Emprorial This Application is genored in flavor of new widecarding, use for non-commercial applications. All related evidences are mapped to respective major events of the Proof
Farry Configuration Utility CLI 3. Seweit Packard Tereptral This Application is genored in flavor of new wildcarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prod Arry Configuration Utility CLI 3. Seweitt Packard Enterptial This Application is genored in flavor of new wildcarding, use for non-commercial applications. All related evidences are mapped to respective major version of the Prod Arry Configuration Utility CLI 3. Seweitt Packard Enterptial This Application is genored in flavor of new wildcarding, use for non-commercial applications. All related evidences are mapped to respective major version of the Prod Arry Configuration Utility CLI 3. Seweitt Packard Enterptial This Application is genored in flavor of new wildcarding, use for non-commercial applications. All related evidences are mapped to respective major version of the Prod Arry Configuration Utility CLI 3. Seweitt Packard Enterptial This Application is genored in flavor of new wildcarding, use for non-commercial applications. All related evidences are mapped to respective major version of the Prod Arry Configuration Utility CLI 3. Seweitt Packard Enterptial This Application is genored in flavor of new wildcarding, use for non-commercial applications. All related evidences are mapped to respective major version of the Prod Arry Configuration Utility CLI 3. Seweitt Packard Enterptial This Application is genored in flavor of new wildcarding, use for non-commercial applications. All related evidences are mapped to respective major version of the Prod Arry Configuration Utility CLI 3. Seweitt Packard Enterptial This Application is genored in flavor of new wildcarding, use for non-commercial applications. All related evidences are mapped to respective major version of the Prod Arry Configuration Utility CLI 3. Seweitt Packard Enterptial This Application is genored in flavor of new wildcarding, use for non-commercial applications. All related evidences are mapped to respective major version
Eury Configuration Utility CLI 23. Newester Packard Emergrand This Application is genored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prote Aury Configuration Utility CLI 23. Newester Packard Emergrand This Application is genored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prote Aury Configuration Utility CLI 23. Newester Packard Emergrand This Application is genored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prote Aury Configuration Utility CLI 23. Newester Packard Emergrand This Application is genored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prote Aury Configuration Utility CLI 23. Newester Packard Emergrand This Application is genored in favor of new wildcarding, rule for non-commercial applications. All related evidences are mapped to respective major version of the Prote Aury Configuration Utility CLI 23. Newester Packard Emergrand This Application is genored in favor of new wildcarding, rule for non-commercial applications. All related evidences are mapped to respective major version of the Prote Aury Configuration Utility CLI 23. Newester Packard Emergrand This Application is genored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prote Aury Configuration Utility CLI 23. Newester Packard Emergrand This Application is genored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prote Aury Configuration Utility CLI 23. Newester Packard Emergrand This Application is genored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective m
Farry Configuration Utility CLI 22. Heavest Packard Enterprise This Application is general in Navor of new widecarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Arry Configuration Utility CLI 33. Heavest Packard Enterprise This Application is general in Navor of new widecarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Arry Configuration Utility CLI 33. Heavest Packard Enterprise This Application is general in Navor of new widecarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Arry Configuration Utility CLI 35. Heavest Packard Enterprise This Application is general in Navor of new widecarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Arry Configuration Utility CLI 36. Heavest Packard Enterprise This Application is general in Navor of new widecarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Arry Configuration Utility CLI 36. Heavest Packard Enterprise This Application is general in Navor of new widecarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Arry Configuration Utility CLI 36. Heavest Packard Enterprise This Application is general in Navor of new widecarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Arry Configuration Utility CLI 39. Heavest Packard Enterprise This Application is general in Navor of new widecarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Arry Configuration Utility CLI 39. Heavest Packard Enterprise This Application is general in Navor of new widecarding use for non-commercial applications. All related evidences are mapped to respective major version of th
Fury Configuration Utility CLI 22. Heavest Packard Enterprise This Application is general in Navor of new wildcarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Arry Configuration Utility CLI 33. Heavest Packard Enterprise This Application is general in Navor of new wildcarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Arry Configuration Utility CLI 33. Heavest Packard Enterprise This Application is general in Navor of new wildcarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Arry Configuration Utility CLI 35. Heavest Packard Enterprise This Application is general in Navor of new wildcarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Arry Configuration Utility CLI 35. Heavest Packard Enterprise This Application is general in Navor of new wildcarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Arry Configuration Utility CLI 35. Heavest Packard Enterprise This Application is general in Navor of new wildcarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Arry Configuration Utility CLI 35. Heavest Packard Enterprise This Application is general in Navor of new wildcarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Arry Configuration Utility CLI 35. Heavest Packard Enterprise This Application is general in Navor of new wildcarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Arry Configuration Utility CLI 35. Heavest Packard Enterprise This Application is general in Navor of new wildcarding use for non-commercial applications. All related evidences are mapped to respective major version of the
Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard Enterpret Place Applications is governed in Array Configuration Utility CLI 3. Hewlett Packard
Array Configuration Utility CLI 3. Hewlett Packard Enterprise This Application is general in Favor of new wildcarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Array Configuration Utility CLI 3. Hewlett Packard Enterprise This Application is general in Favor of new wildcarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Array Configuration Utility CLI 3. Hewlett Packard Enterprise This Application is general in Favor of new wildcarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Array Configuration Utility CLI 3. Hewlett Packard Enterprise This Application is general in Favor of new wildcarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Array Configuration Utility CLI 3. Hewlett Packard Enterprise This Application is general in Navor of new wildcarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Array Configuration Utility CLI 3. Hewlett Packard Enterprise This Application is general in Navor of new wildcarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Array Configuration Utility CLI 3. Hewlett Packard Enterprise This Application is general in Navor of new wildcarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Array Configuration Utility CLI 3. Hewlett Packard Enterprise This Application is general in Navor of new wildcarding use for non-commercial applications. All related evidences are mapped to respective major version of the Prob Array Configuration Utility CLI 3. Hewlett Packard Enterprise This Application is general in Navor of new wildcarding use for non-commercial applications. All related evidences are mapped to respective major version of the
Array Configuration Utility CLL 3. Hewlett Packard Enterprise This Application is genered in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 3. Hewlett Packard Enterprise This Application is genered in Navor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 3. Hewlett Packard Enterprise This Application is genered in Navor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 3. Hewlett Deadard Enterprise This Application is genered in Navor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 3. Hewlett Deadard Enterprise This Application is genered in Navor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 3. Hewlett Deadard Enterprise This Application is genered in Navor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 3. Hewlett Deadard Enterprise This Application is genered in Navor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 3. Hewlett Deadard Enterprise This Application is genered in Navor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 20 Autoca Navor Cao Archit
Array Configuration Utility CLL 3. Hewlett Packard Enterprise This Application is genered in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 3. Hewlett Packard Enterprise This Application is genered in Navor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 3. Hewlett Packard Enterprise This Application is genered in Navor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 3. Hewlett Deadard Enterprise This Application is genered in Navor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 3. Hewlett Deadard Enterprise This Application is genered in Navor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 3. Hewlett Deadard Enterprise This Application is genered in Navor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 3. Hewlett Deadard Enterprise This Application is genered in Navor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 3. Hewlett Deadard Enterprise This Application is genered in Navor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 20 Autoca Navor Cao Archit
Array Configuration Utility CLL 3-levelett Packard Enterprist This Application is ignored in Novo of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 8-levelett Packard Enterprist This Application is genered in Novo of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 8-levelett Packard Enterprist This Application is ignored in Novo of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 8-levelett Packard Enterprist This Application is ignored in Novo of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 9-levelett Dackard Enterprist This Application is ignored in Novo of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 9-levelett Dackard Enterprist This Application is ignored in Novo of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 9-levelett Dackard Enterprist This Application is ignored in Novo of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 9-levelett Dackard Enterprist This Application is ignored in Novo of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 9-levelett Dackard Enterprist This Application is ignored in Novo of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the
Array Configuration Utility CLL 3. Hewelett Pactard Interprise "This Application is genered in laws or new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 3. Hewelett Pactard Interprise "This Application is genered in laws or new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 3. Hewelett Pactard Interprise "This Application is genered in laws or new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 3. Hewelett Pactard Interprise "This Application is genered in laws or new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 3. Hewelett Pactard Interprise "This Application is genered in laws or new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 3. Hewelett Pactard Interprise "This Application is genered in laws or new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLL 3. Hewelett Pactard Interprise "This Application is ignored in laws or new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Architecture Shared 20 Autodesk  This Application is ignored in laws or new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Architecture Shared 20 Autodesk  This Application is ignored in laws or new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Architecture S
Array Configuration Utility (LI 8.6) Hewlett Packard Interprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility (LI 8.7) Hewlett Packard Interprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility (LI 8.7) Hewlett Packard Interprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility (LI 9.1) Hewlett Packard Interprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility (LI 9.3) Hewlett Packard Interprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility (LI 9.3) Hewlett Packard Interprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Adm Acro Configuration Utility (LI 9.3) Hewlett Packard Interprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Adm Acro Configuration Utility (LI 9.4) Hewlett Packard Interprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Architecture Shared 20.3 Autodes Annual Architecture Shared 20.3
Array Configuration Utility (LI 8.6) Hewlett Packard Interprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility (LI 8.7) Hewlett Packard Interprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility (LI 8.7) Hewlett Packard Interprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility (LI 9.1) Hewlett Packard Interprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility (LI 9.3) Hewlett Packard Interprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility (LI 9.3) Hewlett Packard Interprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Adm Acro Configuration Utility (LI 9.3) Hewlett Packard Interprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Adm Acro Configuration Utility (LI 9.4) Hewlett Packard Interprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Architecture Shared 20.3 Autodes Annual Architecture Shared 20.3
Array Configuration UBIN) CLI 8.7 Hewelst Packard Enterprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration UBIN) CLI 8.7 Hewelst Packard Interprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration UBIN (21.9.1 Newtet Packard Enterprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration UBIN (21.9.2 Newtet Packard Enterprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration UBIN (21.9.4 Newtet Packard Enterprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration UBIN (21.9.4 Newtet Packard Enterprist This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 200 Autodeak  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 200 Autodeak  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 200 Autodeak  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 200 Autodeak  This Application
Array Configuration Utility CL 8.7 Hewlett Packard Enternish This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CL 9.3 Hewlett Packard Enternish This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CL 9.3 Hewlett Packard Enternish This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CL 9.3 Hewlett Packard Enternish This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Auto-CAO Architecture Shared 202 Autodesk  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Auto-CAO Architecture Shared 202 Autodesk  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Auto-CAO Architecture Shared 202 Autodesk  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Auto-CAO Architecture Shared 202 Autodesk  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Auto-CAO Architecture Shared 202 Autodesk  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Auto-CAO Architecture Shared 202 Autodesk  This Application is ignored in favor of n
Array Configuration Utility CL 9. Hewlett Packard Enterprise This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CL 9. Hewlett Packard Enterprise This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CL 9. Hewlett Packard Enterprise This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CL 9. Hewlett Packard Enterprise This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 2014, Autodesk  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 2014, Autodesk  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 2014, Autodesk  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 2014, Autodesk  This Application is in ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 2014, Autodesk  This Application is in ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Discretive Will Application is in ignored in favor of new wildcar
Array Configuration Utility CL 9. Hewlett Packard Enterprise This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CL 9. Hewlett Packard Enterprise This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CL 9. Hewlett Packard Enterprise This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CL 9. Hewlett Packard Enterprise This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 2014, Autodesk  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 2014, Autodesk  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 2014, Autodesk  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 2014, Autodesk  This Application is in ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 2014, Autodesk  This Application is in ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Discretive Will Application is in ignored in favor of new wildcar
Jarray Configuration Utility (12.9 4). Hewlett Packard interpriss Phis Application is genored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility (12.9 4). Hewlett Packard interpriss Phis Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ASM Net 2  OpenText  DepenText  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AsM Activative Shared 20B Autodesk  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Architecture Shared 20B Autodesk  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Architecture Shared 20B Autodesk  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Architecture Shared 20B Autodesk  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Architecture Shared 20B Autodesk  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Architecture Shared 20B Autodesk  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BiackBerry for the 5200 Senies W. BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applicat
Array Configuration Utility CLI 9. A Hewlett Packard Enterprise This Application is genered in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Array Configuration Utility CLI 9. A Hewlett Packard Enterprise This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Auto-CAD Architecture Shared 20G Autodesix  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Auto-CAD Architecture Shared 20G Autodesix  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Auto-CAD Architecture Shared 20G Autodesix  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Auto-CAD Architecture Shared 20G Autodesix  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Auto-CAD Architecture Shared 20G Autodesix  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Auto-CAD Architecture Shared 20G Autodesix  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Auto-CAD Architecture Shared 20G Autodesix  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BiackBerry for the 200 Series W BiackBerry  This Application is ignored in favor of new wildcarding rule fo
Array Configuration Utility CLI 9.3 Hewlett Packard Enterprish This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ASM. Net 2  DenText This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoGAD Architecture Shared 200 Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoGAD Architecture Shared 200 Autodesk This Application is gnored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoGAD Architecture Shared 200 Autodesk This Application is gnored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoGAD Architecture Shared 200 Autodesk This Application is gnored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoGAD Architecture Shared 200 Autodesk This Application is gnored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoGAD Architecture Shared 200 Autodesk This Application is gnored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoGAD Architecture Shared 200 Autodesk This Application is gnored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 5000 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to re
Array Configuration Utility CLI 9.3 Hewlett Packard Enterprish This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ASM. Net 2  DenText This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoGAD Architecture Shared 200 Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoGAD Architecture Shared 200 Autodesk This Application is gnored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoGAD Architecture Shared 200 Autodesk This Application is gnored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoGAD Architecture Shared 200 Autodesk This Application is gnored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoGAD Architecture Shared 200 Autodesk This Application is gnored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoGAD Architecture Shared 200 Autodesk This Application is gnored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoGAD Architecture Shared 200 Autodesk This Application is gnored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 5000 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to re
AutoCAO Architecture Shared 20 pen Text This Application is ignored in floor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 20 Autodesk This Application is ignored in floor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 20 Autodesk This Application is ignored in floor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 20 Autodesk This Application is ignored in floor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 20 Autodesk This Application is ignored in floor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO Architecture Shared 20 Autodesk This Application is ignored in floor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO May a Language Pack 2015 AutoCaO May a Language Pack 2015 Autodesk This Application is ignored in floor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAO May a Language Pack 2015 AutoCaO May a Language Pack 2015 Autodesk This Application is ignored in floor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 5000 Series Will BlackBerry This Application is ignored in floor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 5000 Series Will BlackBerry This Application is ignored in floor of new wildcarding rul
AutoCAD Architecture Shared 20, Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Architecture Shared 20, Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Architecture Shared 20, Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Exhitecture Shared 20, Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD It Januage Pack Julio All Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD It Januage Pack Julio All Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD It Januage Pack Julio All Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 500 Series W BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 500 Series W BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 500 Series W BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are ma
AutoCAD Architecture Shared 20 Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Architecture Shared 20 Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Architecture Shared 20 Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD II Language Pack 2015 AutoCAD Explication is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD III Language Pack 2015 AutoCAD III Language Pack 2015 AutoCAD III Shapilication is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 5800 Series VIII BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6200 Series VIII BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6200 Series VIII BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6200 Series VIII BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6200 Series VIII BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial appl
AutoCAD Architecture Shared 20 Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Architecture Shared 20 Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Architecture Shared 20 Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD II Language Pack 2015 AutoCAD Explication is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD III Language Pack 2015 AutoCAD III Language Pack 2015 AutoCAD III Shapilication is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 5800 Series VIII BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6200 Series VIII BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6200 Series VIII BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6200 Series VIII BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6200 Series VIII BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial appl
AutoCAD Architecture Shared 202 Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Architecture Shared 202 Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Inchitecture Shared 202 Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Inchitecture Shared 202 Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Map 3D Language Pack 203 Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Map 3D Language Pack 203 Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6200 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6200 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related e
AutoCAD Architecture Shared 202 Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Production and the Production of the Production
AutoCAD Architecture Shared 203 Autodesk AutoCAD Facinical Language Pack Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD LT Language Pack Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 5800 Series Will BlackBerry BlackBerry of the 5000 Series Will BlackBerry BlackBerry of the 6200 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6200 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6200 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Will BlackBerry BlackBerry for the 6700 Series Will BlackBerry BlackBerry for the 6700 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Will BlackBerry BlackBerry for the 6700 Series Will BlackBerry BlackBerry for the 5700 Series Will BlackBerry BlackBerry for the 6700 Series Will B
AutoCAD Architecture Shared 203 Autodesk AutoCAD Facinical Language Pack Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD LT Language Pack Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 5800 Series Will BlackBerry BlackBerry of the 5000 Series Will BlackBerry BlackBerry of the 6200 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6200 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6200 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Will BlackBerry BlackBerry for the 6700 Series Will BlackBerry BlackBerry for the 6700 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Will BlackBerry BlackBerry for the 6700 Series Will BlackBerry BlackBerry for the 5700 Series Will BlackBerry BlackBerry for the 6700 Series Will B
AutoCAD I I Language Pack JAUTOS Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod AutoCAD Map 3D Language Pack Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 5000 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6200 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Wil BlackBerry BlackBerry for the 6700 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7100 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7200 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7200 Series Wil BlackBerry This Application is ignored in favor of new wildc
AutoCAD IT Language Pack 2015 Autodesk This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 5800 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6200 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6200 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7000 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7100 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7200 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7200 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applicatio
AutoCAO Map 3D Language Pack   Autodesk   This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6200 Series Wil BlackBerry of the 6200 Series Wil BlackBerry of the 6200 Series Wil BlackBerry   This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry will blackBerry   This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry of the 6700 Series Will BlackBerry   This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Will BlackBerry   This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry will blackBerry   This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7100 Series Will BlackBerry   This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry (for the 7200 Series Will BlackBerry   This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 700 Series Will BlackBerry   This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 800 Series Will BlackBerry   This Application is ignored in favo
AutoCAO Map 3D Language Pack   Autodesk   This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6200 Series Wil BlackBerry of the 6200 Series Wil BlackBerry of the 6200 Series Wil BlackBerry   This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry will blackBerry   This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry of the 6700 Series Will BlackBerry   This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Will BlackBerry   This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry will blackBerry   This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7100 Series Will BlackBerry   This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry (for the 7200 Series Will BlackBerry   This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 700 Series Will BlackBerry   This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 800 Series Will BlackBerry   This Application is ignored in favo
BlackBerry for the 5200 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6200 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7000 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7100 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7200 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7200 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 2700 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8100 Series Will BlackBerry for the 8100 Series Will BlackBerry for the 8100 Series Will Bla
BlackBerry for the 6200 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7100 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7200 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7200 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7200 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8300 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications.
BlackBerry for the 6700 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7100 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7100 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7200 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7700 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8300 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8300 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial app
BlackBerry for the 6700 Series Wil BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Wil BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Wil BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7100 Series Wil BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7100 Series Wil BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7200 Series Wil BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7700 Series Wil BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wil BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8300 Series Wil BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8300 Series Wil BlackBerry  This Application is ignored in favor of new wildcarding rule for non-comm
BlackBerry for the 6700 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 6700 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7100 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7200 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7200 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7700 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8100 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8300 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8300 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8300 Series Wil BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial appl
BlackBerry for the 6700 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 100 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7100 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7200 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7700 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7700 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8300 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8310 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8320 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications.
BlackBerry for the 6700 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 100 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7100 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7200 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7700 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7700 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8300 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8310 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8320 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications.
BlackBerry for the 6700 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7100 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7200 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7700 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8300 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8300 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8300 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Will BlackBerry This Application is ignored in favor of new wildcarding rule for non-comm
BlackBerry for the 7100 Series Wil BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7200 Series Wil BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7200 Series Wil BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7700 Series Wil BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8100 Series Wil BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8300 Series Wil BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8300 Series Wil BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wil BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wil BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wil BlackBerry  This Application is ignored in favor of new wildcarding rule for non-comm
BlackBerry for the 7100 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry of the 7200 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8300 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8310 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8320 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8707 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial appl
BlackBerry for the 7200 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7700 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8100 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8300 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8310 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8320 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule fo
BlackBerry for the 7200 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 7700 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8100 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8300 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8310 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8320 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Will BlackBerry  This Application is ignored in favor of new wildcarding rule fo
BlackBerry for the 7200 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8300 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8310 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8320 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8707 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry bridge of the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commerci
BlackBerry for the 7700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8300 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8310 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8320 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8707 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8707 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8705 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Brave Browser  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidence
BlackBerry for the 8100 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8310 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8320 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8707 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8707 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry or the 8820 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry or the 8820 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are
BlackBerry for the 8100 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8310 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8320 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8707 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8820 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8820 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8820 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications.
BlackBerry for the 8300 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8320 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8707 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8800 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8800 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Brave Brave Software  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-cci-utils Unicenter Linux Pad Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related e
BlackBerry for the 8310 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry of the 8700 Series Wi BlackBerry  This Application is ignored in for on few wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry of the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8707 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8707 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8707 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Brave Browser  Brave Software  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-cci-utils Unicenter Linux Pad Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-scci-utils Unicenter Linux Pad Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-scci-utils Unicenter Linux Pad Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All re
BlackBerry for the 8320 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8707 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8820 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8820 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Business Intelligence Data Wareh Oracle  Business Intelligence Data Wareh Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-cci-utils Unicenter Linux Pag Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-cci-utils Unicenter Linux Pag Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-cockadapter Unicenter Linux Pag Broadcom  This Application is ignored in favor of new w
BlackBerry for the 8320 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8707 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8820 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8820 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Business Intelligence Data Wareh Oracle  Business Intelligence Data Wareh Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-cci-utils Unicenter Linux Paq Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-cci-utils Unicenter Linux Paq Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-cockadapter Unicenter Linux Paq Broadcom  This Application is ignored in favor of new w
BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8707 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8820 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8820 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Brave Browser  Brave Software  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-cci-utils Unicenter Linux Pad Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-sci-utils Unicenter Linux Pad Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-sci-utils Unicenter Linux Pad Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-sci-utils Unicenter Linux Pad Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All
BlackBerry for the 8700 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8707 Series Wi BlackBerry of the 8820 Series Wi BlackBerry of the 9700 Series Wilderding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linu Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-sockadapter Unicenter Linu Broadcom  This App
BlackBerry for the 8707 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8707 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Brave Browser  Brave Browser  Brave Software  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Business Intelligence Data Wareh Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Business Intelligence Data Wareh Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Cac-sc-ci-utils Unicenter Linux Pad Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Cac-sc-cockadapter Unicenter Linux Pad Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Cac-sc-sockadapter Unicenter Linux Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Cac-sc-sockadapter Unicenter Linux Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Cac-sc-sockadapter Unicenter Linux Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications.
BlackBerry for the 8707 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry for the 8707 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Brave Browser  Brave Browser  Brave Software  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Business Intelligence Data Wareh  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Business Intelligence Data Wareh  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Cac-sc-ci-utils Unicenter Linux Pad Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Cac-sc-sockadapter Unicenter Linux Pad Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod This Application is ignored in favor of new wildcarding rule for no
BlackBerry for the 8707 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod BlackBerry of the 8820 Series Wi BlackBerry  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Business Intelligence Data Wareh Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-cci-utils Unicenter Linux Pad Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sccl-utils Unicenter Linux Pad Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linux Pad Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linux Pad Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linux Pad Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linux Pad Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linux Pad Broadcom
BlackBerry for the 8820 Series Wi BlackBerry This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Brave Browser This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-cci-utils Unicenter Linux Pad Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-cci-utils Unicenter Linux Pad Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-sockadapter Unicenter Linux Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-sockadapter Unicenter Linux Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-sockadapter Unicenter Linux Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-sockadapter Unicenter Linux Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-sockadapter Unicenter Linux Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod Ca-cs-sockadapter Unicenter Linux Broadcom
Brave Browser Brave Software This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-cci-utils Unicenter Linux Pad Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-cci-utils Unicenter Linux Pad Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linux Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linux Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linux Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linux Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linux Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linux Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod
Brave Browser Brave Software This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-cci-utils Unicenter Linux Pad Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-cci-utils Unicenter Linux Pad Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linux Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linux Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linux Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linux Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linux Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linux Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod
Business Intelligence Data Wareh Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-cci-utils Unicenter Linux Pad Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod aca-cs-cockadapter Unicenter Linux Pad Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod aca-cs-cockadapter Unicenter Linux Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linux Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linux Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linux Broadcom
ca-cs-cci-utils Unicenter Linux Pad Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-scd-utils Unicenter Linux Pad Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linu Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linu Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linu Broadcom
ca-cs-cci-utils Unicenter Linux Pad Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linu Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linu Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod
ca-cs-sockadapter Unicenter Linu Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linu Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod
ca-cs-sockadapter Unicenter Linu Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod ca-cs-sockadapter Unicenter Linu Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod
ca-cs-sockadapter Unicenter Linu Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod
ca-uajm-agent: Unicenter Linux P Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod
, a special control of the major version of the maj
ca-uajm-client: Unicenter Linux P Broadcom This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod
ca-uajm-scheduler: Unicenter Lin Broadcom  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod
Cloud Connector 6.2 Citrix Systems This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod
Cloud Connector 6.3 Citrix Systems This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod
Cloud SDK 183.0 Google This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod
CommandCentral Storage Agent Veritas This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod
CommandCentral Storage Agent 9 Veritas This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production of the Productio
CommandCentral Storage Agent 9 Veritas This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prodi
CommandCentral Storage Data M Veritas This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod
Component Manager 7.2 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prodi
This opposition is given a minimum transfer of the production of t

COLUMN A V. C.	COLUBBION				All I a I a I a I a I a I a I a I a I a I	. (11 8 1 .
COMPRION MoVie 2	COMPRION				is. All related evidences are mapped to respective major ve	
Concurrent Versions System 1.12					is. All related evidences are mapped to respective major ve	
Content Viewer 32 Control Panel 21	Adobe Progress Software				<ul> <li>s. All related evidences are mapped to respective major versions.</li> <li>All related evidences are mapped to respective major versions.</li> </ul>	
	•		•			
	Dell Technologies				is. All related evidences are mapped to respective major ve	
	Broadcom				is. All related evidences are mapped to respective major ve	
	Broadcom				is. All related evidences are mapped to respective major ve	
	Broadcom				is. All related evidences are mapped to respective major ve	
	Broadcom				s. All related evidences are mapped to respective major ve	
CSWncurses 5.7 CSWncurses 5.9	OpenCSW OpenCSW				is. All related evidences are mapped to respective major ve is. All related evidences are mapped to respective major ve	
	Audinate				is. All related evidences are mapped to respective major ve	
	Dell Technologies				is. All related evidences are mapped to respective major ve	
	Easy Solutions				is. All related evidences are mapped to respective major ve	
devtoolset 8.1	Red Hat				is. All related evidences are mapped to respective major ve	
devtoolset 9.1	Red Hat				is. All related evidences are mapped to respective major ve	
devtoolset-4 10.1	Red Hat				is. All related evidences are mapped to respective major ve	
	IBM				is. All related evidences are mapped to respective major ve	
Display Templates 10	Thomson Reuters	This Application is ignored in favor of new wildcard	ling rule for non-commerc	ial application	is. All related evidences are mapped to respective major ve	ersion of the Product.
Display Templates 9	Thomson Reuters	This Application is ignored in favor of new wildcard	ling rule for non-commerc	ial application	is. All related evidences are mapped to respective major ve	ersion of the Product.
Display Templates for Reuters 300	Thomson Reuters	This Application is ignored in favor of new wildcard	ling rule for non-commerc	ial application	is. All related evidences are mapped to respective major ve	ersion of the Product.
Drive Client 6.0	Synology	This Application is ignored in favor of new wildcard	ling rule for non-commerc	ial application	is. All related evidences are mapped to respective major ve	ersion of the Product.
Drive Client 7.0	Synology	This Application is ignored in favor of new wildcard	ling rule for non-commerc	ial application	is. All related evidences are mapped to respective major ve	ersion of the Product.
eap7-apache-commons-codec 1.1	Red Hat	This Application is ignored in favor of new wildcard	ling rule for non-commerc	ial application	is. All related evidences are mapped to respective major ve	ersion of the Product.
eap7-javassist 3.2	Red Hat				is. All related evidences are mapped to respective major ve	
eap7-snakeyaml 1	Red Hat				is. All related evidences are mapped to respective major ve	
eap7-xerces-j2 2.1	Red Hat				is. All related evidences are mapped to respective major ve	
eap7-xerces-j2 2.12	Red Hat				is. All related evidences are mapped to respective major ve	
EasyGPS 7.11	TopoGrafix				is. All related evidences are mapped to respective major ve	
EasyGPS 7.2	TopoGrafix		•		is. All related evidences are mapped to respective major ve	
	Oracle				is. All related evidences are mapped to respective major ve	
Enterprise Performance Manager Enterprise Performance Manager					<ul> <li>s. All related evidences are mapped to respective major versions.</li> <li>All related evidences are mapped to respective major versions.</li> </ul>	
	Telefonaktiebolaget LM Eri				is. All related evidences are mapped to respective major vi is. All related evidences are mapped to respective major vi	
	Telefonaktiebolaget LM Eri				is. All related evidences are mapped to respective major ve is. All related evidences are mapped to respective major ve	
Exif Pilot 5.16	Two Pilots				is. All related evidences are mapped to respective major versions. All related evidences are mapped to respective major versions.	
Exif Pilot 5.3	Two Pilots		-		is. All related evidences are mapped to respective major ve	
Exif Pilot 5.4	Two Pilots				is. All related evidences are mapped to respective major ve	
	Qualcomm				is. All related evidences are mapped to respective major ve	
Fabric Studio 3.1	K2View				is. All related evidences are mapped to respective major ve	
Fabric Studio 3.4	K2View				is. All related evidences are mapped to respective major ve	
Fabric Studio 3.5	K2View	This Application is ignored in favor of new wildcard	ling rule for non-commerc	ial application	s. All related evidences are mapped to respective major ve	ersion of the Product.
Fabric Studio 3.6	K2View	This Application is ignored in favor of new wildcard	ling rule for non-commerc	ial application	s. All related evidences are mapped to respective major ve	ersion of the Product.
Fabric Studio 4.1	K2View	This Application is ignored in favor of new wildcard	ling rule for non-commerc	ial application	s. All related evidences are mapped to respective major ve	ersion of the Product.
Fabric Studio 5.3	K2View	This Application is ignored in favor of new wildcard	ling rule for non-commerc	ial application	s. All related evidences are mapped to respective major ve	ersion of the Product.
Fabric Studio 5.4	K2View	This Application is ignored in favor of new wildcard	ling rule for non-commerc	ial application	s. All related evidences are mapped to respective major ve	ersion of the Product.
Fabric Studio 5.5	K2View				s. All related evidences are mapped to respective major ve	
Fabric Studio 6.1	K2View				s. All related evidences are mapped to respective major ve	
	Citrix Systems				is. All related evidences are mapped to respective major ve	
	IBM				is. All related evidences are mapped to respective major ve	
Finder 6.1	Nexthink				is. All related evidences are mapped to respective major ve	
Finder 6.10	Nexthink				is. All related evidences are mapped to respective major ve	
Finder 6.11	Nexthink				s. All related evidences are mapped to respective major ve	
Finder 6.12	Nexthink				is. All related evidences are mapped to respective major ve	
Finder 6.13 Finder 6.15	Nexthink Nexthink				<ul> <li>s. All related evidences are mapped to respective major versions.</li> <li>All related evidences are mapped to respective major versions.</li> </ul>	
Finder 6.17	Nexthink				is. All related evidences are mapped to respective major ve	
Finder 6.18	Nexthink				is. All related evidences are mapped to respective major ve	
Finder 6.19	Nexthink				is. All related evidences are mapped to respective major ve	
Finder 6.20	Nexthink				s. All related evidences are mapped to respective major ve	
Finder 6.21	Nexthink				is. All related evidences are mapped to respective major ve	
Finder 6.22	Nexthink	This Application is ignored in favor of new wildcard	ling rule for non-commerc	ial application	is. All related evidences are mapped to respective major ve	ersion of the Product.
Finder 6.23	Nexthink	This Application is ignored in favor of new wildcard	ling rule for non-commerc	ial application	is. All related evidences are mapped to respective major ve	ersion of the Product.
Finder 6.24	Nexthink	This Application is ignored in favor of new wildcard	ling rule for non-commerc	ial application	is. All related evidences are mapped to respective major ve	ersion of the Product.
Finder 6.25	Nexthink				s. All related evidences are mapped to respective major ve	
Finder 6.26	Nexthink				is. All related evidences are mapped to respective major ve	
Finder 6.27	Nexthink				is. All related evidences are mapped to respective major ve	
	Nexthink		-		is. All related evidences are mapped to respective major ve	
Finder 6.29	Nexthink				is. All related evidences are mapped to respective major ve	
Finder 6.3 Finder 6.30	Nexthink Nexthink				is. All related evidences are mapped to respective major versions. All related evidences are mapped to respective major versions.	
			0		is. All related evidences are mapped to respective major ve is. All related evidences are mapped to respective major ve	
Finder 6.4 Finder 6.5	Nexthink Nexthink				is. All related evidences are mapped to respective major ve is. All related evidences are mapped to respective major ve	
Finder 6.6	Nexthink				is. All related evidences are mapped to respective major versions. All related evidences are mapped to respective major versions.	
Finder 6.7	Nexthink				is. All related evidences are mapped to respective major ve	
Finder 6.8	Nexthink				is. All related evidences are mapped to respective major ve	
Finder 6.9	Nexthink				is. All related evidences are mapped to respective major ve	
flac 1.2	Oracle	This Application is ignored in favor of new wildcard	ling rule for non-commerc	ial application	s. All related evidences are mapped to respective major ve	ersion of the Product.
Flash Builder Plug-in	Adobe	This Application is ignored in favor of new wildcard	ling rule for non-commerc	ial application	s. All related evidences are mapped to respective major ve	ersion of the Product.
Flash Builder Plug-in 1	Adobe				s. All related evidences are mapped to respective major ve	
	Adobe				is. All related evidences are mapped to respective major ve	
fop 1.1	Apache Software Foundation				is. All related evidences are mapped to respective major ve	
foreman-postgresql	Red Hat				is. All related evidences are mapped to respective major ve	
foreman-postgresql 1	Red Hat				is. All related evidences are mapped to respective major ve	
foreman-postgresql 1.2	Red Hat				is. All related evidences are mapped to respective major ve	
foreman-postgresql 2.1	Red Hat Red Hat				is. All related evidences are mapped to respective major ve is. All related evidences are mapped to respective major ve	
foreman-postgresql 2.3 Fusion Supply Chain Management					is. All related evidences are mapped to respective major ve is. All related evidences are mapped to respective major ve	
	Elgato Systems				is. All related evidences are mapped to respective major vi is. All related evidences are mapped to respective major vi	
GeoServer 2.13	Open Source Geospatial Fo				is. All related evidences are mapped to respective major ve is. All related evidences are mapped to respective major ve	
GeoServer 2.8	Open Source Geospatial Fo				is. All related evidences are mapped to respective major versions. All related evidences are mapped to respective major versions.	
git-all 1.8	Git project				is. All related evidences are mapped to respective major ve	
GitMind	Apowersoft				is. All related evidences are mapped to respective major ve	
	Micro Focus		-		is. All related evidences are mapped to respective major ve	
GlancePlus Pak Components 11.1					is. All related evidences are mapped to respective major ve	
GlancePlus Pak Components 12.0					is. All related evidences are mapped to respective major ve	
GlancePlus Pak Components 12.1	Micro Focus	This Application is ignored in favor of new wildcard	ling rule for non-commerc	ial application	is. All related evidences are mapped to respective major ve	ersion of the Product.
					is. All related evidences are mapped to respective major ve	
GlancePlus Pak Components 12.2	WIICIO FOCUS	This 7 ipplication is ignored in lavor of new window				

GlancePlus Pak Components 12.3	Micro Focus	This Application is ignored in favor of new wildcardin	g rule for non-commercial applic	cations. All related evidences are mapped	to respective major version of the Product.
GlancePlus Pak Components 12.6	Micro Focus	This Application is ignored in favor of new wildcardin	g rule for non-commercial applic	cations. All related evidences are mapped	to respective major version of the Product.
GlassFish Server 2.3	Oracle	This Application is ignored in favor of new wildcardin			
GlassFish Server 2.4	Oracle	This Application is ignored in favor of new wildcardin			
Global Network Client Managed V	AT&T	This Application is ignored in favor of new wildcardin			
Global Network Client Managed V	AT&T	This Application is ignored in favor of new wildcardin			
Global Network Client Managed V Global Network Client Managed V	AT&T	This Application is ignored in favor of new wildcardin This Application is ignored in favor of new wildcardin			
	AT&T	This Application is ignored in favor of new wildcardin	• "		
golang 1.6	Red Hat	This Application is ignored in favor of new wildcardin			
golang 1.8	Red Hat	This Application is ignored in favor of new wildcardin	g rule for non-commercial applic	cations. All related evidences are mapped	to respective major version of the Product.
golang 1.9	Red Hat	This Application is ignored in favor of new wildcardin	g rule for non-commercial applic	cations. All related evidences are mapped	to respective major version of the Product.
gpsbabel 1.4	GPSBabel.org	This Application is ignored in favor of new wildcardin			
gpsbabel 1.5	GPSBabel.org GPSBabel.org	This Application is ignored in favor of new wildcardin			
gpsbabel 1.6 gpsbabel 1.7	GPSBabel.org	This Application is ignored in favor of new wildcardin This Application is ignored in favor of new wildcardin			
grafana 6.3	Red Hat	This Application is ignored in favor of new wildcardin			
grafana 7.5	Oracle	This Application is ignored in favor of new wildcardin			
gtk+ 2.10	Oracle	This Application is ignored in favor of new wildcardin	g rule for non-commercial applic	cations. All related evidences are mapped	to respective major version of the Product.
gtk+ 2.18	Oracle	This Application is ignored in favor of new wildcardin			
gtk+ 2.24	Oracle	This Application is ignored in favor of new wildcardin			
gtk+ 3.22	Oracle	This Application is ignored in favor of new wildcardin			
gzip (SMCgzip) 1.4 gzip (SMCgzip) 1.5	gzip Project gzip Project	This Application is ignored in favor of new wildcardin This Application is ignored in favor of new wildcardin			
gzip 1.1	gzip Project	This Application is ignored in favor of new wildcardin			
gzip 1.2	gzip Project	This Application is ignored in favor of new wildcardin			
haproxy 1.5	CentOS	This Application is ignored in favor of new wildcardin	g rule for non-commercial applic	cations. All related evidences are mapped	to respective major version of the Product.
haproxy 1.8	CentOS	This Application is ignored in favor of new wildcardin			
Hardware Abstraction Layer Runti	Veritas	This Application is ignored in favor of new wildcardin			
Hardware Abstraction Layer Runt Hardware Abstraction Layer Tools	Veritas Veritas	This Application is ignored in favor of new wildcardin This Application is ignored in favor of new wildcardin			
Hardware Abstraction Layer Tools		rnis Application is ignored in favor of new wildcardin This Application is ignored in favor of new wildcardin			
heimdal 1.0	Royal Institute of Technolo	This Application is ignored in favor of new wildcardin			
hibernate5 5.3	SUSE	This Application is ignored in favor of new wildcardin			
HPNNMPerfSPI 10.10	HP	This Application is ignored in favor of new wildcardin			
HPNNMPerfSPI 10.20	HP	This Application is ignored in favor of new wildcardin			
HPNNMPerfSPI 10.5 HPNNMPerfSPI 10.6	HP HP	This Application is ignored in favor of new wildcardin			
HPNNMPerfSPI 10.6 HPNNMPerfSPI 10.7	HP HP	This Application is ignored in favor of new wildcardin This Application is ignored in favor of new wildcardin			
HPNNMPerfSPI 10.80	HP	This Application is ignored in favor of new wildcardin			
<b>Hummingbird Component Deploy</b>	OpenText	This Application is ignored in favor of new wildcardin			
ICBEdit 1	ComAp	This Application is ignored in favor of new wildcardin			
I-CBEdit 1.3	ComAp	This Application is ignored in favor of new wildcardin			
Identity Governance Client Tools : Identity Governance Client Tools :	Broadcom Broadcom	This Application is ignored in favor of new wildcardin This Application is ignored in favor of new wildcardin			
InfoSphere DataStage Engine 8.1	IBM	This Application is ignored in favor of new wildcardin			
InfraWorks 360 Components 15	Autodesk	This Application is ignored in favor of new wildcardin			
InfraWorks 360 Components 15.3	Autodesk	This Application is ignored in favor of new wildcardin			
InfraWorks 360 Components 16.1	Autodesk	This Application is ignored in favor of new wildcardin			
InfraWorks 360 Components 16.2	Autodesk	This Application is ignored in favor of new wildcardin			
InfraWorks 360 Components 16.3 InfraWorks 360 Components 16.4	Autodesk Autodesk	This Application is ignored in favor of new wildcardin This Application is ignored in favor of new wildcardin			
InfraWorks 360 Components 17.1	Autodesk	This Application is ignored in favor of new wildcardin			
InfraWorks 360 Components 17.2	Autodesk	This Application is ignored in favor of new wildcardin			
InfraWorks 360 Components 17.3	Autodesk	This Application is ignored in favor of new wildcardin	g rule for non-commercial applic	cations. All related evidences are mapped	to respective major version of the Product.
InstallShield for Microsoft Visual (	Revenera	This Application is ignored in favor of new wildcardin			
IntelliJ IDEA- Early Access Program		This Application is ignored in favor of new wildcardin			
Java Profiler EAP 2020.7 Java Web Console 3.1	YourKit Oracle	This Application is ignored in favor of new wildcardin This Application is ignored in favor of new wildcardin			
JetSDS 3.5	Oracle	This Application is ignored in favor of new wildcardin			
JetZONES 1.3	Oracle	This Application is ignored in favor of new wildcardin			
Kernel Outlook PST Viewer 11.0	KernelApps	This Application is ignored in favor of new wildcardin	g rule for non-commercial applic	cations. All related evidences are mapped	to respective major version of the Product.
Kernel Outlook PST Viewer 19.8	KernelApps	This Application is ignored in favor of new wildcardin			
K-Lite Codec Pack 11.2 Full	Codec Guide	This Application is ignored in favor of new wildcardin			
K-Lite Codec Pack 11.9 Full K-Lite Codec Pack 14.1 Full	Codec Guide Codec Guide	This Application is ignored in favor of new wildcardin This Application is ignored in favor of new wildcardin			
K-Lite Codec Pack 14.1 Full	Codec Guide	This Application is ignored in favor of new wildcardin			
K-Lite Codec Pack 14.4 Full	Codec Guide	This Application is ignored in favor of new wildcardin			
K-Lite Codec Pack 14.5 Full	Codec Guide	This Application is ignored in favor of new wildcardin			
K-Lite Codec Pack 14.6 Full	Codec Guide	This Application is ignored in favor of new wildcardin			
K-Lite Codec Pack 14.7 Full	Codec Guide	This Application is ignored in favor of new wildcardin			
K-Lite Codec Pack 14.8 Full K-Lite Codec Pack 14.9 Full	Codec Guide Codec Guide	This Application is ignored in favor of new wildcardin This Application is ignored in favor of new wildcardin			
K-Lite Codec Pack 15.1 Full	Codec Guide	This Application is ignored in favor of new wildcardin	• "		
K-Lite Codec Pack 15.2 Full	Codec Guide	This Application is ignored in favor of new wildcardin			
K-Lite Codec Pack 15.3 Full	Codec Guide	This Application is ignored in favor of new wildcardin	g rule for non-commercial applic	cations. All related evidences are mapped	to respective major version of the Product.
K-Lite Codec Pack 15.4 Full	Codec Guide	This Application is ignored in favor of new wildcardin			
K-Lite Codec Pack 15.5 Full	Codec Guide	This Application is ignored in favor of new wildcardin			
K-Lite Codec Pack 15.6 Full K-Lite Codec Pack 15.7 Full	Codec Guide Codec Guide	This Application is ignored in favor of new wildcardin This Application is ignored in favor of new wildcardin			
K-Lite Codec Pack 15.7 Full	Codec Guide	This Application is ignored in favor of new wildcardin	• "		
K-Lite Codec Pack 15.9 Full	Codec Guide	This Application is ignored in favor of new wildcardin			
K-Lite Codec Pack 16.1 Full	Codec Guide	This Application is ignored in favor of new wildcardin			
K-Lite Codec Pack 16.2 Full	Codec Guide	This Application is ignored in favor of new wildcardin			
K-Lite Codec Pack 16.3 Full	Codec Guide	This Application is ignored in favor of new wildcardin			
K-Lite Codec Pack 16.4 Full K-Lite Codec Pack 16.5 Full	Codec Guide Codec Guide	This Application is ignored in favor of new wildcardin This Application is ignored in favor of new wildcardin			
K-Lite Codec Pack 16.6 Full	Codec Guide	This Application is ignored in favor of new wildcardin			
K-Lite Codec Pack 16.7 Full	Codec Guide	This Application is ignored in favor of new wildcardin			
K-Lite Codec Pack 16.9 Full	Codec Guide	This Application is ignored in favor of new wildcardin			
LegalCentre 2019.1	Wolters Kluwer	This Application is ignored in favor of new wildcardin			
libev 4.15 libgit2 0.28	Oracle Micro Focus	This Application is ignored in favor of new wildcardin This Application is ignored in favor of new wildcardin			
libgmp 5.1	SUSE	This Application is ignored in favor of new wildcardin			
libgmp 6.1	SUSE	This Application is ignored in favor of new wildcardin			
libncurses6 5	Micro Focus	This Application is ignored in favor of new wildcardin	g rule for non-commercial applic	cations. All related evidences are mapped	to respective major version of the Product.
libncurses6 6.1	Micro Focus	This Application is ignored in favor of new wildcardin			
libpango-1_0-0 1	Micro Focus	This Application is ignored in favor of new wildcardin	g rule for non-commercial applic	cations. All related evidences are mapped	to respective major version of the Product.

libxcb-xf86dri0 1.10	Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Lights Out Management 1.1	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Lights Out Management 2.0 links 2.8	Oracle Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MapViewer 12c R2	Oracle	Ins Application is ignored in favor of new wildcarding rule for non-commercial applications, an related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MapViewer 19.1	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mariadb55-mariadb 5	MariaDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MasterCard Authorization Simulat MasterCard Authorization Simulat		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MasterCard Authorization Simulat	MasterCard	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All cleated evidences are mapped to respective major version of the Product.
MasterCard Authorization Simulat		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MasterCard Authorization Simulat		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MasterCard Authorization Simular MasterCard Authorization Simular		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MeetMe Services with Cisco Web		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MeetMe Services with Cisco Web	BT	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mercurial 3.1 Mobility Client 10.1	Mercurial NetMotion Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mobility Client 10.1	NetMotion Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mobility Client 10.7	NetMotion Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mobility Client 11.3	NetMotion Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mobility Client 11.40 Mobility Client 11.43	NetMotion Software NetMotion Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mobility Client 11.43	NetMotion Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Mobility Client 11.70	NetMotion Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mongo-10gen 2.2	MongoDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mongo-10gen 2.4 mongo-10gen-server 2.2	MongoDB MongoDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mongo-10gen-server 2.2 mongo-10gen-server 2.4	MongoDB	Into Application is ignored in Favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MOVE AV Multi-Platform SVM 4.6	McAfee	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Capitalware	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MQ Authenticate User Security Ex nano 2.5	Capitalware Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ncurses 6.2	Fedora Project	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are napped to respective major version of the Product.
Node Manager 4.3	CIENA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Node Manager 4.4	CIENA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
npm 5 O2 Insight Pro 1.1	Canonical Viatom Technology	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ODBC Driver for Instant Client 10.		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ODBC Drivers for Oracle 11.2 ODBC Drivers for Oracle 12.2	Oracle Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Office Online for Office 365	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Open Motif 2	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
openjdk-7-jre-headless 7u151 openjdk-7-jre-headless 7u181	Canonical Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
openjdk-7-jre-headless 7u211	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
openjdk-7-jre-headless 7u65	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
openjdk-7-jre-headless 7u75	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
openjdk-7-jre-headless 7u79 openjdk-7-jre-headless 7u95	Canonical Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
openssh 6.6	Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
OpenSSH Server 1 OpenVINO 19.5	OpenBSD Intel	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
OpenVINO 20.6	Intel	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
OpenVINO 20.7	Intel	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
open-vm-tools 10.1	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Operations Manager Administrati pango 1.2	Micro Focus Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
pango 1.3	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
pango 1.36	GNOME Project	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Pango 1.40 pango 1.44	GNOME Project GNOME Project	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
pango 1.6	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
PDF Shaper 9.4 Free	Burnaware	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
PDF Shaper 9.5 Free PDF Shaper 9.9 Free	Burnaware	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Performer 10.13 Lite	Burnaware MOTU	Inis Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Perl 5.0	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
perl516 1	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
perl-base 5 php53-cli 5	Perl Foundation PHP Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Pidgin 2.1	Pidgin	Ins Application is ignored in favor of new wildcarding rule for non-commercial applications, an related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications, all related evidences are mapped to respective major version of the Product.
Pidgin 2.10	Pidgin	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Pidgin 2.11	Pidgin	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Pidgin 2.12 Pidgin 2.2	Pidgin Pidgin	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Pidgin 2.3	Pidgin	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Pidgin 2.4	Pidgin	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Pidgin 2.5 Pidgin 2.6	Pidgin Pidgin	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Pidgin 2.7	Pidgin	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Pidgin 2.8	Pidgin	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Pidgin 2.9	Pidgin	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
postgresql 12 PotPlayer 2102	SUSE Kakao	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Print 3.2	MakerBot	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Print 3.4 Print 4.1	MakerBot MakerBot	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Print 4.1 Print 4.2	MakerBot MakerBot	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Print 4.3	MakerBot	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Print 4.4	MakerBot	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Print 4.5	MakerBot MakerBot	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Print 4.7	INIGKCI DUL	This Application is ignored in ravor of new winderlying rule for non-confining rule applications. All related evidences are mapped to respective major version of the Product.

[- · · · -	lea e a c	
Print 4.8	MakerBot	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Print 4.9	MakerBot	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Print 6.9	MakerBot	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Print 7.4	MakerBot	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Print 7.7	MakerBot	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Print 8	MakerBot	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Print 8.1	MakerBot	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Print 8.2	MakerBot	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Print 8.5	MakerBot	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Print 8.7	MakerBot	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Print 8.9	MakerBot	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Print Experience 6	Xerox	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Print Experience 7.1	Xerox	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ProactiveNet Admin 9	BMC	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ProactiveNet Admin 9.5	BMC	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
psqlODBC 08.0	Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
PUTSRC 3.5	Teradata	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python 3.4	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python 3.5	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python 3.6	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python 3.9	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python2-pyOpenSSL 17.5	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python2-simplejson 3.13	Micro Focus	This Application is ignored in favor of new mildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python2-simplejson 3.17	Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python3-Babel 2.8	SUSE	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python3-simplejson 3	Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python3-simplejson 3.8	Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python-psutil 5.7	Oracle IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
python-simplejson 3		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
qemu-kvm 2.6	SUSE	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
qemu-kvm 2.9	SUSE	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Quantum Administrator 4.6	FIS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rclone 1.49	Nick Craig-Wood	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
RealiTea Viewer 10.2	Acoustic	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
RealiTea Viewer 8.2	Acoustic	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
RealiTea Viewer 8.3	Acoustic	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
RealiTea Viewer 8.4	Acoustic	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
RealiTea Viewer 8.7	Acoustic	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
RealiTea Viewer 8.8	Acoustic	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Registry Viewer 2.3	AccessData	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Repackager	Flexera	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Repackager 10.0	Flexera	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Repackager 11.0	Flexera	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Repackager 11.5	Flexera	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Repackager 12.0	Flexera	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Repackager 13.0	Flexera	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Repackager 14.0	Flexera	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Repackager 15.0	Flexera	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Repackager 16.0	Flexera	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Repackager 17.0	Flexera	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Repackager 18.0	Flexera	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Repackager 5.0	Flexera	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Repackager 8.6	Flexera	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Rhino 1.7	Mozilla	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-maven35-google-guice 4.1	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-maven36-apache-commons-cli	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-maven36-jcl-over-slf4j 1.7	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-maven36-jsoup 1.12	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-maven36-jzlib 1.1	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-maven36-maven 3.6	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-maven36-maven-wagon 2.1	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-mongodb36-mongodb 3.6	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-mongodb36-mongodb-server 3		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-mysql56-mysql 5	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-mysql56-mysql 5.6	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-nginx110-nginx 1.10	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-nginx112 1.12	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-nginx112 1.12	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-nginx114-nginx 1.1	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-nginx114-nginx 1.1	Red Hat	Inis Application is ignored in favor of new windcarding rule for mon-commercial applications, and in related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new windcarding rule for mon-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-nginx18-nginx 1 rh-nginx-nginx 1.16	Red Hat	inis Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version or in reProduct.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-nodejs12-nodejs 12.10	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-nodejs12-nodejs 12.10	Red Hat	Inis Application is ignored in favor of new windcarding rule for mon-commercial applications, and related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new windcarding rule for mon-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-nodejs12-nodejs 12.18	Red Hat	Inis Application is ignored in favor of new windcarding rule for mon-commercial applications, and in related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new windcarding rule for mon-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-nodejs12-nodejs 12.18	Red Hat	Inis Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version or in reProduct.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Red Hat	Inis Application is ignored in favor of new willocarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new willdcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
rh-perl520-perl 5		
rh-python38-python 3.8	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ruby200 1	Ruby	
Schedule Input Program 8.6	GSA SCans Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SCons 2.5	SCons Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Secure Connector 10.8	ForeScout Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Secure Connector 11.1	ForeScout Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Secure Connector 16.0	ForeScout Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Secure Connector 17.2	ForeScout Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Secure Connector 3.29	ForeScout Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Secure Socket Adapter 2.2	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Secure Socket Adapter 2.3	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Secure Socket Adapter 2.4	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Secure Socket Adapter 2.5	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Security Trusteer Rapport 1.2	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Security Trusteer Rapport 1.7	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SharePoint Online Kiosk for Gover	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SharePoint Online Kiosk for Office		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SIMATIC S7-PCT 2.1	Siemens	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SIMATIC S7-PCT 2.1 Professional	Siemens	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SIMATIC S7-PCT 2.2	Siemens	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SIMATIC S7-PCT 2.2 Professional	Siemens	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SIMATIC S7-PCT 2.3	Siemens	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.

IMANCE PCF 12 2  Mineres  The Applications is grown in few or of two wildcording and to true commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applications. All related extensions are required to support to make the commercial applicatio	SIMATIC S7-PCT 2.3 Professional	Siemens	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
CAMPET CONTROL 2 Professional  Sements De Aguitaction is govered in two of new autitaciding not for non-commercial aguitations. A related evidence are required the broder.  Application is govered in the broder.  The Aguitaction is govered in the ord new autitaciding not for non-commercial aguitations. A related evidence are required to require the broder.  The Aguitaction is govered in the ord new autitacting not for non-commercial aguitations. A related evidence are required to require the broder.  The Aguitaction is govered in the ord new autitacting not for non-commercial aguitations. A related evidence are required to required the profession of the product of the produ			
SAME SECT 3.3  Servers  This application is agreed in four of the wideledings are not commercial applications. At residue deletines are imaged to respective improvement of the Product.  SAME SECT 3.3  Servers  This application is agreed in four of the wideledings are not commercial applications. At related develors are maged to respective improvement of the Product.  Same SECT 3.3  Servers  This application is agreed in four of the wideledings are not commercial applications. At related evidence in progress of the product of the Product.  Same SECT 3.3  Servers  This application is agreed in four of the wideledings are not commercial applications. At related evidence in pragate to pragate in pragate in the product of the Product.  Same SECT 3.3  Servers  This application is agreed in four of the wideledings are to recommend applications. At related evidence in pragate to pragate in pragate in the product of			
SOMETE STATES and sequences of the product of the p			
Tags Stock Nates 1.5 Somet  This applications is growned in flow of new ordinating risk for an excommental applications. At related evidence in present on major without of the Podest.  Cardio Stock Nates 2.2 Somet  This applications is growned in the present of the Podest.  This applications is growned in the present of the Podest.  The applications is growned in the present of the Podest.  This application is growned in the present of the Podest.			
Sample Statisy Notes 2.1 Services  The Application is growned in few ord one wildcoding not for one commence applications. All related evidences are mapped to reprective negor services of the Product.  The Application is growned in the Produc		Simnet	
Single Story Nates 4.2 Simmed  This Application is growed in food of new widerading sub for non-commonal applications. All related orientees are suspect to respect to many events of the Product.  The Production is growed in food of new widerading sub for non-commonal applications. All related orientees are suspect to respect to many events of the Product.  The Application is growed in food of new widerading sub for non-commonal applications. All related orientees are suspect to respect to many events of the Product.  Somet Story Nates 4.5 Simmed This Application is growed in food of new widerading sub for non-commonal applications. All related orientees are suspect to respective many events of the Product.  Somet Story Nates 4.5 Simmed This Application is growed in food of new widerading sub for non-commonal applications. All related orientees are suspect to respective many events of the Product.  Somet Story Nates 4.5 Simmed This Application is growed in food of new widerading sub for non-commonal applications. All related orientees are suspect to respective many events of the Product.  Somet Story Nates 4.5 Simmed This Application is growed in food of new widerading sub for non-commonal applications. All related orientees are suspect to respective many events of the Product.  Somet Story Nates 4.5 Simmed This Application is growed in food of new widerading sub for non-commonal applications. All related orientees are suspect to respective many events of the Product.  Somet Story Nates 4.5 Simmed This Application is growed in food of new widerading sub for non-commonal applications. All related orientees are suspect to respective many events of the Product.  Somet Story Nates 4.5 Simmed This Application is growed in food of new widerading sub for non-commonal applications. All related orientees are suspect to respective many events of the Product.  Somet Story Nates 4.5 Simmed This Application is growed in food of new widerading sub for non-commonal applications. All related orientees are suspect to respective			
Comple Stocky Notes 2.5.  Simmer  This Application is governed in Face of new widerating in all for ron-commental applications. All related evidences are respect to respect to mapper to my restroy in the Product.  Simple Stocky Notes 2.5.  Simmer  This Application is governed in Face of new widerating in the for non-commental applications. All related evidences are respect to respect to respect to my relationship to the Product.  Simple Stocky Notes 3.5.  Simmer  This Application is governed in Face of new widerating in the for non-commental applications. All related evidences are respect to respect to my review of the Product.  Simple Stocky Notes 4.6.  Simmer  This Application is governed in Face of new widerating in a for non-commental applications. All related evidences are respect to respect to mapper was not in Product.  This Application is governed in Face of new widerating in all for non-commental applications. All related evidences are respect to respect to mapper was not in Product.  This Application is governed in Face of new widerating in all for non-commental applications. All related evidences are respect to respect to mapper was not in Product.  The Application is governed in Face of new widerating in all for non-commental applications. All related evidences are respect to respect to mapper was not in Product.  The Application is governed in Face of in the widerating in all for non-commental applications. All related evidences are respect to respect to mapper was not in Product.  The Application is governed in Face of in new widerating in all for non-commental applications. All related evidences are respect to respect to mapper was not in Product.  The Application is governed in Face of in new widerating in all for non-commental applications. All related evidences are reaged to respect to mapper was not in Product.  The Application is governed in Face of inew widerating in the for non-commental applications. All related evidences are reaged to respect to mapper was not in Product.  The Applicatio			
Some Story Notes 4.5 Simest  This Application is genered in few or for new withcrafting such for non-commercial applications. All related evidences are magged to report them you resident of the Product.  Some Story Notes 4.5 Simest  This Application is genered in few or few withcrafting such for non-commercial applications. All related evidences are magged to respective many version of the Product.  Some Story Notes 4.7 Simest  This Application is genered in few or few withcrafting such for non-commercial applications. All related evidences are magged to respective many version of the Product.  Some Story Notes 4.2 Simest  This Applications is genered in few of rew withcrafting such for non-commercial applications. All related evidences are magged to respective many version of the Product.  Some Story Notes 4.5 Simest  This Applications is genered in few of new withcrafting such for non-commercial applications. All related evidences are magged to respective many version of the Product.  Some Story Notes 4.5 Simest  This Applications is genered in few of new withcrafting such for non-commercial applications. All related evidences are magged to respective many version of the Product.  Some Story Notes 5.1 Simest  This Applications is genered in few of reaw withcrafting such for non-commercial applications. All related evidences are magged to respective many version of the Product.  Some Story Notes 5.1 Simest  This Applications is genered in few of new withcrafting such for non-commercial applications. All related evidences are magged to respective many version of the Product.  Some Story Notes 5.1 Simest  This Applications is genered in few of new withcrafting such for non-commercial applications. All related evidences are magged to respective many version of the Product.  Some Story Notes 5.1 Simest  This Applications is genered in few of new withcrafting such for non-commercial applications. All related evidences are magged to respective many version of the Product.  Some Story Notes 5.1 Simest  This Applicati			
Some Story Notes 4.5 Simest  This Application is genered in few or for new withcrafting such for non-commercial applications. All related evidences are magged to report them you resident of the Product.  Some Story Notes 4.5 Simest  This Application is genered in few or few withcrafting such for non-commercial applications. All related evidences are magged to respective many version of the Product.  Some Story Notes 4.7 Simest  This Application is genered in few or few withcrafting such for non-commercial applications. All related evidences are magged to respective many version of the Product.  Some Story Notes 4.2 Simest  This Applications is genered in few of rew withcrafting such for non-commercial applications. All related evidences are magged to respective many version of the Product.  Some Story Notes 4.5 Simest  This Applications is genered in few of new withcrafting such for non-commercial applications. All related evidences are magged to respective many version of the Product.  Some Story Notes 4.5 Simest  This Applications is genered in few of new withcrafting such for non-commercial applications. All related evidences are magged to respective many version of the Product.  Some Story Notes 5.1 Simest  This Applications is genered in few of reaw withcrafting such for non-commercial applications. All related evidences are magged to respective many version of the Product.  Some Story Notes 5.1 Simest  This Applications is genered in few of new withcrafting such for non-commercial applications. All related evidences are magged to respective many version of the Product.  Some Story Notes 5.1 Simest  This Applications is genered in few of new withcrafting such for non-commercial applications. All related evidences are magged to respective many version of the Product.  Some Story Notes 5.1 Simest  This Applications is genered in few of new withcrafting such for non-commercial applications. All related evidences are magged to respective many version of the Product.  Some Story Notes 5.1 Simest  This Applicati	Simple Sticky Notes 4.2	Simnet	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Sough Stoky Mates 4.5 Simuset  This Application is good in flow of new withdrading rule for new commercial applications. All related evidences are mapped to respective major version of the Product.  Sough Stoky Mates 4.5 Simuset  This Application is good in flow of new withdrading rule for new commercial applications. All related evidences are mapped to respective major version of the Product.  Sough Stoky Mates 4.5 Simuset  This Application is good in flow of new withdrading rule for new commercial applications. All related evidences are mapped to respective major version of the Product.  Some Stoky Mates 4.5 Simuset  This Application is good in flow of new withdrading rule for new commercial applications. All related evidences are mapped to respective major version of the Product.  Some Stoky Mates 4.5 Simuset  This Application is good in flow of new withdrading rule for new commercial applications. All related evidences are mapped to respective major version of the Product.  Some Stoky Mates 5.1 Simuset  This Application is good in flow of new withdrading rule for new commercial applications. All related evidences are mapped to respective major version of the Product.  Some Stoky Mates 5.1 Simuset  This Application is good in flow of new withdrading rule for new commercial applications. All related evidences are mapped to respective major version of the Product.  Some Stoky Mates 5.1 Simuset  This Application is good in flow of new withdrading rule for new commercial applications. All related evidences are mapped to respective major version of the Product.  Some Stoky Mates 5.2 Simuset  This Application is good in flow of new withdrading rule for new commercial applications. All related evidences are mapped to respective major version of the Product.  Some Stoky Mates 5.2 Simuset  This Application is good in flow of new withdrading rule for new commercial applications. All related evidences are mapped to respective major version of the Product.  Some Stoky Mates 5.2 Simuset  This Application is good on flow		Simnet	
Sample Stoky Notes 4.5 Simmet  The Application is grown of the or forew withstanding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Comple Stoky Notes 4.2 Simmet  The Application is grown of the or forew withstanding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Somple Stoky Notes 4.2 Simmet  The Application is grown of in Note of new withstanding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Somple Stoky Notes 3.2 Simmet  The Application is grown of in Note of new withstanding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Note Stoky Notes 3.2 Simmet  The Application is grown of in Note of new withstanding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Note Stoky Notes 3.2 Simmet  The Application is grown of in Note of new withstanding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Note Stoky Notes 3.2 Simmet  The Application is grown of in Note of new withstanding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Note Stoky Notes 3.2 Simmet  The Application is grown of in Note of new withstanding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Note Stoky Notes 3.2 Simmet Stoky Notes 3.2		Simnet	
Simple Sidely Notes 4.2 Simmet  The Application is grown of new of new will activating not for more commercial applications. All related evidences are mapped to respective major version of the Product. Simple Sidely Notes 4.5 Simmet  The Application is grown of new of new will activating not for more commercial applications. All related evidences are mapped to respective major version of the Product. The Commercial applications of the Product of the Pr	Simple Sticky Notes 4.5	Simnet	
Simple Stoky Nation 4.8 — Simmers  The Application is genered in theor of new voltacarding role for no commercial applications. All related evidences are mapped to respective major version of the Product.  Simple Stoky Nation 5.2 — Simmers  The Application is genered in shour of new voltacarding role for no commercial applications. All related evidences are mapped to respective major version of the Product.  The Application is genered in shour of new voltacarding role for non-commercial applications. All related evidences are mapped to respective major version of the Product.  The Application is genered in shour of new voltacarding role for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Simple Stoky Nation 5.4 — Simple Stoky Nation 5.5 — Simple Stoky Nation 5.4 — Simple Stoky Nat	Simple Sticky Notes 4.6	Simnet	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Simple Stoky Nation 4.5 a. Simmert  The Application is general in Navor of new wildcarding rule for no commercial applications. All related evidences are mapped to respective major version of the Product.  Simple Stoky Nation 5.5 b. Simmert  The Application is general in Novor of new wildcarding rule for no commercial applications. All related evidences are mapped to respective major version of the Product.  Simple Stoky Nation 5.4 b. Simmert  The Application is general in Novor of new wildcarding rule for no commercial applications. All related evidences are mapped to respective major version of the Product.  Simple Stoky Nation 5.5 b. Simmert  The Application is general in Novor of new wildcarding rule for no commercial applications. All related evidences are mapped to respective major version of the Product.  On a commercial production of the Product of National Production of Natio	Simple Sticky Notes 4.7	Simnet	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Simple Stoky Nation 5.1  Simple Stoky Nation 5.2  Simple Stoky Nation 5.2  Simple Stoky Nation 5.2  Simple Stoky Nation 5.2  Simple Stoky Nation 5.3  Simple Stoky Nation 5.4  Simple Stoky Nation 5	Simple Sticky Notes 4.8	Simnet	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Simple Stoky Notes 5.2  Simmet  The Application is growed in Bow of new widsarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Simple Stoky Notes 5.5  Simmet  The Application is growed in Bow of new widsarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. The Application is growed in Bow of new widsarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. On the Product of the Product	Simple Sticky Notes 4.9	Simnet	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Simple Study Notes 5.3 Simmet  This Application is genored in fowor of new wildcarding rule for non-commercial applications. All related evidence are mapped to respective major version of the Product. Simple Study Notes 5.5 Simmet  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidence are mapped to respective major version of the Product. Oracle Product. Programmers of the Product of the Product of Product oracle Programmers of the Product oracle Prog		Simnet	
Simple Stoky Notes 5.4 Simment  This Application is genomed in favor of new willdarding rule for non-commercial applications. Air related evidence are mapped to respective major version of the Product. Smart Console #8.1.1  Check Point Software Postedia. The product is application is genomed in favor of new willdarding rule for non-commercial applications. Air related evidence are mapped to respective major version of the Product. Orant Steels—18.1.2  Apaches Software Foundatis his publication is genomed in favor of new willdarding rule for non-commercial applications. Air related evidence are mapped to respective major version of the Product. Orant Steels—18.1.3  Apaches Software Foundatis his publications is genomed in favor of new willdarding rule for non-commercial applications. Air related evidence are mapped to respective major version of the Product. Orant Steels—18.1.3  Apaches Software Foundatis his publications is genomed in favor of new willdarding rule for non-commercial applications. Air related evidence are mapped to respective major version of the Product. Steels—19.1.3  Salas Staulo C and C++ Compilero  Oracle Post Software Foundatis his publications is genomed in favor of new willdarding rule for non-commercial applications. Air related evidences are mapped to respective major version of the Product. Steels—19.1.3  Salas Staulo C and C++ Compilero  Oracle Post Software Foundation for Oracle Pos		Simnet	
Simple Story Notes 5.5  Simet Contractoracide REL 1. Obec Port Software Feath Time Application is ignored in favor of new widesting rule for non-commercial applications. An evitated evidence are mapped to respective major version of the Product contractemes helt 1.2  Apache Software Foundath This Application is ignored in favor of new widesting rule for non-commercial applications. All related evidence are mapped to respective major version of the Product contractemes helt 1.3  Apache Software Foundath This Application is ignored in Favor of new widesting rule for non-commercial applications. All related evidences are mapped to respective major version of the Product contractemes helt 1.4  Apache Software Foundath This Application is ignored in Favor of new widesting rule for non-commercial applications. All related evidences are mapped to respective major version of the Product Contracted	Simple Sticky Notes 5.3	Simnet	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Check Point Software Teach Tisk Applications is growned in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  martsense-hit 1.3  Apache Software Foundath Tisk Applications is growned in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  martsense-hit 1.4  Apache Software Foundath Tisk Applications is growned in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Chain Studio. Cand C++ Compile Tokes.  Apache Software Foundath Tisk Applications is growned in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Studios Studio. Cand C++ Compile Tokes.  This Application is growned in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is growned in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is growned in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is growned in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is growned in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is growned in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is growned in favor of new wildcarding rule for non-commercial applications. All rela			
martesen-th 12 Apache Software Foundath This Applications is growed in favor or new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product, annatesen-th 12 Apache Software Foundath This Applications is growed in favor of new wildcarding, rule for non-commercial applications. All related evidences are mapped to respective major version of the Product, annatesen-th 13 Apache Software Foundath This Applications is growed in favor of new wildcarding, rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is growned in favor of new wildcarding, rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Solaris Studio C and C+1 Compiler Oracle. Solaris Studio C and C+1 Compiler Oracle Solaris Solaris Solaris Solaris Solaris Solaris Solaris Studio C and C+2 Compiler Oracle Solaris Solaris Solaris Solaris Studio C and C+2 Compiler Oracle Solaris Sol			
martenen-sh 1.3 A apache Software Foundath This Applications is genored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  martenes-sh 1.5 Software Foundath This Application is genored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Solis Studio C. and C+* Compiler Order.  This Application is genored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is genored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is genored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Ordice & Vertisa.  This Application is genored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Ordice & Vertisa.  This Application is genored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is genored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is genored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is genored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is genored in favor of new wildcarding rule for non-commercial applications. All related evidences are map			
inantenses hit 1.5 Apache Software Foundatif This Application is garred in favor of new widderding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Solaris Studio C and C++ Compiler Oracle  This Application is garred in favor of new widderding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle 6.5 Vertiss  This Application is garred in favor of new widderding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle 6.5 Vertiss  This Application is garred in favor of new widderding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle 6.5 Vertiss  This Application is garred in favor of new widderding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle 6.7 Vertiss  This Application is garred in favor of new widderding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle 6.7 Vertiss  This Application is garred in favor of new widderding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle 6.7 Vertiss  This Application is garred in favor of new widderding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle 6.7 Vertiss  This Application is garred in favor of new widderding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sum Management Centre Workp Colors  This Application is garred in favor of new widderding rule for non-commercial applications.			
Sands Studio C and C++ Compiler Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sold server vitext Management's Microsoft  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle 6. Selvertias  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle 6. Selvertias  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle 6. Pervitats  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle 6. Per Vertias  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle Par Vertias  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle Par Vertias  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle Par Vertias  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Son Studio 11 Complier 2.1. Oracle  This Application is ignored in favor of new wildcarding rule for non-c			
Solaris Studio C and C++ Compiler Oracle  This Application is gnored in fewor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle 6, St. Vertias  This Application is gnored in fewor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle 6, St. Vertias  This Application is gnored in fewor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle 6, St. Vertias  This Application is gnored in fewor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle Pa Vertias  This Application is gnored in fewor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle Pa Vertias  This Application is in gnored in fewor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Apache Software Foundatis This Application is ingrowed in fewor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 10 Compiler Fortrain 9 Oracle  This Application is ingrowed in fewor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 10 Compiler Fortrain 9 Oracle  This Application is ingrowed in fewor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 11 Compiler 2.1  Oracle  This Application is ingrowed in fewor of new wildcarding rule for non-commercial applica			
Singer Foundation for Oracle 5. Diversitas  This Application is gnored in New or flow wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle 6. Qivertas  This Application is gnored in New or flow wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle 6. Palvertas  This Application is gnored in New or flow wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle Palvertas  This Application is gnored in New or flow wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle Palvertas  This Application is gnored in New or flow wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle Palvertas  This Application is gnored in New or flow wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Management Center Workpr Oracle  This Application is gnored in New or flow wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 13 Compiler Fortran 9 Oracle  This Application is gnored in New or flow wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 13 Compiler 6.1.1 Oracle  This Application is in gnored in New or flow wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 13 Compiler 6.1.1 Oracle  This Application is in gnored in New or flow wildcarding rule for non-commercial applications. All related			
Storage Foundation for Oracle 6, 5, Vertias  This Application is ignored in fewor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle 6, 5, Vertias  This Application is ignored in fewor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle Pa Vertias  This Application is ignored in fewor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle Pa Vertias  This Application is ignored in fewor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Apache Software Foundatt This Application is ignored in fewor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Apache Software Foundatt This Application is ignored in fewor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 10 Complete Fortura 9 Oracle  This Application is ignored in fewor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 11 Complete 7.1 Oracle  This Application is ignored in fewor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 11 Complete 7.1 Oracle  This Application is ignored in fewor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 12 Complete 7.1 Oracle  This Application is ignored in fewor of new wildcarding rule for non-commercial applications. All related evidences are mapped t			
Storage Foundation for Oracle 6 G. Vertras This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle 6 Pal Vertras This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle Pal Vertras This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle Pal Vertras This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Management Center Workpt Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio DI Compiler 12.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio DI Compiler 12.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio DI Compiler 12.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio DI Compiler Fortran 8 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio DI Compiler Fortran 8 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related			
Storage Foundation for Oracle Po Vertias This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle Po Vertias This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle Po Vertias This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle Po Vertias This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  San Studo 10 Compiler F12.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  San Studo 11 C Compiler F2.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  San Studo 11 C Compiler F2.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  San Studo 12 Compiler F2.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  San Studo 12 Compiler F2.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  San Studo 12 Compiler F2.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mappe			
Storage Foundation for Oracle Pa Veritas  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Storage Foundation for Oracle Pa Veritas  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  San Management Center Workgr Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  San Studio 13 Compiler 6711a 90 Toracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  San Studio 11 Compiler 671a 0 Toracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  San Studio 11 Compiler 611a 0 Toracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  San Studio 11 Compiler 611a 0 Toracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  San Studio 11 Compiler 611a 0 Toracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  SINNVIPOR 1  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sinnvipor 1 Compiler 611a 0 Toracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are ma			
Strage Foundation for Grade Par Veritas  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Struts  Apache Software Foundati  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Son Studio 10 Compiler 12.1 Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Son Studio 11 Compiler 12.1 Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Son Studio 11 Compiler 12.1 Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Son Studio 11 Compiler 12.1 Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Son Studio 11 Compiler Partany 60 oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Son Studio 12 Compiler Partany 60 oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  SONWI/Pole 1 Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  SONWI/Pole 1 Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major versio			
Strate Foundation for Grace Pay Veritas  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Management Center Workgo Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 10 Compiler Fortran 90 Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 11 Compiler 21.0 Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 11 Compiler 21.0 Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 11 Compiler 21.1 Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  SUNNY/Job 1  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  SUNNY/Job 1  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  SUNNY/Job 1  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  System Center Cross Platform 1.0 Microsoft  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the P			
Apache Software Foundation This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Sun Studio 10 Compiler Fortran 9 Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Sun Studio 11 Compiler 6.1  Sin Studio 11 Compiler 6.1  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Son Studio 11 Compiler 12.1  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Sun Studio 11 Compiler 12.1  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Sun Wylova 1  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Sun Wylova 1  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Sun Wylova 1  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Sun Wylova 1  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Sun Wylova 1  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Sun Wylova 1  Oracle			
Sun Naturio 10 Compiler Fortran 9 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 11 Compiler 12.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 11 Compiler 6.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 12 Compiler 12.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 12 Compiler Fortran 9 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 12 Compiler Fortran 9 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  SUNWJYAV 1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sur/Side Video 3.5 SAP This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  System Center Cross Platform 1.0 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application			
Sun Studio 10 Compiler 12.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 11 Ce- Compiler 12.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 12 Compiler Fortran SI Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 12 Compiler Fortran SI Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  SUNNYJ76v1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  SUNNYJ77v1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  SUNNYJ78v1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Survival oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  System Center Cross Platform 1.0 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  System Center Cross Platform 1.5 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Applicati			
Sun Studio 1.1 C Compiler 6.1.1  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Sun Studio 1.1 C++ Compiler 1.2.1  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  SUNWI/Text 1  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  SUNWI/Text 1  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  SUNWI/Text 1  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  SUNWI/Text 1  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Surfside Video 3.5  SAP  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Surfside Video 3.5  SAP  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  System Center Cross Platform 1.3 Microsoft  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  ThreatEx Protocof Fuzzer 4.80  Spirent Communications  This Applicat			
Sun Studio 1.1 C Compiler 6.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Sun Studio 1.2 Compiler Fortran 9 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. SUNWYJORU 1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. SUNWYJORU 1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. SUNWYJORU 1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. System Center Cross Platform 1.2 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. System Center Cross Platform 1.5 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. System Center Cross Platform 1.4 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. System Center Cross Platform 1.5 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored i			
Sun Studio 12 Compiler Fortran 9 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  SUNW)7dw 1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  SUNW)7dw 1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  SUNW)7dw 1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  System Center Cross Platform 1.0 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  System Center Cross Platform 1.4 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  System Center Cross Platform 1.4 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All relat			
SUNW)7dev 1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. SUNW)7t 1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Sur/Side Video 3.5 SAP This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. System Center Cross Platform 1.3 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. System Center Cross Platform 1.4 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. System Center Cross Platform 1.5 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major v	Sun Studio 11 C++ Compiler 12.1	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SUNWJYR1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Surfside Video 3.5 SAP This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. System Center Cross Platform 1.0 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. System Center Cross Platform 1.3 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. System Center Cross Platform 1.4 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. System Center Cross Platform 1.5 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Vertas Simple Instrumentation Ccylerias This Application is ignored in favor of new wildcarding rule for non-commercial appli		Oracle	
SurfSide Video 3.5 SurFSide Vide		Oracle	
Surfised Video 3.5  SAP  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  System Center Cross Platform 1.3 Microsoft  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  System Center Cross Platform 1.4 Microsoft  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  It is application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  It is application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  It is application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Threats Protocol Fuzzer 4.30  Spirent Communications  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Topmost Clock  Softdemon  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Veritas Simple Instrumentation C Veritas  This Application is ignored in favor of new wildcarding rule for non-commercial applicat			
System Center Cross Platform 1.0 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  System Center Cross Platform 1.3 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  System Center Cross Platform 1.5 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Topdump This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  ThreatEx Protocol Fuzzer 4.80 Spirent Communications This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  ThreatEx Protocol Fuzzer 4.81 Spirent Communications This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Veritas Simple Instrumentation C Veritas This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Veritas Simple Instrumentation C Veritas T			
System Center Cross Platform 1.3 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  The Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  ThreatEx Protocol Fuzzer 4.80 Spirent Communications This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Topmost Clock Softdemon This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Veritas Simple Instrumentation C Veritas This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Veritas Simple Instrumentation C Veritas This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Veritas Simple Instrumentation C Veritas This Application is ignored in favor of new wildcarding rule for non-commercial appl			
System Center Cross Platform 1.4 Microsoft  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  ThreatEx Protocol Fuzzer 4.30 Spirent Communications  ThreatEx Protocol Fuzzer 4.81 Spirent Communications  ThreatEx Protocol Fuzzer 4.81 Spirent Communications  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  ThreatEx Protocol Fuzzer 4.81 Spirent Communications  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  UniAdmin 5.1 Rocket Software  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Veritas Simple Instrumentation C Veritas  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Veritas Clinux Client Micro Focus  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Virtual Room Client Launcher Plug HP  This Application is ignored in favor of new wildcarding rule for non-commercial applications.			
System Center Cross Platform 1.5 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. ThreatEx Protocol Fuzzer 4.30 Spirent Communications ThreatEx Protocol Fuzzer 4.80 Spirent Communications This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. ThreatEx Protocol Fuzzer 4.80 Spirent Communications ThreatEx Protocol Fuzzer 4.81 Spirent Communications This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. UniAdmin 5.1 Rocket Software This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Veritas Simple Instrumentation C/L Veritas This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Veritas Simple Instrumentation C/L Veritas This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Veritas Iniux Client Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Vertica Linux Client Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Virtual Room Client Launcher Plug HP This Application is ignored in fav			
tcpdump 3 Tcpdump 5 Tcpdump 6 Tcpdump 15 Tcpdump 5 Tcpdump 5 Tcpdump 6 Tcpdump 15 Tcpdump 6 Tcpdump 15 Tcpdump 6 Tcpdump 15 Tcpdump 7 Tcpduct 7 Tcpdump 7 Tcpdump 7 Tcpdump 7 Tcpdump 7 Tcpdump 7 Tcpduct 7 Tc			
ThreatEx Protocol Fuzzer 4.30 Spirent Communications This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. ThreatEx Protocol Fuzzer 4.80 Spirent Communications This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. UniAdmin S.1 Rocket Software This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Veritas Simple Instrumentation C Veritas This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Veritas This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Vertica Linux Client Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Vertica Linux Client 10.0 Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Vertica Linux Client Launcher Plug HP This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Web Services Description Langua Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This			
ThreatEx Protocol Fuzzer 4.80 Spirent Communications This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Weritas Simple Instrumentation Cl Veritas This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Veritas Simple Instrumentation Cl Veritas This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Vertica Linux Client Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Vertica Linux Client 11.0 Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Virtual Room Client Launcher Plug HP This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Web Services Description Langua Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. WebLogic SCA 14.1 Oracle This Application is ignored		- Production	
ThreatEx Protocol Fuzzer 4.81 Spirent Communications This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Veritas Simple Instrumentation Cl Veritas This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Veritas Simple Instrumentation Cl Veritas This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Veritas in Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Vertica Linux Client 11.0 Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Virtual Room Client Launcher Plug HP This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Web Services Description Langua Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Web Logic SCA 14.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Web Logic SCA 14.1 Oracle This Appli		•	
Topmost Clock  Softdemon  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Weritas Simple Instrumentation CV Veritas  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Veritas Simple Instrumentation CV Veritas  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Vertica Linux Client  Micro Focus  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Vertica Linux Client  Micro Focus  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Virtual Room Client Launcher Plug HP  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Virt-viewer  Red Hat  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Web Services Description Langual  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Web Services Description Langual  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Windows Desktop Runtime 3.1  Microsoft  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to re			
UniAdmin 5.1 Rocket Software This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Veritas Simple Instrumentation CV Veritas This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Vertica Linux Client Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Vertica Linux Client 11.0 Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Vertica Linux Client Launcher Plug HP This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Virt-viewer Red Hat This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Web Services Description Langua Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Web Services Description Langua Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. WebLogic SCA 14.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Windows Desktop Runtime 3.1 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod			
Veritas Simple Instrumentation Cl Veritas  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Veritas Simple Instrumentation Cl Veritas  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Vertica Linux Client  Micro Focus  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Virtual Room Client Launcher Plug HP  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Web Services Description Langua  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Web Services Description Langua  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Weblogic SCA 14.1  Oracle  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Windows Desktop Runtime 3.1  Microsoft  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Windows Server Base OS System Microsoft  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major ve			
Veritas Simple Instrumentation CQ Veritas This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Vertica Linux Client 11.0 Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Virtual Room Client Launcher Plug HP This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Virt-viewer Red Hat This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Web Services Description Langual Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Weblogic SCA 14.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Windows Desktop Runtime 3.1 Windows Desktop Runtime 3.1 Windows Server Base OS System Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Wiredshaft 2.4 SUSE This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application i			
Vertica Linux Client Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Vertica Linux Client 11.0 Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Virtual Room Client Launcher Plug HP This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Virtual Room Client Launcher Plug HP This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Web Services Description Langua Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Web Logic SCA 14.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Windows Desktop Runtime 3.1 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Windows Server Base OS System Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor o			
Vertica Linux Client 11.0 Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Virtual Room Client Launcher Plug HP This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Web Services Description Langua Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Web Logic SCA 14.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Windows Desktop Runtime 3.1 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Windows Server Base OS System Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Wireshark 2.4 SUSE This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applicati			
Virtual Room Client Launcher Plui HP This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Web Services Description Langua Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Windows Desktop Runtime 3.1 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Windows Desktop Runtime 3.1 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Wireshark 2.4 SUSE This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version			
virt-viewer Red Hat This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Web Services Description Langual Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Windows Desktop Runtime 3.1 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Windows Desktop Runtime 3.1 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Wirdsows Server Base OS System Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  XStream 1.3 Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.			
Web Services Description Langua Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Webtogic SCA 14.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Windows Desktop Runtime 3.1 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Windows Server Base OS System Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Workforce Analytics Manager 6.1 Kronos This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  XStream 1.3 Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.			
WebLogic SCA 14.1 Oracle This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Windows Desktop Runtime 3.1 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Windows Server Base OS System Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Workforce Analytics Manager 6.1 Kronos This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  XStream 1.3 Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.			
Windows Desktop Runtime 3.1 Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Windows Server Base OS System Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Wireshark 2.4 SUSE This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Workforce Analytics Manager 6.1 Kronos This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  XStream 1.3 Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.			
Windows Server Base OS System Microsoft This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Wireshark 2.4 SUSE This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Workforce Analytics Manager 6.1 Kronos This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  With a policy of the Product of the Product of New Wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.			
wireshark 2.4 SUSE This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  Workforce Analytics Manager 6.1 Kronos This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  XStream 1.3 Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.			
Workforce Analytics Manager 6.1 Kronos This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.  XStream 1.3 Micro Focus This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.		SLICE	
	WIresnark 2.4	303E	
Total = 556	Workforce Analytics Manager 6.1	Kronos	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Workforce Analytics Manager 6.1 XStream 1.3	Kronos	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.