List of Applications Deleted in ARL #2705

			List of Applications Deleted in A	ARL #2705		
	Publisher	Reason				() A
3CDaemon 3	Hewlett Packard Enterprise				ences are mapped to respective major version	
3D Viewer 2.1 3D Viewer 3.18	Microsoft Microsoft				ences are mapped to respective major version ences are mapped to respective major version	
Account Reconciliation Wel	Oracle				ences are mapped to respective major version ences are mapped to respective major version	
Accumark Reinspection 1.7	CCC				ences are mapped to respective major version	
Accumark Reinspection 1.9	ccc	This Application is ignor	ed in favor of new wildcarding rule for non-	commercial applications. All related evid	ences are mapped to respective major version	n of the Product.
ACDSee 2.2 Free	ACD Systems				ences are mapped to respective major version	
ACDSee 2.3 Free	ACD Systems				ences are mapped to respective major version	
ACDSee 2.4 Free ACT Enterprise 2.12	ACD Systems Vanderbilt Industries				ences are mapped to respective major version ences are mapped to respective major version	
Active Data Guard	Oracle				ences are mapped to respective major version	
AD Agent 5	VMware				ences are mapped to respective major version	
AD Info 1.1 Free	Cjwdev	This Application is ignor	ed in favor of new wildcarding rule for non-	commercial applications. All related evid	ences are mapped to respective major version	n of the Product.
AD Info 1.5 Free	Cjwdev				ences are mapped to respective major version	
AD Info 1.7 Free	Cjwdev		·		ences are mapped to respective major version	
Administrator SDK COM 7.5 Administrator SDK COM 7.6	Broadcom Broadcom				ences are mapped to respective major version ences are mapped to respective major version	
Administrator SDK COM 7.7	Broadcom				ences are mapped to respective major version	
Administrator SDK COM 8.1					ences are mapped to respective major version	
Administrator SDK COM 8.5					ences are mapped to respective major version	
Advanced Audio Coding 2.0	Axis Communications				ences are mapped to respective major version	
Advanced Server Access	Okta				ences are mapped to respective major version	
aex-serverinventory 7.1 aex-serverinventory 7.5	Broadcom Broadcom				ences are mapped to respective major version ences are mapped to respective major version	
aex-serverinventory 7.6	Broadcom				ences are mapped to respective major version	
Agentless Management Ser	Hewlett Packard Enterprise				ences are mapped to respective major version	
Agentless Management Ser	Hewlett Packard Enterprise				ences are mapped to respective major version	
	Hewlett Packard Enterprise		·		ences are mapped to respective major version	
Agentless Management Ser Agentless Management Ser	Hewlett Packard Enterprise Hewlett Packard Enterprise				ences are mapped to respective major version ences are mapped to respective major version	
	Hewlett Packard Enterprise				ences are mapped to respective major version ences are mapped to respective major version	
	Hewlett Packard Enterprise				ences are mapped to respective major version	
Altiris Activity Center 8.0	Broadcom				ences are mapped to respective major version	
Another Redis Desktop Mar	qishibo				ences are mapped to respective major version	
Ansel 5.1	NVIDIA				ences are mapped to respective major version	
Ansel 7.1 AnyConnect Diagnostics and	NVIDIA Cisco				ences are mapped to respective major version ences are mapped to respective major version	
AnyConnect Diagnostics and AnyConnect Diagnostics and	Cisco				ences are mapped to respective major version ences are mapped to respective major version	
AnyConnect Diagnostics and	Cisco		·		ences are mapped to respective major version	
AnyConnect Diagnostics and	Cisco	This Application is ignor	ed in favor of new wildcarding rule for non-	commercial applications. All related evid	ences are mapped to respective major version	n of the Product.
AnyConnect Diagnostics and	Cisco				ences are mapped to respective major version	
AnyConnect Diagnostics and	Cisco				ences are mapped to respective major version	
AnyConnect Diagnostics and AnyConnect Diagnostics and	Cisco				ences are mapped to respective major version ences are mapped to respective major version	
	Cisco				ences are mapped to respective major version	
AnyConnect Diagnostics and					ences are mapped to respective major version	
anyERP Adapter 5.04	BasWare	This Application is ignor	ed in favor of new wildcarding rule for non-	commercial applications. All related evid	ences are mapped to respective major version	n of the Product.
anyERP Adapter 5.06	BasWare				ences are mapped to respective major version	
anyERP Adapter 5.07 anyERP Adapter 5.08	BasWare BasWare				ences are mapped to respective major version ences are mapped to respective major version	
Apache HTTP server root co	Oracle				ences are mapped to respective major version	
A-PDF Split	A-PDF.com				ences are mapped to respective major version	
API Catalog 12c R1	Oracle	This Application is ignor	ed in favor of new wildcarding rule for non-	commercial applications. All related evid	ences are mapped to respective major version	n of the Product.
APL 14.1	Dyalog				ences are mapped to respective major version	
App Manager 1	Dell Technologies				ences are mapped to respective major version	
App Manager 2 App Store 6	Dell Technologies Apple				ences are mapped to respective major version ences are mapped to respective major version	
AppDisco Server A.04	HP				ences are mapped to respective major version	
Application Agent 8.7	Hitachi Vantara				ences are mapped to respective major version	
Application Client for WebS	IBM				ences are mapped to respective major version	
Application Client for WebS	IBM				ences are mapped to respective major version	
Application Development 1 Application Lifecycle Management	Oracle Micro Focus				ences are mapped to respective major version ences are mapped to respective major version	
Application Lifecycle Manag					ences are mapped to respective major versic	
Application Lifecycle Manag	Micro Focus				ences are mapped to respective major version	
Application Response Meas		man 1		commercial applications. All related evid	ences are mapped to respective major version ences are mapped to respective major version	n of the Product.
Application Response Meas				commercial applications. All related evid	ences are mapped to respective major version ences are mapped to respective major version	on of the Product. on of the Product. on of the Product.
		This Application is ignor	ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications. All related evid	ences are mapped to respective major versic ences are mapped to respective major versic ences are mapped to respective major versic	on of the Product. on of the Product. on of the Product. on of the Product.
Application Response Meas	HP	This Application is ignor This Application is ignor	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications. All related evid commercial applications. All related evid	ences are mapped to respective major versic ences are mapped to respective major versic ences are mapped to respective major versic ences are mapped to respective major versic	on of the Product.
	HP	This Application is ignor This Application is ignor This Application is ignor	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications. All related evid commercial applications. All related evid commercial applications. All related evid	ences are mapped to respective major versic ences are mapped to respective major versic ences are mapped to respective major versic	on of the Product. In of the Product.
Application Response Meas Application Response Meas	HP HP	This Application is ignor This Application is ignor This Application is ignor This Application is ignor This Application is ignor	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications. All related evid	ences are mapped to respective major versice ences are mapped to respective major versice	on of the Product.
Application Response Meas Application Response Meas Application Server 11.10 Application Server Single Si ApplicationXtender License	HP HP Broadcom Oracle OpenText	This Application is ignor This Application is ignor	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications.	ences are mapped to respective major versice ences are mapped to respective major versice	on of the Product. In of the Product.
Application Response Meas Application Response Meas Application Server 11.10 Application Server Single Si ApplicationXtender License ARCserve Universal Agent 1	HP HP Broadcom Oracle OpenText ARCserve	This Application is ignor This Application is ignor	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications.	ences are mapped to respective major versionences are mapped to re	on of the Product. In of the Product.
Application Response Meas Application Response Meas Application Server 11.10 Application Server Single Si ApplicationXtender License ARCserve Universal Agent 1 asciidoc 8.6	HP HP Broadcom Oracle OpenText ARCServe Software in the Public Interest	This Application is ignor This Application is ignor	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications.	ences are mapped to respective major versice ences are mapped to respective major versice	on of the Product. In of the Product.
Application Response Meas Application Response Meas Application Server 11.10 Application Server Single Si ApplicationXtender License ARCserve Universal Agent 1	HP HP Broadcom Oracle OpenText ARCserve	This Application is ignor This Application i	ed in favor of new wildcarding rule for non- dd in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications.	ences are mapped to respective major versionences are mapped to re	on of the Product. In of the Product.
Application Response Meas Application Response Meas Application Server 11.10 Application Server Single Si ApplicationXtender License ARCserve Universal Agent 1 asciidoc 8.6 ASP.NET Web Frameworks	HP HP Broadcom Oracle OpenText ARCserve Software in the Public Interest Microsoft	This Application is ignor This Application is ignor	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications.	ences are mapped to respective major versice ences are mapped to respective major versice	on of the Product. In of the Product.
Application Response Meas Application Response Meas Application Server 11.10 Application Server Single Si Application Server Single Si ApplicationXtender License ARCserve Universal Agent 1 asciidoc 8.6 ASP.NET Web Frameworks ASP.NET Web Frameworks ASP.NET Web Frameworks ASP.NET Web Frameworks	HP HP Broadcom Oracle OpenText ARCserve Software in the Public Interest Microsoft Microsoft Microsoft Microsoft	This Application is ignor This Application is ignor	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications.	ences are mapped to respective major versice ences are mapped to respective major versice	in of the Product.
Application Response Meas Application Response Meas Application Server 11.10 Application Server Single Si Application Server Single Si ApplicationXtender License ARCserve Universal Agent 1 asciidor 8.6 ASP.NET Web Frameworks ASP.NET Web Frameworks ASP.NET Web Frameworks ASP.NET Web Frameworks ASP.NET Web Frameworks	HP HP Broadcom Oracle OpenText ARCServe Software in the Public Interest Microsoft Microsoft Microsoft Microsoft Microsoft Microsoft Microsoft	This Application is ignor	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications.	ences are mapped to respective major versionences are mapped to re	on of the Product. In of the Product.
Application Response Meas Application Response Meas Application Server 11.10 Application Server 11.10 Application Server Single Si ASP.NET Web Frameworks	HP HP Broadcom Oracle OpenText ARCServe Software in the Public Interest Microsoft	This Application is ignor This Application is grow This Application is grow This Application is grow This Application is ignor	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications.	ences are mapped to respective major versice ences are mapped to respective major versice	on of the Product. In of the Product.
Application Response Meas Application Response Meas Application Server 11.10 Application Server Single Si Application Server Single Si ApplicationXtender License ARCserve Universal Agent 1 asciidoc 8.6 ASP.NET Web Frameworks ASP.NET Web Frameworks	HP HP Broadcom Oracle OpenText ARCServe Software in the Public Interest Microsoft	This Application is ignor	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications.	ences are mapped to respective major versice neces are mapped to respective major versicences are mapped to res	on of the Product. In of the Product.
Application Response Meas Application Response Meas Application Server 11.10 Application Server 11.10 Application Server Single Si ASP.NET Web Frameworks	HP HP Broadcom Oracle OpenText ARCServe Software in the Public Interest Microsoft	This Application is ignor This Application i	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications.	ences are mapped to respective major versice ences are mapped to respective major versice	on of the Product. In of the Product.
Application Response Meas Application Response Meas Application Server 11.10 Application Server Single Si Application Server Single Si Application Server Single Si ASP. NET Web Frameworks ASP. NET Web Frameworks A	HP HP Broadcom Oracle OpenText ARCServe Software in the Public Interest Microsoft Broadcom	This Application is ignor	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications. All related evid propercial evid evid commercial applications evid evid evid commercial applications evid evid evid evid commercial evid evid evid evid evid evid evid evid	ences are mapped to respective major versionences are mapped to re	in of the Product.
Application Response Meas Application Response Meas Application Server 11.10 Application Server Single Si Application Server Single Si Application Server Single Si Application Server Single Si ASP.NET Web Frameworks ASP.NET Web Frameworks	HP HP Broadcom Oracle OpenText ARCServe Software in the Public Interest Microsoft Microsoft Microsoft Microsoft Microsoft Microsoft Microsoft Broadcom Broadcom Broadcom GitHub GitHub	This Application is ignor	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications. All related evid propercial evid evid evid evid evid evid evid evid	ences are mapped to respective major versionences are mapped to re	in of the Product.
Application Response Meas Application Response Meas Application Server 11.10 Application Server 11.10 Application Server Single Si Application Server Single Si Application Server Single Si ASP. NET Web Frameworks ASP. Ser TWeb F	HP HP Broadcom Oracle OpenText ARCServe Software in the Public Interest Microsoft Micr	This Application is ignor	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications. All related evid propercial evid commercial	ences are mapped to respective major versice neces are mapped to r	in of the Product.
Application Response Meas Application Response Meas Application Server 11.10 Application Server 11.10 Application Server 11.10 Application Server Single Si Application Server Single Si Application Server Single Si Application Server Single Si ASP.NET Web Frameworks ASP.NET Web Armonophysical Services ASP.NET Web Armono	HP HP HP Broadcom Oracle OpenText ARCserve Software in the Public Interest Microsoft Microsoft Microsoft Microsoft Microsoft Microsoft Microsoft Microsoft Microsoft Broadcom Broadcom GitHub GitHub GitHub	This Application is ignor This Application i	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications commercial evid propies of the evid commercial applications evid propies	ences are mapped to respective major versionences are mapped to re	in of the Product.
Application Response Meas Application Response Meas Application Response Meas Application Server 11.10 Application Server Single Si Application Server Single Si Application Server Single Si Application Server Single Si ASP.NET Web Frameworks ASP.NET We	HP HP Broadcom Oracle OpenText ARCServe Software in the Public Interest Microsoft Broadcom GitHub GitHub GitHub GitHub	This Application is ignor This Application i	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications. All related wid commercial applications. All related wid commercial applications. All related evid commercial applications commercial evid commercial applications evid evid commercial evid evid commercial evid ev	ences are mapped to respective major versionences are mapped to re	in of the Product.
Application Response Meas Application Response Meas Application Server 11.10 Application Server 11.10 Application Server 11.10 Application Server Single Si Application Server Single Si Application Server Single Si Application Server Single Si ASP.NET Web Frameworks ASP.NET Web Armonophysical Services ASP.NET Web Armono	HP HP HP Broadcom Oracle OpenText ARCserve Software in the Public Interest Microsoft Broadcom Broadcom GitHub GitHub GitHub	This Application is ignor This Application i	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications applications applications evident eviden	ences are mapped to respective major versionences are mapped to re	in of the Product.
Application Response Meas Application Response Meas Application Response Meas Application Server 11.10 Application Server 11.10 Application Server Single Si Application Server Single Si Application Server Single Si Application Server Single Si ASP.NET Web Frameworks ASP.NET	HP HP HP Broadcom Oracle OpenText ARCserve Software in the Public Interest Microsoft Microsoft Microsoft Microsoft Microsoft Microsoft Microsoft Microsoft Broadcom GitHub GitHub GitHub GitHub GitHub GitHub GitHub Audible Quest	This Application is ignor This Application i	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications evident ev	ences are mapped to respective major versice neces are mapped to respective major versicences are mapped to res	in of the Product.
Application Response Meas Application Response Meas Application Response Meas Application Server 11.10 Application Server 11.10 Application Server Single Si Application Server Single Si Application Server Single Si Application Server Single Si ASP.NET Web Frameworks ASP.NET	HP HP Broadcom Oracle OpenText ARCServe Software in the Public Interest Microsoft Micr	This Application is ignor This Application i	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications evident ev	ences are mapped to respective major versice neces are mapped to respective major versice ences are mapped to r	in of the Product.
Application Response Meas Application Response Meas Application Server 11.10 Application Server 11.10 Application Server 11.10 Application Server Single Si Application Server Single Si Application Server Single Si Application Server Single Si ASP.NET Web Frameworks ASP.NET Web Arameworks ASP.NET W	HP HP HP Broadcom Oracle OpenText ARCServe Software in the Public Interest Microsoft Microsoft Microsoft Microsoft Microsoft Microsoft Microsoft Microsoft Broadcom GitHub Audible Quest Autodesk Apache Software Foundation	This Application is ignor This Application i	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications.	ences are mapped to respective major versionences are mapped to re	in of the Product.
Application Response Meas Application Response Meas Application Response Meas Application Response Meas Application Server 11.10 Application Server Single Si Application Server Single Si Application Server Single Si Application Server Single Si Asp. NET Web Frameworks A	HP HP Broadcom Oracle OpenText ARCServe Software in the Public Interest Microsoft Gifthub Gifthub Gifthub Gifthub Gifthub Gifthub Gifthub Gifthub Audible Quest Autodesk Autodesk Autodesk Autodesk Apache Software Foundation Apache Software Foundation	This Application is ignor This Application i	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications commercial evid commercial applications commercial evid commercial applications comme	ences are mapped to respective major versionences are mapped to re	an of the Product. In of the Product.
Application Response Meas Application Response Meas Application Response Meas Application Server 11.10 Application Server 11.10 Application Server Single Si Application Server Single Si Application Server Single Si Application Server Single Si ASP.NET Web Frameworks ASP.NET	HP HP HP Broadcom Oracle OpenText ARCServe Software in the Public Interest Microsoft Microsoft Microsoft Microsoft Microsoft Microsoft Microsoft Microsoft Broadcom GitHub Audible Quest Autodesk Apache Software Foundation	This Application is ignor This Application i	ed in favor of new wildcarding rule for non- ed in favor of new wi	commercial applications. All related evid commercial applications commercial evid commercial applications evid necessarions propications and related ev	ences are mapped to respective major versionences are mapped to re	an of the Product. In of the Product.
Application Response Meas Application Response Meas Application Response Meas Application Server 11.10 Application Server 11.10 Application Server Single Si Application Server Single Si Application Server Single Si Application Server Single Si ASP.NET Web Frameworks ASP.NET	HP HP Broadcom Oracle OpenText ARCServe Software in the Public Interest Microsoft Micr	This Application is ignor This Application i	ed in favor of new wildcarding rule for non- ed in favor of new wi	commercial applications. All related evid commercial applications all related evid pubmercial applications al	ences are mapped to respective major versice neces are mapped to respective major versice ences are mapped to e	an of the Product. In of the Product.
Application Response Meas Application Response Meas Application Rerver 11.10 Application Server 11.10 Application Server 11.10 Application Server Interest Application Server Single Si Application Server Single Sing	HP HP HP Broadcom Oracle OpenText ARCserve Software in the Public Interest Microsoft Broadcom Broadcom GitHub GitHub GitHub GitHub GitHub GitHub GitHub Autodesk Autodesk Apache Software Foundation Apache Software Foundation Microsoft The Babel Team CentOS	This Application is ignor This Application i	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications. All related wid commercial applications. All related wid commercial applications. All related evid commercial applications. All rel	ences are mapped to respective major versionenes are mapped to respe	an of the Product. In of the Product.
Application Response Meas Application Response Meas Application Response Meas Application Response Meas Application Server 11.10 Application Server Single Si ASP.NET Web Frameworks A	HP HP Broadcom Oracle OpenText ARCServe Software in the Public Interest Microsoft Autodesk Microsoft Microsoft Microsoft The Babel Team	This Application is ignor This Application i	ed in favor of new wildcarding rule for non- ed in favor of new wildcarding rule for non-	commercial applications. All related evid commercial applications. All related wid commercial applications. All related wid commercial applications. All related evid commercial applications. All rel	ences are mapped to respective major versionences are mapped to re	an of the Product. In of the Product.

Benefit Calculator 1.0	Social Security Administration	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ	ct.
Benefit Calculator 1.13	Social Security Administration	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Productions.	
Benefit Calculator 1.14	Social Security Administration	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ	
Benefit Calculator 1.15	Social Security Administration	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ	ct.
Benefit Calculator 1.16	Social Security Administration	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	
Benefit Calculator 1.17	Social Security Administration	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	
Benefit Calculator 1.19 Benefit Calculator 1.20	Social Security Administration Social Security Administration	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications.	
bigtop-tomcat 0	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Productions of the Production	
bigtop-tomcat 6	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	
Binance 1.1	Binance	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	ct.
Binance 1.10	Binance	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Binance 1.22	Binance	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Productions of the Production	
Binance 1.3 Binance 1.7	Binance Binance	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications.	
BIRT Designer for Tivoli Con	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
BizFlow Process Studio 12.2		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	
BizFlow Process Studio 12.3		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	
BizFlow Process Studio 12.4		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	
BIZFlow Process Studio 12.5 BOINC 7.1	University of California, Berkeley	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications.	
Box Edit 2	Box	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Brooktrout Runtime Softwa	Dialogic	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	
Brooktrout Runtime Softwa	Dialogic	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ	
Brooktrout Runtime Softwa	Dialogic	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	
Brooktrout Runtime Softwa	Dialogic	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production	
Brooktrout Runtime Softwa BuffaloTools Launcher	Dialogic BUFFALO	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications.	
Business Intelligence Platfo	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Business Process Monitor C	HP	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Productions of the production	
Business Process Monitor C		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	
Business Process Monitor C		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	ct.
Business Service Manageme	Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ	
C++ Compiler Integrations i ca-certificates 2019	Intel Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is a specific production.	
Calculation Manager Web a		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Calculator 1.0	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production of the respective major version of the Production of th	
Calculator 10.1	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ	
Calculator 10.2	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	
Calculator 3.10	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	
Calculator 4.0	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications.	
Calculator 5.0 Calculator 5.1	Microsoft Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Calculator 5.2	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Productions.	
Calculator 6.0	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ	
Calculator 6.1	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	
Calculator 6.2	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Calculator 6.3 Call Level Interface 4.8	Microsoft Teradata	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications.	
Call Routing Server 6.6	Avaya	This Application is ignored in favor of new wildcarding fuel for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Calypso 17	Calypso Technology	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ	
CareLink uploader	Medtronic	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	ct.
Catalyst Container for Catal		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	
Catalyst Container for Catal		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Productions of the Production	
cdparanoia 10.2 Alpha Chef Development Kit 0.2	CentOS Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produith Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produith Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produith Application is ignored in favor of new wildcarding rule for non-commercial applications.	
Chef Development Kit 0.3	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Chef Development Kit 0.4	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ	
Chef Development Kit 0.5	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	
Chef Development Kit 0.6	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ	
Chef Development Kit 0.7 Chef Development Kit 0.9	Progress Software Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications.	
Chef Development Kit 1.1	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Chef Development Kit 1.4		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ	
Chef Development Kit 2.2	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ	ct.
Chef Development Kit 2.3		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ	
Chef Development Kit 2.4		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production	
Chef Development Kit 2.5 Chef Development Kit 2.6		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications.	
Chef Development Kit 3.1	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications.	
Chef Development Kit 3.2	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Chef Development Kit 3.3	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc	
Chef Development Kit 3.4		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ	
Chef Development Kit 3.5 Chef Development Kit 3.6	Progress Software Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produith Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produith Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produith Application is ignored in favor of new wildcarding rule for non-commercial applications.	
Chef Development Kit 3.5	Progress Software Progress Software	This Application is ignored in rayor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Chef Development Kit 3.8	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Chef Development Kit 3.9	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	ct.
Chef Development Kit 4.1	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ	
Chef Development Kit 4.13		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Productions.	
Chef Development Kit 4.2 Chef Development Kit 4.3	Progress Software Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications.	
Chef Development Kit 4.5	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Chef Development Kit 4.6	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produc	
Chef Development Kit 4.7	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	ct.
Chef Development Kit 4.8	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Chef Development Kit 4.9	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Chris 21 Client 5.2 chris21 Client 5.10	Frontier Software Frontier Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produith Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produith.	
chris21 Client 5.23	Frontier Software	This Application is ignored in favor of new wildcarding fuel for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
chris21 Client 5.24	Frontier Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	
chris21 Client 5.25	Frontier Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	ct.
chris21 Client 5.7	Frontier Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	
chrony 3.5 Client Agent 7.5	CentOS Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production is ignored in favor of new wildcarding rule for non-commercial applications.	
Client Agent 7.5	Broadcom	This Application is ignored in rayor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Client Agent 8.1	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Client Agent 8.5	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ-	ct.
Client Agent 8.6	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Produ	
	Hexagon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production	
Client License Manager 1.3	HENDER	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	ul.

Client License Manager 1.4	Hovagon	This Application is ignored in favor of powerildereding rule for non-commercial applications. All solated avidances are manned to recording major version of the Dece	duct
Client License Manager 1.4 Client License Manager 1.5	Hexagon Hexagon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Client License Manager 1.6	Hexagon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Client License Manager 1.7	Hexagon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Client License Manager 1.8	Hexagon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Client License Manager 2.1		This Application is ignored in layor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Client License Manager 2.2	Hexagon Hexagon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Client License Manager 2.3	Hexagon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Client License Manager 2.4	Hexagon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Client License Manager 2.5	Hexagon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Client License Manager 2.6	Hexagon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
CLIv2 13.1	Teradata	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
CLIV2 13.1 CLIV2 14.1	Teradata	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod.	
CLIV2 14.1 CLIV2 15.10	Teradata		
CLIV2 15.10 CLIV2 16.10		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
CLIV2 16.10 CLIV2 16.20	Teradata		
	Teradata	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
CLIv2 17.2 CLIv2 4.6	Teradata	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
	Teradata	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
CLIv2 4.7	Teradata	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
CLIv2 4.8 Cloud Connector 19.7	Teradata	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
	VMware	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Cloud Connector 19.8	VMware	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Cloud Connector 19.9	VMware	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Cloud Connector 20.3	VMware	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Cloud Connector 20.5	VMware	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Cloud Connector 20.6	VMware	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Cloud Connector 20.7	VMware	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Cloud Connector 20.8	VMware	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Cloud Connector 21.11	VMware	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Cloud Connector 21.2	VMware	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Cloud Connector 21.5	VMware	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Cloud Connector 21.7	VMware	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	duct.
Cloud Connector 8.2	VMware	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	duct.
Cloud Connector 8.3	VMware	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Cloud Connector 8.4	VMware	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	duct.
Cluster Server Agent for Inf	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	duct.
cmanic 7		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	duct.
COBOL for AIX Runtime Onl	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	duct.
COBOL for AIX Runtime Onl	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Cogito Desktop 4.2	Cogito	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	duct.
Cogito Desktop 5.2	Cogito	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Command Update 2.0	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Common Component	Haxx	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Common Component 4.0	Haxx	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
	STEMMER IMAGING	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Common Vision Blox (CVB)	STEMMER IMAGING	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Common Vision Blox (CVB)	STEMMER IMAGING	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Common Vision Blox (CVB)	STEMMER IMAGING	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
	STEMMER IMAGING	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
	STEMMER IMAGING	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Commons Logging 1	CentOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Configuration Manager 10	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Configuration Web Tool 1.0		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Container 1	NVIDIA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Content Services Client Libr	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
CoreServices UI Agent	Apple	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
coreutils 8.2	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Creator LJB 12.2	Corel	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
CSWggettextrt 0.1	OpenCSW	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
CSWggettextrt 0.17	OpenCSW	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
CSWlibncursesw6 6.1	OpenCSW	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
CSWlibncursesw6 6.2	OpenCSW	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
CTI Toolkit	Cisco	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
curl 7.4	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
curl 7.5	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
curl 7.6	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
curl 7.61	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
curl 7.7	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
curl 7.71	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
curl 7.9	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
D3Pro Theme 2.0	Crestron Electronics	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Data Analytics Acceleration	Intel	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Production o	
Data Collector 3.16	StreamSets	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Data Collector 3.17	StreamSets	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Data Collector 3.18	StreamSets	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Data Loss Prevention Detec	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Data Sourcer 7.0	Genesys	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Data Sourcer 7.1	Genesys	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Data Sourcer 7.2	Genesys	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Data Sourcer 8.0	Genesys	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Data Sourcer 8.1	Genesys	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Database Examples 11g R1	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Database Examples 12c R2	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Database Examples 19c	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
db 4		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
DB2 Connect Package 7.1	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
DB2 Connect Package 8.1	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
DB2 Engine 9.5	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	duct.
DB2 Engine 9.7	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
DB2 for Linux, UNIX and Wi	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
dbus 1.1	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
dcraw 9.1	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Deployment Solution Packa		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Deployment Solution Task S		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
_ ' _ '	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
derby 2.10	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Design Editor 10.1	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Design Studio 2.7	SmartStream Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Designer Generator Tools 1	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
	ActiveOps	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	
Desktop Gatherer			

Development Database 11g	Oracle	This Application is ignored i	n favor of new wildcarding	g rule for non-commer	cial applications. All related evider	ices are manned to respec	tive major version of the Product.
Development Database 12.	Oracle				cial applications. All related evider		
Development Platform	IBM				cial applications. All related evider		
Device Access Manager 8.3	HP	This Application is ignored i	n favor of new wildcardin	g rule for non-commer	cial applications. All related evider	ices are mapped to respec	tive major version of the Product.
Device Access Manager 8.4	HP				cial applications. All related evider		
Device Access Manager for					cial applications. All related evider		
Device Identity Manager 1. DFC Runtime Environment	Citrix Systems Dell Technologies				cial applications. All related evider cial applications. All related evider		
DFC Runtime Environment	Dell Technologies				cial applications. All related evider		
DFC Runtime Environment	Dell Technologies				cial applications. All related evider		
DFC Runtime Environment	Dell Technologies	This Application is ignored i	n favor of new wildcarding	g rule for non-commer	cial applications. All related evider	ices are mapped to respec	tive major version of the Product.
DFC Runtime Environment	Dell Technologies				cial applications. All related evider		
DFC Runtime Environment	Dell Technologies				cial applications. All related evider		
DFC Runtime Environment	Dell Technologies				cial applications. All related evider cial applications. All related evider		
DFC Runtime Environment DFC Runtime Environment	Dell Technologies Dell Technologies			•	cial applications. All related evider		,
Digital Xpress Reports 4.0	Fiserv				cial applications. All related evider		
DirectManage Active Direct					cial applications. All related evider		
Directories Support for Pro	Hewlett Packard Enterprise	This Application is ignored i	n favor of new wildcardin	g rule for non-commer	cial applications. All related evider	ices are mapped to respec	tive major version of the Product.
Directories Support for Pro					cial applications. All related evider		
Directories Support for Pro				•	cial applications. All related evider		
Directories Support for Pro	Hewlett Packard Enterprise Hewlett Packard Enterprise				cial applications. All related evider cial applications. All related evider		
	Hewlett Packard Enterprise				cial applications. All related evider		
Directories Support for Pro					cial applications. All related evider		
Directories Support for Pro	Hewlett Packard Enterprise				cial applications. All related evider		
	Hewlett Packard Enterprise				cial applications. All related evider		
	Hewlett Packard Enterprise				cial applications. All related evider		
Directories Support for Pro dirmngr 2.2					cial applications. All related evider cial applications. All related evider		
Discontinuity Stability Analy	Canonical Schlumberger				cial applications. All related evider		
Discussion Browser 3.2	Ab Initio				cial applications. All related evider		
Discussion Browser 3.3	Ab Initio				cial applications. All related evider		
Discussion Browser 3.5	Ab Initio	This Application is ignored i	n favor of new wildcardin	g rule for non-commer	cial applications. All related evider	ices are mapped to respec	tive major version of the Product.
dmidecode 3.1	Canonical				ial applications. All related evider		
dnf-data 2.7 dnf-data 4	Red Hat Red Hat				cial applications. All related evider cial applications. All related evider		
Documentum Thumbnail Se	OpenText			•	cial applications. All related evider		,
Documentum Thumbnail Se	OpenText				cial applications. All related evider		
	Performance Technology Associates			•	cial applications. All related evider		,
Dolby Digital Live Pack 4.0	Creative Technology	This Application is ignored i	n favor of new wildcarding	g rule for non-commer	cial applications. All related evider	ices are mapped to respec	tive major version of the Product.
doPDF 10.1	Softland				cial applications. All related evider		
doPDF 10.2	Softland				cial applications. All related evider		
doPDF 10.3 doPDF 10.4	Softland Softland				cial applications. All related evider		
doPDF 10.4 doPDF 10.5	Softland				cial applications. All related evider cial applications. All related evider		
doPDF 10.6	Softland				cial applications. All related evider		
doPDF 10.7	Softland				cial applications. All related evider		
doPDF 10.8	Softland	This Application is ignored i	n favor of new wildcardin	g rule for non-commer	cial applications. All related evider	ices are mapped to respec	tive major version of the Product.
doPDF 10.9	Softland				cial applications. All related evider		
doPDF 11.1 doPDF 11.2	Softland Softland				cial applications. All related evider		
doPDF 11.3	Softland				cial applications. All related evider cial applications. All related evider		
doPDF 11.4	Softland				cial applications. All related evider		
doPDF 11.6	Softland				cial applications. All related evider		
doPDF 7.2	Softland	This Application is ignored i	n favor of new wildcarding	g rule for non-commer	cial applications. All related evider	ices are mapped to respec	tive major version of the Product.
doPDF 7.3	Softland				cial applications. All related evider		
doPDF 8.4	Softland				cial applications. All related evider		
doPDF 9.1 doPDF 9.2	Softland Softland				cial applications. All related evider		
doPDF 9.3	Softland				cial applications. All related evider cial applications. All related evider		
doPDF 9.4	Softland				cial applications. All related evider		
doPDF 9.5	Softland				cial applications. All related evider		
doPDF 9.6	Softland	This Application is ignored i	n favor of new wildcardin	g rule for non-commer	cial applications. All related evider	ices are mapped to respec	tive major version of the Product.
doPDF printer 5.2	Softland				cial applications. All related evider		
doPDF printer 5.3	Softland				cial applications. All related evider		
doPDF printer 6 doPDF printer 6.1	Softland Softland				cial applications. All related evider cial applications. All related evider		
doPDF printer 6.2	Softland			•	cial applications. All related evider		,
doPDF printer 7	Softland				cial applications. All related evider		
Drive ES MICROMASTER 5.4	Siemens				cial applications. All related evider		
Drive ES SIMADYN D 5.4 Drive ES SIMOREG 5.4	Siemens				cial applications. All related evider		
Drive ES SIMOREG 5.4 Drive ES SIMOVERT 5.5	Siemens Siemens				cial applications. All related evider cial applications. All related evider		
Drive ES SIPLINK 5.4	Siemens				cial applications. All related evider		
DTM LIBRARY 2.0	ABB				cial applications. All related evider		
Dynamo Revit 1.1	Autodesk				cial applications. All related evider		
Dynamo Revit 1.2	Autodesk				cial applications. All related evider		
Dynamo Revit 1.3	Autodesk				cial applications. All related evider		
Dynamo Revit 1.3 EasyLog USB 5.5	Dynamo Lascar Electronics				cial applications. All related evider cial applications. All related evider		
EasyLog USB 6.8	Lascar Electronics				cial applications. All related evider		
EasyLog USB 7.2	Lascar Electronics				cial applications. All related evider		
EasyLog USB 7.4	Lascar Electronics	This Application is ignored i	n favor of new wildcarding	g rule for non-commer	cial applications. All related evider	ices are mapped to respec	tive major version of the Product.
EasyLog USB 7.5	Lascar Electronics				cial applications. All related evider		
EasyLog USB 7.6	Lascar Electronics				cial applications. All related evider		
EasyLog USB 7.7	Lascar Electronics				cial applications. All related evider		
edb-as12-pgsnmpd 1.0 edb-as12-slony-replication	EnterpriseDB EnterpriseDB				cial applications. All related evider cial applications. All related evider		
edb-as12-slony-replication-					cial applications. All related evider		
edb-as12-slony-replication-					cial applications. All related evider		
edb-as12-slony-replication-	EnterpriseDB	This Application is ignored i	n favor of new wildcardin	g rule for non-commer	cial applications. All related evider	ices are mapped to respec	tive major version of the Product.
eFLOW Platform	Top Image Systems				cial applications. All related evider		
Encryption Director Agent 1					cial applications. All related evider		
Encryption Director Agent 1				•	cial applications. All related evider		,
Encryption Director Agent 1 Encryption Director Agent 1	VENAFI VENAFI				cial applications. All related evider cial applications. All related evider		
Encryption Director Agent 1				•			tive major version of the Product.
Encryption Director Agent 1					cial applications. All related evider		
Encryption Director Agent 1	VENAFI				cial applications. All related evider		
Encryption Director Agent 2	VENAFI	This Application is ignored i	n tavor of new wildcarding	g rule for non-commer	cial applications. All related evider	ices are mapped to respec	tive major version of the Product.

Encryption Director Agent 2	VENAFI	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
	VENAFI	This Application is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.	
Endpoint Encryption One Ti	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Enterprise Data Quality wit	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Enterprise Manager Cloud (Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Enterprise Manager Ecomn	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
EOR Screening and Decision ethtool 4.5	Schlumberger Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
ethtool 4.8	Red Hat	Ins Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version or the Product. This Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major version or the Product.	
Everything 1.2	Voidtools	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Everything 1.3	Voidtools	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
evolution 3.28	Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
expect 5.21	TcI/Tk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
expect 5.31	Tcl/Tk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
expect 5.32	TcI/Tk TcI/Tk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
expect 5.42 expect 5.43	TcI/Tk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
expect 5.44	TcI/Tk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
expect 5.45	TcI/Tk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Express Agent 6.3	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Express Scribe 5.7	NCH Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Express Scribe 7.03	NCH Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Express Scribe 8.14 Express Scribe 8.26	NCH Software NCH Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Express Scribe 9.22	NCH Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Fabric 6.2	K2View	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
fabric 6.4	K2View	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Fabric 6.5	K2View	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
FAX Utility 3.1	Epson	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
FDT Shared Components 13	ABB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
FFmpeg 2.6 FFmpeg 2.8	FFmpeg Team FFmpeg Team	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
FFmpeg 2.8 FFmpeg 4.2	FFmpeg Team FFmpeg Team	This Application is ignored in rayor or new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.	
FiddlerCap	Progress Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
file 1:5	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	:.
file 5.11	CentOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
file 5.3	CentOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
FileNet Case Analyzer Engir firefox ESR 68	IBM CentOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
firefox ESR 91	Red Hat	This Application is ignored in rayor or new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.	
FlexNet Manager Platform	Flexera	This Application is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.	
Forms Developer 12.2	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Free DWG Viewer 16.2	Autodesk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Free DWG Viewer 5.1	Autodesk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Free DWG Viewer 5.2	Autodesk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Free DWG Viewer 5.3	Autodesk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Free DWG Viewer 5.4 Free DWG Viewer 6.1	Autodesk Autodesk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Free DWG Viewer 6.2	Autodesk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.	
Free Port Scanner 2.4	Nsasoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Free Port Scanner 2.8	Nsasoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Free Port Scanner 2.9	Nsasoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Free Port Scanner 3.5	Nsasoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
GeForce Experience 1.6	NVIDIA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
GeForce Experience 1.7	NVIDIA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
GeForce Experience 1.8 GeForce Experience 2.1	NVIDIA NVIDIA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
GeForce Experience 2.11	NVIDIA	This Application is ignored in rayor or new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.	
GeForce Experience 2.2	NVIDIA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
GeForce Experience 2.4	NVIDIA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
GeForce Experience 2.5	NVIDIA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
GeForce Experience 2.7	NVIDIA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
GeForce Experience 2.8	NVIDIA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
GeForce Experience 2.9 GeForce Experience 3.1	NVIDIA NVIDIA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
GeForce Experience 3.2	NVIDIA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.	
GeForce Experience 3.20	NVIDIA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
GeForce Experience 3.3	NVIDIA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	:.
GeForce Experience 3.4	NVIDIA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
GeForce Experience 3.5	NVIDIA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
GeForce Experience 3.6 GeForce Experience 3.7	NVIDIA NVIDIA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
GeForce Experience 3.8	NVIDIA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
GeForce Experience 3.9	NVIDIA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
gettext 0.19	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
gettext 0.20	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
gettext 0.21	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
ghostscript 8.0 ghostscript 8.7	CentOS CentOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
ghostscript 8.70	CentOS	This Application is ignored in rayor or new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.	
ghostscript 9.25	CentOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
ghostscript 9.27	CentOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
gnutls 3.3	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
gnutls 3.6	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Google Chrome Portable 37	PortableApps	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
GROUP POLICY PEROPTING	Stratasys SDM Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
GROUP POLICY REPORTING gtk 2.1	SDM Software GNOME Project	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
gtk 2.1 gtk 2.2	GNOME Project	This Application is ignored in rayor or new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.	
gtk 2.8	GNOME Project	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
gzip 1.9	gzip Project	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Hadoop HBase 0.98	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
Hadoop Yarn Node Manage Hadoop Yarn Node Manage	Apache Software Foundation Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
	Apache Software Foundation Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
	Apache Software Foundation	In Application is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product	
hadoop-yarn-resourcemana		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	
hdparm 9.5	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product	

The Annual Printers of the Company o	HPC Pack 2016 Services for	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	uct.
Les deuts de la contraction de				
Set 150 The selection for periodic control of the per				
Set 13. Public before to problem. The problems are set of the total of the control of the contro	IBM Tivoli Storage Manager	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	uct.
Set 14 December 1 standards of the production of the common production				
Set 1.1 — The Confidence Provincing on the Confidence of the Confi				
The print primary contents. The primary is a primary content on the primary content of the				
The part of the before revealed. The part of the part				
Stage 1.5 — The control of the contr		,		
English St. 1900. The property of the common of the commo			This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	uct.
Expend 2.5 One Common programment of the Design Common programment				
Expendit 2.7 The property of				
Expert 27 The property of the property of the entire day of the e				
Fig. 12.19 The place of the pl				
Figure 23 1 The Company of the Comp	IE Plugin 5.29	Okta	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	uct.
Figure 17 1 Figure 17 1 Figure 18 2 Figur				
Figure 21 To No. 19 Application in ground to how of the extincting out to recommend application. If other contents of the property is required to the property in the property of the property is required to the property in				
Target 15.1 Dis 15. The policy of the will be an in the form common application, all related colonics are magned to require to make the form of the Policy o				
Fig. 12.1. See 1. See 1				
The part of the common terms of the product of the recommendate against and a fine common and against a fine against a fine against a fine against a fine against and against a	IE Plugin 5.6	Okta	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	uct.
Explain2.5.2				
Taxone 2 — Andres pagetire. The application is special in the of their extinction of the recommendant against and a contract designation. All colored socialists are properly to regard to expect to expect and the Tracks. The application is special in form of the extinction of the Tracks. The application is special in form of the extinction of the Tracks. The application is special in form of the extinction of the Tracks. The application is special in form of the extinction of the Tracks. The application is special in form of the extinction of the Tracks. The application is special in form of the extinction of the Tracks. The application is special in form of the extinction of the Tracks. The application is special in form of the extinction of the Tracks. The application is applicated in the Tracks. The application is app				
inspect 27				
minuspen os S Med Set 1 This Application is govern in Prox of the welcoulding use for the room common application. At resisted excellent any set of the Product in Minuspen (Minuspen) and the Proximation of the Proximation (Minuspen) and the Proximation of the Proximation (Minuspen) and the Proximation (Minuspen				
missage 14. Available II. The Application is grown in Prose of the editional policy in the non-communical application. All resident endoces are resigned in prescribe many or who are the Product. The Application is grown in Prose of the Product. The Application is grown in Prose of the Product. The Application is grown in Prose of the Product. The Application is grown in Provided. The Application is				
This Application is grown of these of two editional price of the second round process and respect for the Product of Control C	InfoScale 5.1 Availabilit		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	uct.
mission 1.4 Controlled The Agentication is general to been of the model of the control of the model of the control of the model of the				
Interface 12 Constitution This Application is growed in force of new articlating but for non commonal applications. All radial editions are managed to registerin major exists of the Product Control of the West Control of the				
This depoting both 1, 2 best with the control of the without the set of the control of the product of the control of the product of the control of the product of the produ				
mirest information (Figure 12). A content of the co				
This application is guinted in four of mere inflated may be for non-commercial applications. All related evidences are suggested to report the made visual form to the product of the prod	InTrust Indexing Tool 11.4	Quest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	uct.
The Application is growed in four of new widestimpt and for non-motional applications. All related evidences are supposed to respective made various of the Product, and 1.0.5.0.1. The Application is growed in four of new widestimpt and for new contenting applications. All related evidences are supposed to respective made various of the Product, and 1.0.5.0.1. The Application is growed in four of new widestimpt and for new contenting applications. All related evidences are supposed to respective made various of the Product, and 1.0.2. p.				
This Aguitactus is guarant in four of new windstoring rule for one commonated aguitactuses. All related endeances are mapped to respective major variants of the Product. 201-10-10-11. This Aguitactus is guarant in four of new windstoring rule for one commonated aguitactuses. All related endeances are mapped to respective major variants of the Product. 201-10-10-11. This Aguitactus is guarant in four of new windstoring rule for one commonated aguitactuses. All related endeances are mapped to respective major variants of the Product. 201-20-20-20-20-20-20-20-20-20-20-20-20-20-				
20 1 2 Georgia 1 2 20 2	,			
part 1.7 Specified 1.3 Bed Filts		ordale		
The Application is general in free of new witdcarding rule for not commercial applications. All related endersce, are respect to respective major version of the Product. Developer Authors Champo Constitution of the Product of the		Red Hat		
This Application is genered in four of free or free wideociting not be not commercial applications. All related evidences are mapped to respective major version of the Product. Production is genered in four of the Wideocitic in Section 2. If the Product is a section of the Product is a section for the Product in the Product in Section 2. If the Product is a section of the Product is a section of the Product in Section 2. If the Product is a section of the Product is a section of the Product in Section 2. If the Product is a section of the Product is a sec		Red Hat		
Developer Basteres Compo Control Cont		up.		
Interest Description Recovery 2. Transcent Information The Application is grown in favor of new widesing rule for non-commercial applications. All related enderses are reagued to respective major version of the Product. Publication is grown in favor of new widesing rule for non-commercial applications. All related enderses are reagued to respective major version of the Product. Publication is grown in favor of new widesing rule for non-commercial applications. All related enderses are reagued to respective major version of the Product. Publication is grown in favor of new widesing rule for non-commercial applications. All related enderses are reagued to respective major version of the Product. Publication is grown in favor of new widesing rule for non-commercial applications. All related enderses are reagued to respective major version of the Product. Publication is grown in favor of new widesing rule for non-commercial applications. All related enderses are reagued to respective major version of the Product. Publication is grown in favor of new widesing rule for non-commercial applications. All related enderses are reagued to respective major version of the Product. Publication is grown in favor of new widesing rule for non-commercial applications. All related enderses are reagued to respective major version of the Product. Publication is grown in favor of new widesing rule for non-commercial applications. All related enderses are reagued to respective major version of the Product. Publication is grown in favor of new widesing rule for non-commercial applications. All related enderses are reagued to respective major version of the Product. Publication is grown in favor of new widesing rule for non-commercial applications. All related enderses are reagued to respective major version of the Product. Publication is grown in favor of new widesing rule for non-commercial applications. All related enderses are reagued to respective major version of the Product. Publication is grown in favor of new wides				
The Applications is grown in few or of new withcarding rule for non-commercial applications. All related evidences are magaged to respective major version of the Product. "All Applications is grown in few or of new withcarding rule for non-commercial applications, all related evidences are magaged to respective major version of the Product. "This Application is grown in few or of new withcarding rule for non-commercial applications, all related evidences are magaged to respective major version of the Product. "This Application is grown on in few or of new withcarding rule for non-commercial applications, all related evidences are magaged to respective major version of the Product. "This Application is grown of refer or of new withcarding rule for non-commercial applications, all related evidences are magaged to respective major version of the Product. "This Application is grown of refer or of new withcarding rule for non-commercial applications, all related evidences are magaged to respective major version of the Product. "This Application is grown of refer or of new withcarding rule for non-commercial applications, all related evidences are magaged to respective major version of the Product. "This Application is grown of refer or of new withcarding rule for non-commercial applications, all related evidences are magaged to respective major version of the Product. "This Applications is grown of refer or of new withcarding rule for non-commercial applications, all related evidences are magaged to respective major version of the Product. "This Application is grown of refer or of new withcarding rule for non-commercial applications, all related evidences are magaged to respective major version of the Product. "List colorer has 1.1.5 and Codes Godde "This Application is grown of refer or new withcarding rule for non-commercial applications, are magaged to respective major version of the Product. "List colorer has 1.1.5 and Codes Godde "This Application is grown of refer or new withcarding rule for non-c				
The Applications is governed in Nover of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. "Pull-Automatics folk Managed Witted Vi Vivariars The Applications is ignored in Nover of new Wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. "Pull-Automatics folk Wild Vivariars The Applications is ignored in Nover of new Wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. The Applications is ignored in Nover of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. The Applications is ignored in Nover of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. The Applications is ignored in Nover of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. The Applications is ignored in Nover of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. The Applications is ignored in Nover of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. The Applications is ignored in Nover of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. The Applications is ignored in Nover of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. The Applications is ignored in Nover of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. The Applications is ignored in Nover of new Wildcarding rule for	JP1/Automatic Job Manage	Hitachi Vantara	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	uct.
The Application is ignored in Navor of new wildcarding rule for one commercial applications. All related oxidences are mapped to respective major version of the Product, page 200 oxide The Application is ignored in Navor of new wildcarding rule for non-commercial applications. All related oxidences are mapped to respective major version of the Product, page 2000 1945 1945 1945 1945 1946				
The Application is giored in force of new willcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product, page 2000. PEG 2000. PEG 2				
In pag 200 Oncide This Application is ignored in lavo of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in lavo of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in lavo of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in lavo of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in lavo of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Each Coder Past 3.13 associated coulde. This Application is ignored in lavo of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Each Coder Past 3.14 associated coulde. This Application is ignored in lavo of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Each Coder Past 3.14 associated coulde. This Application is ignored in lavo of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Each Coder Past 3.14 associated coulde. This Application is ignored in lavo of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Each Coder Past 3.14 associated coulded. This Application is ignored in lavo of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Each Coder Past 3.15 associated coulded. This Application is ignored in lavo of new wildcarding rule for non-c				
PRE 2000 PEG This Application is ignored in lavor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Unit dem 3 This Application is ignored in lavor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in lavor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Cute Cooker Pack 1.1. Best Cooker Coulds This Application is ignored in lavor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Full Cooker Pack 1.1. Best Cooker Coulds This Application is ignored in lavor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Full Cooker Pack 1.1. Best Cooker Coulds This Application is ignored in lavor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Full Cooker Pack 1.1. Best Cooker Coulds This Application is ignored in lavor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Full Cooker Pack 1.1. Sear Cooker Coulds This Application is ignored in lavor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Full Cooker Pack 1.2. Sear Cooker Coulds This Application is ignored in lavor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Full Cooker Pack 1.2. Sear Cooker Coulds This Application is ignored in lavor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Full Cooker Pac				
This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pack 1.1. Bas (Goder Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pack 1.1. Bas (Goder Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pack 1.1. 9 Star (Goder Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pack 1.1. Bas (Goder Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pack 1.1. Bas (Goder Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pack 1.1. Bas (Goder Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pack 1.1. Bas (Goder Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pack 1.1. San (Goder Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pack 1.1. San (Goder Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respe		JPEG	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	uct.
Fig. 19 (See Pask 1.8) Blocked Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kulte Coder Pask 1.1 8 also Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kulte Coder Pask 1.1 8 lass (Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kulte Coder Pask 1.1 8 lass (Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kulte Coder Pask 1.1 8 lass (Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kulte Codec Pask 1.1 8 lass (Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kulte Codec Pask 1.1 8 lass (Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kulte Codec Pask 1.1 8 lass (Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kulte Codec Pask 1.1 8 lass (Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kulte Codec Pask 1.1 8 lass (Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial app				
Exite Gode Past 11, 18 ab Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Code Past 11, 9 Star (Code Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Code Past 11, 9 Star (Code Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Code Past 13, 18 and Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Code Past 13, 18 and Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Code Past 12, 18 and Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Codee Past 13, 18 and Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Codee Past 13, 18 and Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Codee Past 14, 18 and Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Codee Past 14, 18 and Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidence				
Exite Coder Pack 11.3 Basil Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pack 13.8 Basil Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pack 14.1 Basil Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pack 14.1 Start Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pack 14.2 Start Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pack 14.3 Start Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pack 14.3 Start Coder Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pack 14.4 Start Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pack 14.4 Start Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pack 14.5 Start Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related e				
ELIE Code Past 13.8 Basil Code Cuide This Application is ignored in favor of new willcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. ELIE Code Past 14.1 Start Codes Guide This Application is ignored in favor of new willcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. ELIE Code Past 14.2 Basil Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. ELIE Code Past 14.2 Basil Code Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. ELIE Code Past 14.3 Basil Code Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. ELIE Code Past 14.3 Basil Code Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. ELIE Code Past 14.4 Basil Code Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. ELIE Code Past 14.4 Start Code Guide This Application is guizered in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. ELIE Code Past 14.5 Start Code Guide This Application is guizered in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. ELIE Code Past 14.5 Start Code Guide This Application is guizered in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to re				
Exite Coder Pask 14.1 Bast Odder Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pask 14.2 Bast Odder Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pask 14.2 Bast Odder Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pask 14.3 Bast Odder Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pask 14.4 Bast Coder Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pask 14.4 Bast Coder Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pask 14.5 Bast Coder Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pask 14.5 Bast Coder Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pask 14.6 Bast Coder Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Coder Pask 14.6 Bast Coder Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related ev				
Exite Gode Pask 13.4 Star Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Gode Pask 13.2 Star Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Gode Pask 13.2 Star Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Gode Pask 13.4 Star Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Gode Pask 13.4 Star Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Gode Pask 13.5 Star Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Gode Pask 13.5 Star Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Gode Pask 13.6 Star Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Code Pask 13.6 Star Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Exite Code Pask 13.6 Star Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related ev				
Extre Gode Pack 13.2 Bast Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Extre Code Pack 13.2 Bast Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Extre Code Pack 13.5 Bast Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Extre Code Pack 13.6 Bast Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Extre Code Pack 14.5 Bast Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Extre Code Pack 14.5 Bast Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Extre Code Pack 14.5 Bast Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Extre Code Pack 14.6 Bast Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Extre Code Pack 14.5 Bast Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Extre Code Pack 14.5 Bast Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences ar				
This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. KLIEs Coder Pack 1.4.3 Basic Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. KLIEs Coder Pack 1.4.4 Basic Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. KLIEs Coder Pack 1.4.5 Basic Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. KLIEs Coder Pack 1.4.5 Basic Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. KLIEs Coder Pack 1.4.5 Basic Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. KLIEs Coder Pack 1.4.5 Basic Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. KLIEs Coder Pack 1.4.5 Basic Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. KLIEs Coder Pack 1.4.5 Basic Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. KLIEs Coder Pack 1.4.5 Basic Codes Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are				
Exite Cadee Pack 1.4 3 Bas Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. KLITE Codee Pack 1.4 4 Bas Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. KLITE Codee Pack 1.4 5 Bas Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. KLITE Codee Pack 1.4 5 Bas Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. KLITE Codee Pack 1.4 5 Bas Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. KLITE Codee Pack 1.4 5 Bas Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. KLITE Codee Pack 1.4 7 Bas Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. KLITE Codee Pack 1.4 7 Bas Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. KLITE Codee Pack 1.5 8 Bas Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. KLITE Codee Pack 1.5 1 Bas Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences a				
Kite Codee Pack 14.4 Basi Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kite Codee Pack 14.5 Star Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kite Codee Pack 14.5 Star Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kite Codee Pack 14.6 Star Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kite Codee Pack 14.6 Star Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kite Codee Pack 14.6 Star Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kite Codee Pack 14.8 Star Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kite Codee Pack 14.8 Star Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kite Codee Pack 14.9 Star Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kite Codee Pack 14.9 Star Codee Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped	K-Lite Codec Pack 14.3 Basi	Codec Guide	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	uct.
Kite Gode Pack 1.4 S Bas: Odde Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kite Gode Pack 1.4 S Sav Odde Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kite Code Pack 1.4 S Sav Odde Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kite Code Pack 1.4 S Sav Odde Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kite Code Pack 1.4 S Sav Code Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kite Code Pack 1.4 Sav Code Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kite Code Pack 1.4 Sav Code Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kite Code Pack 1.4 Sav Code Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kite Code Pack 1.4 Sav Sav Code Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kite Code Pack 1.5 Sav Sav Code Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major v				
Kille Goder Pack 1.4.5 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kille Coder Pack 1.4.6 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kille Codec Pack 1.4.7 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kille Codec Pack 1.4.7 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kille Codec Pack 1.4.8 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kille Codec Pack 1.4.8 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kille Codec Pack 1.4.9 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kille Codec Pack 1.4.9 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kille Codec Pack 1.5.1 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. Kille Codec Pack 1.5.1 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related e				
ELIE Codec Pack 14.5 Stat Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 14.6 Stat Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 14.6 Stat Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Code Pack 14.8 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Code Pack 14.8 Stat Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 14.9 Stat Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 14.9 Stat Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.1 Stat Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.2 Stat Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.2 Stat Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evide				
K-LIE Codec Pack 1.4.5 Bas Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 1.4.5 Bas Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 1.4.5 Bas Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 1.4.5 Bas Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 1.4.9 Stars Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 1.9.5 Bas Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 1.5.1 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 1.5.2 Bas Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 1.5.2 Bas Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 1.5.2 Bas Codec Guide This Application is ignored in favor of new wildcarding rule for				
K-Lite Codec Pack 14.7 Basil Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 14.8 Starl Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 14.9 Starl Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 14.9 Starl Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.1 Starl Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.2 Starl Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.2 Starl Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.2 Starl Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.3 Starl Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.5 Starl Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All				
K-Lite Codec Pack 14.8 Star Code Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 14.9 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 14.9 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.1 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.1 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.3 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.4 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.4 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related ev				
ELIE Codec Pack 14.9 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 14.9 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.1 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.1 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.2 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.3 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.3 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.4 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.5 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evi				
K-Lite Codec Pack 15.9 Bass Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.1 Bass Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.1 Bass Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.2 Bass Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.3 Bass Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.3 Bass Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.4 Bass Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.5 Bass Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.5 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related e				
K-Lite Codec Pack 13.5 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.1 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.2 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.2 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.3 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.4 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.4 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.4 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.5 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.6 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related e				
K-Lite Codec Pack 15.1 Stan Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.2 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.3 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.3 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.4 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.5 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.5 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.6 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.7 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major			This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	uct.
K-Lite Codec Pack 15.2 Basi Odec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.3 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.3 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.4 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.5 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.5 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.5 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.6 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.6 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.7 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related ev				
K-Lite Codec Pack 15.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.3 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.4 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.4 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.5 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.6 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.6 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.6 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.7 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.7 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related e				
K-Lite Codec Pack 15.3 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.3 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.4 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.5 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.5 Basi Code Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.6 Basi Code Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.6 Basi Code Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.7 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.7 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.8 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evid				
K-Lite Codec Pack 15.3 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.4 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.5 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.5 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.6 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.7 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.7 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.8 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.8 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major				
K-Lite Codec Pack 15.4 Stan Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.5 Stan Code Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.6 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.6 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.7 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.7 Stan Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.8 Stan Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.8 Stan Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.8 Stan Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.9 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related ev			This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	uct.
K-Lite Codec Pack 15.5 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.6 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.6 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.7 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.7 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.8 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.8 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.9 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.9 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.1 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related e				
K-Lite Codec Pack 15.5 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.6 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.6 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.7 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.8 Pack 15.8 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.9 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.9 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.9 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.1 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.1 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All				
K-Lite Codec Pack 15.6 Bas Codec Guide				
K-Lite Codec Pack 15.6 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.7 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.8 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.8 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.9 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.9 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.9 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.1 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.1 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related e				
K-Lite Codec Pack 15.7 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.8 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.9 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.9 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.1 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.1 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major			This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	uct.
K-Lite Codec Pack 15.8 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.8 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.9 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.1 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.1 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is gnored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major v				
K-Lite Codec Pack 15.8 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.9 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.9 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.1 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.2 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.				
K-Lite Codec Pack 15.9 Basi Odec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 15.9 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.1 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.1 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.				
K-Lite Codec Pack 15.9 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.1 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.1 Star Code Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.2 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.				
K-Lite Codec Pack 16.1 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.2 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.			This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Prod	uct.
K-Lite Codec Pack 16.2 Basi Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. K-Lite Codec Pack 16.2 Stan Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.				
K-Lite Codec Pack 16.2 Star Codec Guide This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.				

K-Lite Codec Pack 16.4 Stan	Codec Guide	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Codec Guide	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Codec Guide	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
K-Lite Codec Pack 16.7 Stan	Codec Guide	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
K-Lite Codec Pack 16.8 Basi	Codec Guide	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
K-Lite Codec Pack 16.9	Codec Guide	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
K-Lite Codec Pack 17.1 Basi K-Lite Codec Pack 2.9	Codec Guide Codec Guide	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
K-lite Codec Pack 6.0 Stand	Codec Guide	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Knowledge Xpert for SQL Se	Quest	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Komodo 11.0	ActiveState	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Komodo 12.0	ActiveState	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Komodo 9.0	ActiveState	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
KYOCERA Status Monitor 4 KYOCERA Status Monitor 5	Kyocera	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libpcap 1.9	Kyocera CentOS	Inis Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Library for Layout and Rend	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libsigc++ 2.3	CentOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libssh4 0.8	Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libtiff 3.6	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libtiff 3.8	IBM IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libtiff 4.1 libxml 2.7	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
libxml 2.9	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
License Manager 1.0	HARMAN	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
License Manager 2.1	SmartBear Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
License Manager 2.2	SmartBear Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
License Manager 2.3	SmartBear Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
License Manager 2.5 License Manager 2.7	SmartBear Software SmartBear Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
License Manager 2.7 License Manager 2.8	SmartBear Software SmartBear Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
License Manager 2.9	SmartBear Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
License Manager 9.0	Autodesk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Licensing Report 5.4	Haxx	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Licensing Service 5.4	Haxx	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Linux Preboot 8.5	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
linux-firmware 1.7 Live Office Client for BI plat	Canonical SAP	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Local Administrator Passwo	Microsoft	Inis Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Local Administrator Passwo		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Locator	Sensaphone	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Lync Online Plan 1 for Midr	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Lync Online Plan 2 for Gove		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Lync Online Plan 2 for Stude Machine Creation Service	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Machine Creation Service 5	Citrix Systems Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Machine Creation Service 5	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Machine Creation Service 7	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Machine Creation Service 7	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Machine Creation Service 7	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Machine Creation Service 7	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Machine Creation Service 7 Machine Creation Service 7	Citrix Systems Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Machine Creation Service 7	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Machine Creation Service 7	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Machine Creation Service 7	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Machine Creation Service 7	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Machine Creation Service 7	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Machine Creation Service 7 Machine Creation Service 7	Citrix Systems Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Machine Creation Service 7	Citrix Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Material Library Base Resol	Autodesk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Material Library Base Resol	Autodesk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Material Library Medium R		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Material Library Medium R		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Material Library Medium R Material Library Medium R		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
maven 3.6	Software in the Public Interest	Inis Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Media Server 1.14	Plex	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Media Server 1.15	Plex	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Media Server 1.16	Plex	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Media Server 1.18 Media Server 1.19	Plex Plex	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Media Server 1.19	Plex	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Media Server 1.9	Plex	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MediaInfo 18.1	MediaArea	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MediaInfo 18.12	MediaArea	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MediaInfo 20.09	MediaArea	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
MediaInfo 21.09 MKL core libraries 18.0	MediaArea Intel	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mongodb-enterprise-shell 3	MongoDB	Inis Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mongodb-enterprise-shell 3	MongoDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mongodb-enterprise-shell 3	MongoDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mongodb-enterprise-shell 4	MongoDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mongodb-enterprise-shell 4	MongoDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mongodb-mms-monitoring	MongoDB MongoDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mongodb-mms-monitoring mongodb-mms-monitoring	MongoDB MongoDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mongodb-mms-monitoring		Inis Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	MongoDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mongodb-mms-monitoring	MongoDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mongodb-mms-monitoring	MongoDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	MongoDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mongodb-mms-monitoring	MongoDB MongoDB	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mongodb-mms-monitoring MyODBC 5.1	MongoDB Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mysql55-mysql 5	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mysql55-mysql 5.5	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
mysql-connector-odbc-com		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Navisworks Simulate with 2	Autodesk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.

Navisworks Simulate with 2	Autodesk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
Navisworks Simulate with 2	Autodesk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
Navisworks Simulate with 2	Autodesk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
Navisworks Simulate with 2	Autodesk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
Navisworks Simulate with 2	Autodesk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
Navisworks Simulate with 2	Autodesk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
Navisworks Simulate with 2	Autodesk	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nCipher Support Software ncurses-base 5	nCipher Free Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
Net Client 8.1	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
NetAppDocsLite PowerShel	NetApp	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
Netca 8.1	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
Network Satellite Packages	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
Network Satellite Packages	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
Networking 8.1	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nGenius Client 3.0 nGenius Client 4.0	NetScout Systems NetScout Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nGenius Client 4.11	NetScout Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nGenius Client 4.3	NetScout Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nGenius Client 4.6	NetScout Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nGenius Client 4.7	NetScout Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nGenius Client 4.9	NetScout Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nGenius Client 5.1	NetScout Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nGenius Client 5.2 nGenius Client 5.3	NetScout Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nGenius Client 5.4	NetScout Systems NetScout Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nGenius Client 5.5	NetScout Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nGenius Client 6.0	NetScout Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nGenius Client 6.1	NetScout Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nGenius Client 6.2	NetScout Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nGenius Client 6.3	NetScout Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
NI System Monitor 21.0	National Instruments	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
NIC Agents 6.3 NIC Agents 7.2	Hewlett Packard Enterprise Hewlett Packard Enterprise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
NIC Agents 7.2 NIC Agents 7.3	Hewlett Packard Enterprise Hewlett Packard Enterprise	Ins Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
NIC Agents 7.4	Hewlett Packard Enterprise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
NIC Agents 7.5	Hewlett Packard Enterprise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
NIC Agents 7.6	Hewlett Packard Enterprise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
NIC Agents 7.7	Hewlett Packard Enterprise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
NIC Agents 7.8	Hewlett Packard Enterprise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
NIC Agents 7.9 NICE Player 6.3	Hewlett Packard Enterprise	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
NICE Player 6.4	NICE NICE	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
NICE Player 6.5	NICE	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
NICE Player 6.6	NICE	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
NICE Player 6.7	NICE	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
NICE Player 9.10	NICE	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nodejs 12.19	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nodejs 12.21	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nodejs 12.22 nodejs 6.16	Oracle Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nodejs 6.17	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nodejs 8.10	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nodejs 8.11	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nodejs 8.16	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nodejs 8.17	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
nomacs 3.16 NPrinting Messaging Service	Computer Vision Lab QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
	QlikTech International	his application is ignored in favor of new wildcarding rule for non-commercial applications. Air related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
NPrinting Messaging Service		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
NPrinting Messaging Service	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
NPrinting Messaging Service	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
. 00 0	QlikTech International	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
NPrinting Messaging Servic NPrinting Messaging Servic		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
NPrinting Messaging Servic		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
NPrinting Messaging Service		his Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
NPSS EMI 14.0	Southwest Research Institute	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
numpy 1.4	CentOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
numpy 1.7	CentOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
OC4J for Oracle Enterprise I	Oracle Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Office Sway 17 Office Sway 18	Microsoft Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
Office Web Apps Componer	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Officejet Pro 40.12	HP	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
OLGA 2020.1	Schlumberger	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
OnlineJFS/Veritas Filesyster	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
OnlineJFS/Veritas Filesyster	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
OnlineJFS/Veritas Filesyster	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
OnlineJFS/Veritas Filesyster OozieClient 3.3	Veritas Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
OozieClient 4.1	Apache Software Foundation Apache Software Foundation	This Application is ignored in rayor or new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
OozieClient 4.2	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
OozieClient 4.3	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
OozieClient 5.2	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
OpenSSH Services 5.3	OpenBSD	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
OpenSSH Services 6	OpenBSD	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
OpenView Performance 12 OpenView Performance 12	HP HD	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
	HP HP	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
OpenView Performance 12		his Application is ignored in favor of new wildcarding rule for non-commercial applications. Air related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	HP	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
OpenView Performance 12	НР	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
Operations Manager i Polic		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
Operations Manager i Polic		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
outperform EV Analytics Cli		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
outperform EV Analytics Cli outperform EV Analytics Cli	cubus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
	cubus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
outperform EV Analytics Cli	cubus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product
		.,

outporform EV Applytics Cli	cubuc	This Application is impreed in favor of populationary rule for non-commercial applications. All related evidences are manned to respective major	version of the Broduct
outperform EV Analytics Cli outperform EV Analytics Cli	cubus cubus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major.	
outperform EV Analytics Cli	cubus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major.	
outperform EV Analytics Cli	cubus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major.	
outperform EV Analytics Cli	cubus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
Package Replication 8.5	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
pango 1.1	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
pango 1.10	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
pango 1.14	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
pango 1.24	GNOME Project	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
pango 1.4	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
pango 1.40	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	version of the Product.
Part Modeler 2015 R1	Hexagon	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	version of the Product.
Payments Gateway Client 1	Experian	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	version of the Product.
Payments Gateway Client 1	Experian	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	version of the Product.
Payments Gateway Client 1	Experian	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
Payments Gateway Client 1	Experian	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
Payments Gateway Client 1		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
PC Studio 3.1	Samsung	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
PC Studio 3.2 PDF24 Creator 5.0	Samsung	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
PDF24 Creator 5.0 PDF24 Creator 9.0	Geek Software Geek Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major.	
PDFill PDF Editor with FREE	PlotSoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major.	
Performance Center Single	Broadcom	This Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major	
Performance Center Single	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
Performance Center Single	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
Performance Center Single	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
Performance Center Single	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
Performance Center Single	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
Performance Center Single	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
Performance Center Single	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
perl-CPAN-Meta	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
perl-CPAN-Meta-Requireme	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
perl-File-Path 2.1	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
perl-Getopt-Long 2.5	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
perl-IO-Socket-IP 4	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
PLAF Services 2016 R2	OSIsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major.	
PI AF Services 2017 Ping Monitor 6.1 Free	OSIsoft Emco Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major.	
Ping Monitor 6.1 Free Ping Monitor 6.2 Free	Emco Software Emco Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major.	
Ping Monitor 6.2 Free	Emco Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major.	
Ping Monitor 7.1 Free	Emco Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major.	
Ping Monitor 7.3 Free	Emco Software	This Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major	
PipeLink for STAAD.Pro 20	Bentley Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
Planning Web Application 1	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
Platform SDK for Java 8.5	Genesys	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
Platform SDK for Java 9.0	Genesys	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
Plex 1.1	Plex	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	version of the Product.
Polycom Content App 1.0	Plantronics	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	version of the Product.
Polycom Content App 1.1	Plantronics	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	version of the Product.
Polycom Content App 1.2	Plantronics	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
Portal Performance Reports	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
Portal Servlets 10.1	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
PostgreSQL 0	PostgreSQL Global Development Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
PostgreSQL 2	PostgreSQL Global Development Group	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
PostgreSQL 3 postgresql-server 10.15	PostgreSQL Global Development Group Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major.	
postgresql-server 10.17	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major.	
postgresql-server 8.1	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
postgresql-server 8.4	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
PowerImage 8.11	FIS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
PowerPath Migration Enabl	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
PowerToys 0.2 Preview	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	version of the Product.
PowerToys 0.3 Preview	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	version of the Product.
PowerToys 0.4 Preview	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
PowerToys 0.5 Preview	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
PowerToys 0.6 Preview	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
	Corel	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
Premium Pack Volumes 3.0		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
Premium Pack Volumes 3.1 Premium Pack Volumes 4.0	Corel	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major.	
Premium Pack Volumes 4.0	Corel Corel	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major.	
Premium Pack Volumes 6.0	Corel	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major.	
Premium Pack Volumes 7.0	Corel	This Application is ignored in favor of new windcarding rule for non-commercial applications. All related evidences are mapped to respective major.	
Print Services 5.1	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
	WIICIOSOTE		version of the Product.
ProactiveNet Agent 8.1	BMC	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	
		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major.	version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 ProactiveNet Agent 8.6	BMC BMC BMC	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	version of the Product. version of the Product. version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 ProactiveNet Agent 8.6 procps 1:3	BMC BMC Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	version of the Product. version of the Product. version of the Product. version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 ProactiveNet Agent 8.6 procps 1:3 Prophet QA	BMC BMC BMC Canonical FIS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 ProactiveNet Agent 8.6 procps 1:3 Prophet QA Prophet QA 8.2	BMC BMC Canonical FIS FIS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 ProactiveNet Agent 8.6 procps 1:3 Prophet QA Prophet QA 8.2 Prophet QA 9.1	BMC BMC Canonical FIS FIS FIS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 ProactiveNet Agent 8.6 procps 1:3 Prophet QA Prophet QA 8.2 Prophet QA 9.1 Prophet QA 9.3	BMC BMC Canonical FIS FIS FIS FIS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major	version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 ProactiveNet Agent 8.6 Prophet QA Prophet QA 8.2 Prophet QA 9.1 Prophet QA 9.3 Proxy Server 2.0	BMC BMC Canonical FIS FIS FIS FIS Aspect Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major.	version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 Prophet Agent 8.6 procps 1:3 Prophet QA Prophet QA 9.1 Prophet QA 9.1 Prophet QA 9.3 Prophet QA 9.3 Proybet QA 9.3 Proxy Server 2.0 psmisc 22.2	BMC BMC Canonical FIS FIS FIS FIS Canonical FIS FIS Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications.	version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 ProactiveNet Agent 8.6 procps 1.3 Prophet QA Prophet QA Prophet QA 9.1 Prophet QA 9.3 Proxy Server 2.0 psmisc 22.2 python2-pyasn1 0.2	BMC BMC Canonical FIS FIS FIS FIS Canonical Canonical Canonical Canonical Canonical Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications.	version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 ProactiveNet Agent 8.6 procps 1:3 Prophet QA Prophet QA Prophet QA 9.1 Prophet QA 9.1 Prophet QA 9.3 Prophet QA 9.3 Proxy Server 2.0 psmiss 22.2 python2-pyasn1 0.2 python2-pyasn1 0.4	BMC BMC Canonical FIS FIS FIS FIS Aspect Software Canonical Oracle Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications.	version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 Prophet QA Prophet QA Prophet QA Prophet QA 9.1 Prophet QA 9.3 Prophet QA 9.3 Prophet QA 9.3 Prophet QA 9.3 Proy Server 2.0 psmisc 22.2 python2-pyasn1 0.2 python2-pyasn1 0.4 python-werkzeug 0.11	BMC BMC Canonical FIS FIS FIS FIS Canonical Oracle Oracle Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications all related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications all related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications all related evidences are mapped to respecti	version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 Proches Agent 8.6 procps 1:3 Prophet QA Prophet QA Prophet QA 9.1 Prophet QA 9.1 Prophet QA 9.3 Proxy Server 2.0 psmisc 22.2 python2-pyasn1 0.2 python2-pyasn1 0.4 python-werkzeug 0.11 python-werkzeug 0.14	BMC BMC Canonical FIS FIS FIS FIS Canonical Oracle Oracle Oracle Red Hat Fedora Project	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications and related evidences are mapped to respec	version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 ProptiveNet Agent 8.6 procps 1:3 Prophet OA Prophet OA 9.1 Prophet OA 9.1 Prophet OA 9.3 Prophet OA 9.3 Prophet OA 9.2 python2-pyasn1 0.2 python2-pyasn1 0.2 python2-pyasn1 0.4 python-werkzeug 0.11 python-werkzeug 0.14 Qfinitt Client 10.2	BMC BMC BMC Canonical FIS FIS FIS FIS OF CANONICAL FIS OF CANONICAL CANONICAL CANONICAL CANONICAL CANONICAL COTACLE Oracle Oracle Oracle Oracle Oracle OpenText OpenText	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respe	version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 Prophet QA Process Prophet QA Prophet QA Prophet QA 9.1 Prophet QA 9.1 Prophet QA 9.3 Proy Server 2.0 psmisc 22.2 python2-pyasn 1 0.2 python2-pyasn 1 0.4 python-werkzeug 0.11 python-werkzeug 0.14 Qfiniti Client 1 0.2 Qfiniti Client 1 0.3	BMC BMC Canonical FIS FIS FIS FIS Oracle Oracle Oracle Red Hat Fedora Project OpenText OpenText OpenText	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications all related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications all related evidences are mapped to respect	version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 ProptiveNet Agent 8.6 procps 1:3 Prophet OA Prophet OA 9.1 Prophet OA 9.1 Prophet OA 9.3 Prophet OA 9.3 Prophet OA 9.2 python2-pyasn1 0.2 python2-pyasn1 0.2 python2-pyasn1 0.4 python-werkzeug 0.11 python-werkzeug 0.14 Qfinitt Client 10.2	BMC BMC BMC Canonical FIS FIS FIS FIS OF CANONICAL FIS OF CANONICAL CANONICAL CANONICAL CANONICAL CANONICAL COTACLE Oracle Oracle Oracle Oracle Oracle OpenText OpenText	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respe	version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 Prophet QA Prophet QA Prophet QA 9.1 Prophet QA 9.3 Prophet QA 9.3 Proxy Server 2.0 psmisc 22.2 python2-pyasn1 0.2 python2-pyasn1 0.1 python-werkzeug 0.11 python-werkzeug 0.14 Qfinitt Client 10.2 Qfinitt Client 10.3 Qfinitt Client 10.3	BMC BMC Canonical FIS FIS FIS FIS GASpect Software Canonical Oracle OpenText OpenText	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respe	version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 Propert Agent 8.6 procps 1:3 Prophet QA Prophet QA Prophet QA 9.1 Prophet QA 9.1 Prophet QA 9.3 Prophet QA 9.1 Prophet QA 9.3 Prophet QA 9.1	BMC BMC BMC Canonical FIS FIS FIS FIS Oracle Canonical Oracle Oracle Oracle Oracle Oracle Oracle OpenText OpenText OpenText OpenText	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respe	version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 Prophet QA Prophet QA Prophet QA Prophet QA 9.1 Prophet QA 9.3 Prophet QA 9.1 Pophet QA 9.1 Pop	BMC BMC BMC Canonical FIS FIS FIS FIS FIS Aspect Software Canonical Oracle Oracle Oracle Oracle Oracle Tedora Project OpenText	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respe	version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 Propert Agent 8.6 procps 1:3 Prophet QA Prophet QA Prophet QA 9.1 Prophet QA 9.3 Prophet QA 9.3 Prophet QA 9.3 Prophet QA 9.3 Proys Server 2.0 psmisc 22.2 python2-pyasn 1 0.2 python2-pyasn 1 0.4 python-werkzeug 0.11 python-werkzeug 0.11 python-werkzeug 0.14 Qfiniti Client 1 0.2 Qfiniti Client 1 0.4 Qfiniti Client 1 0.5 Qfiniti Client 1 0.6 Qfiniti Client 1 1.6	BMC BMC BMC Canonical FIS FIS FIS FIS Aspect Software Canonical Oracle Oracle Red Hat Fedora Project OpenText	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respe	version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 ProactiveNet Agent 8.6 procps 1:3 Prophet QA Prophet QA Prophet QA 9.1 Prophet QA 9.1 Prophet QA 9.3 Prophet QA 9.3 Proxy Server 2.0 psmiss 22.2 python2-pyasn1 0.2 python2-pyasn1 0.4 python-werkzeug 0.11 python-werkzeug 0.14 Qfiniti Client 10.3 Qfiniti Client 10.3 Qfiniti Client 10.4 Qfiniti Client 10.5 Qfiniti Client 16.6 Qfiniti Client 16.6 Qfiniti Client 16.6 Qfiniti Client 16.6 Qfiniti Client 16.7 Qilik Sense Essbase Connect Quantum 21.2	BMC BMC BMC Canonical FIS FIS FIS FIS FIS Aspect Software Canonical Oracle OpenText	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respe	version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 Propert Agent 8.6 procps 1:3 Prophet QA Prophet QA Prophet QA 9.1 Prophet QA 9.1 Prophet QA 9.3 Prophet QA 9.3 Prophet QA 9.3 Prophet QA 9.3 Proxy Server 2.0 psmisc 22.2 python2-pyasn 1 0.4 python2-pyasn 1 0.4 python-werkzeug 0.11 python-werkzeug 0.14 Qfiniti Client 10.3 Qfiniti Client 10.4 Qfiniti Client 10.5 Qfiniti Client 16.6 Qfiniti Client 16.7 Qlik Sense Essbase Connect Quantum 21.2 QuickBooks 5.1	BMC BMC BMC Canonical FIS FIS FIS FIS FIS FIS GASPECT SOFtware Canonical Oracle OpenText Interval OpenText OpenText Interval OpenText OpenText OpenText Interval	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respe	version of the Product.
ProactiveNet Agent 8.1 ProactiveNet Agent 8.5 ProactiveNet Agent 8.6 procps 1:3 Prophet QA Prophet QA Prophet QA 9.1 Prophet QA 9.1 Prophet QA 9.3 Prophet QA 9.3 Proxy Server 2.0 psmiss 22.2 python2-pyasn1 0.2 python2-pyasn1 0.4 python-werkzeug 0.11 python-werkzeug 0.14 Qfiniti Client 10.3 Qfiniti Client 10.3 Qfiniti Client 10.4 Qfiniti Client 10.5 Qfiniti Client 16.6 Qfiniti Client 16.6 Qfiniti Client 16.6 Qfiniti Client 16.6 Qfiniti Client 16.7 Qilik Sense Essbase Connect Quantum 21.2	BMC BMC BMC Canonical FIS FIS FIS FIS FIS Aspect Software Canonical Oracle OpenText	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respe	version of the Product.

RabbitMQ Server 1.3	SolarWinds	This Application is ignored	in favor of new wildcardin	g rule for non-commer	cial applications. All related evidence	es are manned to respectiv	e major version of the Product.
RabbitMQ Server 1.4	SolarWinds				cial applications. All related evidence		
RabbitMQ Server 1.5	SolarWinds				cial applications. All related evidence		
RabbitMQ Server 1.6	SolarWinds	This Application is ignored	in favor of new wildcardin	g rule for non-commer	cial applications. All related evidence	es are mapped to respectiv	e major version of the Product.
RabbitMQ Server 1.7	SolarWinds				cial applications. All related evidence		
Rational Functional Tester B	IBM				cial applications. All related evidence		
Rational Reporting Develop Reality Composer 1.2					cial applications. All related evidenc cial applications. All related evidence		
Reality Composer 1.3	Apple Apple				cial applications. All related evidence		
Reality Composer 1.4	Apple				cial applications. All related evidence		
Reality Composer 1.5	Apple	This Application is ignored	in favor of new wildcardin	g rule for non-commer	cial applications. All related evidence	es are mapped to respectiv	e major version of the Product.
regexp 1.2	Apache Software Foundation				cial applications. All related evidence		
Remediation Intelligence 9.	Checkmarx				cial applications. All related evidence		
Remediation Intelligence 9.					cial applications. All related evidence		
Remote Administrator Ager Remote Administrator Ager					cial applications. All related evident cial applications. All related evident		
Remote Secure Access 98.6					cial applications. All related evidence		
Report Core 12.2	Oracle	This Application is ignored	in favor of new wildcardin	g rule for non-commer	cial applications. All related evidence	es are mapped to respectiv	e major version of the Product.
Resume DVD Playback 1.0	GOM & Company				cial applications. All related evidence		
Revit Interoperability for In					cial applications. All related evidence		
Revit Interoperability for In rh-mariadb-mariadb 10.2	Autodesk Red Hat				cial applications. All related evidenc cial applications. All related evidence		
rh-nodejs12-npm 6.13	Red Hat				cial applications. All related evidence		
Robo 3T 1.1	3T Software Labs				cial applications. All related evidence		
Robo 3T 1.2	3T Software Labs	This Application is ignored	in favor of new wildcardin	g rule for non-commer	cial applications. All related evidence	es are mapped to respectiv	e major version of the Product.
Robo 3T 1.3	3T Software Labs				cial applications. All related evidence		
Robo 3T 1.4	3T Software Labs				cial applications. All related evidence		
Robomongo 0.9 ror40-rubygem-sprockets-ra	3T Software Labs Red Hat				cial applications. All related evident cial applications. All related evident		
Row Count Plus Transforma	Konesans				cial applications. All related evidence		
RPM Dashboards 2.3	Riverbed Technology			•	cial applications. All related evidence		,
RTP Proxy 15.1	Verint	This Application is ignored	in favor of new wildcardin	g rule for non-commer	cial applications. All related evidenc	es are mapped to respectiv	e major version of the Product.
RTP Proxy 15.2	Verint Section				cial applications. All related evidence		
rtpproxy 1 rtpproxy 1	Fedora Project				cial applications. All related evidenc cial applications. All related evidence		
ruby193-rubygem-sprocket	Red Hat				cial applications. All related evidence		
runc	Red Hat				cial applications. All related evidence		
Sample Rate Converter for	Oracle	This Application is ignored	in favor of new wildcardin	g rule for non-commer	cial applications. All related evidence	es are mapped to respectiv	e major version of the Product.
Sapience Buddy 6.0	Sapience Analytics			•	cial applications. All related evidence		,
satellite-schema 5	Red Hat				cial applications. All related evidence		
satellite-schema 5.8 sblim-cmpi-dns-devel 1	Red Hat Oracle				cial applications. All related evident cial applications. All related evident		
ScaleFT 1.44	Okta				cial applications. All related evidence		
ScaleFT 1.45	Okta				cial applications. All related evidence		
ScaleFT 1.50	Okta				cial applications. All related evidence		
ScaleFT 1.51	Okta				cial applications. All related evidence		
ScaleFT 1.52	Okta				cial applications. All related evidence		
ScaleFT 1.53 ScaleFT 1.54	Okta				cial applications. All related evidenc cial applications. All related evidence		
ScaleFT 1.55	Okta				cial applications. All related evidence		
ScaleFT 1.56	Okta				cial applications. All related evidence		
ScaleFT 1.57	Okta				cial applications. All related evidenc		
ScaleFT 1.58	Okta				cial applications. All related evidence		
ScaleFT 1.60	Okta				cial applications. All related evidence		
Scanner for Remote Deskto Schlumberger Licensing	FabulaTech Schlumberger				cial applications. All related evidenc cial applications. All related evidence		
Schlumberger Licensing 200					cial applications. All related evidence		
Schlumberger Licensing 201					cial applications. All related evidence		
Screen Capture Module	Verint				cial applications. All related evidence		
	Hewlett Packard Enterprise				cial applications. All related evidence		
Scripting Tools for Windows	Hewlett Packard Enterprise Hewlett Packard Enterprise				cial applications. All related evideno cial applications. All related evideno		
Security Agent 14.0	Trend Micro				cial applications. All related evidence		
Security Agent 5.8	Trend Micro				cial applications. All related evidence		
Security Agent 5.9	Trend Micro	This Application is ignored	in favor of new wildcardin	g rule for non-commer	cial applications. All related evidence	es are mapped to respectiv	e major version of the Product.
Security Agent 6.1	Trend Micro				cial applications. All related evidence		
Security Agent 6.2 Security Agent 6.3	Trend Micro Trend Micro				cial applications. All related evideno cial applications. All related evideno		
Security Agent 6.5	Trend Micro			•	cial applications. All related evidence		,
Security Agent 6.6	Trend Micro				cial applications. All related evidence		
Security Agent 6.7	Trend Micro				cial applications. All related evidence		
Sentinel SNMP Agent 6.3	NICE				cial applications. All related evidence		
Sentinel SNMP Agent 6.4 Sentinel SNMP Agent 6.5	NICE NICE				cial applications. All related evidenc cial applications. All related evidence		
Sentinel SNMP Agent 6.7	NICE				cial applications. All related evidence		
sepui 14.3	Broadcom				cial applications. All related evidence		
Service Cloud 2021	Oracle	This Application is ignored	in favor of new wildcardin	g rule for non-commer	cial applications. All related evidence	es are mapped to respectiv	e major version of the Product.
Servlet Engine 1.0	HP				cial applications. All related evidence		
Share 3.2	NVIDIA			•	cial applications. All related evidence		,
Share 3.3 Share 3.4	NVIDIA NVIDIA				cial applications. All related evidenc cial applications. All related evidence		
Share 3.5	NVIDIA				cial applications. All related evidence		
Share 3.6	NVIDIA				cial applications. All related evidence		
Share 3.7	NVIDIA				cial applications. All related evidence		
Share 3.8	NVIDIA				cial applications. All related evidence		
Share 3.9 shared-mime-info 1.5	NVIDIA Canonical				cial applications. All related evidence cial applications. All related evidence		
shared-mime-info 1.9	Micro Focus				cial applications. All related evidence		
Siebel Web Client 15.1	Oracle				cial applications. All related evidence		
Siebel Web Client 21.12	Oracle	This Application is ignored	in favor of new wildcardin	g rule for non-commer	cial applications. All related evidence	es are mapped to respectiv	e major version of the Product.
Siebel Web Client 21.5	Oracle				cial applications. All related evidence		
Siebel Web Client 21.8	Oracle				cial applications. All related evidence		
Siebel Web Client 6.3 Siebel Web Client 7.0	Oracle Oracle				cial applications. All related evident cial applications. All related evident		
Siebel Web Client 7.7	Oracle				cial applications. All related evidence		
Siebel Web Client 7.8	Oracle				cial applications. All related evidence		
Siebel Web Client 8.1	Oracle			•	cial applications. All related evidence		,
Siebel Web Client 8.2	Oracle				cial applications. All related evidence		
Siebel Web Server Manager SIGRA Plug-in 2.0	Oracle Siemens				cial applications. All related evidenc cial applications. All related evidence		
SIMATIC Prosave 15.1	Siemens				cial applications. All related evidence		

SiteScope Tools 11.60	Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SiteScope Tools 2019.02	Micro Focus	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product. This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	NetApp	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SNMP Master Agent 8.5	Genesys	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Socket Adapter 2.0	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Softphone Service	Five9	This Application is ignored in favor of new mildcarding rule for non-commercial applications. All frelated evidences are mapped to respective major version of the Product.
Software Delivery 3.1	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Software Delivery 6.3	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Software Delivery 6.4	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Software Delivery 8.4	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
sos 2.2	CentOS	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SourceTree 1.10	Atlassian	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SourceTree 1.6	Atlassian	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SourceTree 1.8	Atlassian	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SourceTree 1.9	Atlassian	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Sourcetree 3.1	Atlassian	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SourceTree 3.2	Atlassian	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Sourcetree 3.3	Atlassian	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SourceTree 3.4	Atlassian	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SourceTree 4.1	Atlassian	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Spectrum Protect Agent 11	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Spectrum Remote Administ	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Spectrum Remote Administ	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Spectrum Remote Administ	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Spring Web MVC 4	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SQL Server ADOMD.NET 20	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SQL Server ADOMD.NET 20	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SQL Server Client Tools 201	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SQL Server Command Line	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SQL Server Command Line	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SQL Server Command Line	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SQL Server Command Line	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SQL Server Command Line	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SQL Server Command Line	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SQL Server Command Line	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SQL Server Command Line	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SQL Server Command Line	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SQL Server Command Line	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SQL SPY 1.0	Alakin	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SQLsafe Backup Service 8.2	Embarcadero	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
SQLsafe Backup Service 8.4	Embarcadero	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ssh 1:6	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ssh 1:7	Canonical	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
STAAD Building Planner 15.	Bentley Systems	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
struts	Apache Software Foundation	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
subscription-manager-cock	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Sudo 1.7	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Sudo 1.8	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Sudo 1.9	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Sun ONE Web Proxy Server	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Symmetrix Support Softwar	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Symmetrix Support Softwar	Dell Technologies	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
System Center Endpoint Pro	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
System Interface Foundation	Lenovo	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
System Profiler 1.0	Apple	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
System Profiler 1.1	Apple	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
System Profiler 10.5	Apple	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
System Profiler 4.1	Apple	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Tcpreplay 4.1	Fedora Project	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Tcpreplay 4.3	AppNeta	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Team Fortress 2	Valve Software	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
TekVISA	Tektronix	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
TekVISA 4.1	Tektronix	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Test Tools for Microsoft Vis		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
tfm-rubygem-sprockets-rail		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Tftpd32 6.4 Service	Philippe Jounin	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Tftpd32 Service	Philippe Jounin	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
ThinkPad Power Manager 4		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
tiff 3	GnuWin32	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Tivoli Netcool/OMNIbus 8 F	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Tivoli Netcool/OMNIbus 8 F	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Tivoli Netcool/OMNIbus Pro	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Tivoli Netcool/OMNIbus Pro	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Tivoli Netcool/OMNIbus Pro	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Tivoli Storage Manager for	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	IBM	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
TNCremoNT 2.3	HEIDENHAIN	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
TNCremoNT 2.4	HEIDENHAIN	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Tools for BI platform 7.2	SAP	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
TotalView 3.9	Perforce	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Hans Turck	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Unicenter Advanced Event	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Unicenter Agent Technolog	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Unicenter Agent Technolog	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Unicenter Agent Technolog	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Unicenter Agent Technolog		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Unicenter Job Managemen		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Broadcom	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Unicenter NSM Utility Pack		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Unicenter NSM Utility Pack		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Unified Data Protection Age		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
UTF-8 TeraTerm Pro with T	Tera Term	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
-	VMware	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Verint Playback 10	Verint	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Verint Playback 11	Verint	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Verint Playback 15	Verint	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Veritas Cluster Server 7.1	Veritas	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.

Veritas Cluster Server 7.2	Veritas	Application is ignored in favor of new wildcarding rule for non-commo	rcial applications. All related evidences are mapped to respective major version of the Product.
Veritas Cluster Server 7.2	Veritas		rcial applications. All related evidences are mapped to respective major version of the Product.
Veritas Cluster Server 7.4	Veritas		rcial applications. All related evidences are mapped to respective major version of the Product.
Veritas Cluster Server agen	Veritas		rcial applications. All related evidences are mapped to respective major version of the Product.
Veritas Cluster Server agen	Veritas	11 0	rcial applications. All related evidences are mapped to respective major version of the Product.
Veritas Cluster Server agen			rcial applications. All related evidences are mapped to respective major version of the Product. rcial applications. All related evidences are mapped to respective major version of the Product.
Veritas DMP DSM Solution	Veritas Veritas		rcial applications. All related evidences are mapped to respective major version of the Product.
VERITAS File System 10	Veritas		rcial applications. All related evidences are mapped to respective major version of the Product.
Veritas High Availability Age	Veritas	11 0	rcial applications. All related evidences are mapped to respective major version of the Product.
Veritas High Availability Ag			rcial applications. All related evidences are mapped to respective major version of the Product.
Vertica Linux Client 4.1	Micro Focus		rcial applications. All related evidences are mapped to respective major version of the Product.
vFabric Postgres 9.1	VMware		rcial applications. All related evidences are mapped to respective major version of the Product.
vFabric Postgres 9.2	VMware	11 0	rcial applications. All related evidences are mapped to respective major version of the Product.
vFabric Postgres 9.3	VMware		rcial applications. All related evidences are mapped to respective major version of the Product.
vFabric Postgres 9.5	VMware		rcial applications. All related evidences are mapped to respective major version of the Product.
ViaVoice TTS Runtime 5.0	Nuance Communications	s Application is ignored in favor of new wildcarding rule for non-comme	rcial applications. All related evidences are mapped to respective major version of the Product.
ViaVoice TTS Runtime 6.2	Nuance Communications	s Application is ignored in favor of new wildcarding rule for non-commer	rcial applications. All related evidences are mapped to respective major version of the Product.
ViaVoice TTS Runtime 6.4	Nuance Communications	s Application is ignored in favor of new wildcarding rule for non-commer	rcial applications. All related evidences are mapped to respective major version of the Product.
ViaVoice TTS Runtime 6.6	Nuance Communications	s Application is ignored in favor of new wildcarding rule for non-commer	rcial applications. All related evidences are mapped to respective major version of the Product.
Video Decoder 2.3	Axis Communications	s Application is ignored in favor of new wildcarding rule for non-comme	rcial applications. All related evidences are mapped to respective major version of the Product.
Video Decoder 2.4	Axis Communications	s Application is ignored in favor of new wildcarding rule for non-comme	rcial applications. All related evidences are mapped to respective major version of the Product.
VideoGuard Player 6.6	Cisco	s Application is ignored in favor of new wildcarding rule for non-comme	rcial applications. All related evidences are mapped to respective major version of the Product.
VideoGuard Player 6.7	Cisco	s Application is ignored in favor of new wildcarding rule for non-comme	rcial applications. All related evidences are mapped to respective major version of the Product.
VideoGuard Player 6.8	Cisco	s Application is ignored in favor of new wildcarding rule for non-commer	rcial applications. All related evidences are mapped to respective major version of the Product.
vim-minimal 8.2	Amazon	s Application is ignored in favor of new wildcarding rule for non-comme	rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.1	Citrix Systems		rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.11			rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.12			rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.13	Citrix Systems		rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.14			rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.15			rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.16		11 0	rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.17			rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.18			rcial applications. All related evidences are mapped to respective major version of the Product. rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.19			
Virtual Desktop Agent 7.20 Virtual Desktop Agent 7.21			rcial applications. All related evidences are mapped to respective major version of the Product. rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.21 Virtual Desktop Agent 7.22		11 0	rcial applications. All related evidences are mapped to respective major version of the Product. rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.22 Virtual Desktop Agent 7.23			rcial applications. All related evidences are mapped to respective major version of the Product. rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.23			rcial applications. All related evidences are mapped to respective major version of the Product. rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.28			rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.29			rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.23 Virtual Desktop Agent 7.31			rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.51			rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.6	Citrix Systems		rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.7	Citrix Systems	11 0	rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.8	Citrix Systems		rcial applications. All related evidences are mapped to respective major version of the Product.
Virtual Desktop Agent 7.9	Citrix Systems		rcial applications. All related evidences are mapped to respective major version of the Product.
Visual Annotate 1.0	HP		rcial applications. All related evidences are mapped to respective major version of the Product.
Visual C++ CRT 2005	Microsoft		rcial applications. All related evidences are mapped to respective major version of the Product.
Visual Fortran Integration i	Intel		rcial applications. All related evidences are mapped to respective major version of the Product.
Visual Studio Redistributab			rcial applications. All related evidences are mapped to respective major version of the Product.
Visual Studio Testing Tools			rcial applications. All related evidences are mapped to respective major version of the Product.
VNC Connect 3.3	RealVNC	s Application is ignored in favor of new wildcarding rule for non-commer	rcial applications. All related evidences are mapped to respective major version of the Product.
Vocalizer Expressive 2.2	Freedom Scientific	s Application is ignored in favor of new wildcarding rule for non-commer	rcial applications. All related evidences are mapped to respective major version of the Product.
VoiceOver Utility 10.0	Apple	s Application is ignored in favor of new wildcarding rule for non-commer	rcial applications. All related evidences are mapped to respective major version of the Product.
Vowpal Wabbit 8.4	Microsoft		rcial applications. All related evidences are mapped to respective major version of the Product.
vRealize Automation Softw	VMware	s Application is ignored in favor of new wildcarding rule for non-commer	rcial applications. All related evidences are mapped to respective major version of the Product.
vRealize Operations Manag	VMware	s Application is ignored in favor of new wildcarding rule for non-comme	rcial applications. All related evidences are mapped to respective major version of the Product.
vRealize Operations Manag	VMware	s Application is ignored in favor of new wildcarding rule for non-comme	rcial applications. All related evidences are mapped to respective major version of the Product.
vRealize Operations Manag	VMware	s Application is ignored in favor of new wildcarding rule for non-comme	rcial applications. All related evidences are mapped to respective major version of the Product.
vRealize Operations Manag	VMware	s Application is ignored in favor of new wildcarding rule for non-comme	rcial applications. All related evidences are mapped to respective major version of the Product.
vRealize Operations Manag	VMware	s Application is ignored in favor of new wildcarding rule for non-comme	rcial applications. All related evidences are mapped to respective major version of the Product.
vRealize Operations Manag	VMware		rcial applications. All related evidences are mapped to respective major version of the Product.
vRealize Operations Manag			rcial applications. All related evidences are mapped to respective major version of the Product.
vRealize Operations Manag			rcial applications. All related evidences are mapped to respective major version of the Product.
vRealize Operations Manag			rcial applications. All related evidences are mapped to respective major version of the Product.
vSphere Update Manager F		11 0	rcial applications. All related evidences are mapped to respective major version of the Product.
Wavefront Proxy version 5.			rcial applications. All related evidences are mapped to respective major version of the Product.
Web Console 11.1	CommVault		rcial applications. All related evidences are mapped to respective major version of the Product.
Web Console 11.2 Web Console 11.8	CommVault CommVault		rcial applications. All related evidences are mapped to respective major version of the Product. rcial applications. All related evidences are mapped to respective major version of the Product.
Web Performance Monitor			rcial applications. All related evidences are mapped to respective major version of the Product. rcial applications. All related evidences are mapped to respective major version of the Product.
Web Server (VRTSweb)	Broadcom		rcial applications. All related evidences are mapped to respective major version of the Product.
Web Server (VRTSweb) 1.5	Broadcom	11	rcial applications. All related evidences are mapped to respective major version of the Product.
Web Server (VRTSweb) 4.2			rcial applications. All related evidences are mapped to respective major version of the Product.
Web Server (VRTSweb) 5.1			rcial applications. All related evidences are mapped to respective major version of the Product.
Web Server (VRTSweb) 5.5			rcial applications. All related evidences are mapped to respective major version of the Product.
Web-based System Manage	IBM		rcial applications. All related evidences are mapped to respective major version of the Product.
Web-based System Manage	IBM		rcial applications. All related evidences are mapped to respective major version of the Product.
WebCenter Sites Explorer 1	Oracle	s Application is ignored in favor of new wildcarding rule for non-comme	rcial applications. All related evidences are mapped to respective major version of the Product.
WebCenter Sites Tools 12.2			rcial applications. All related evidences are mapped to respective major version of the Product.
WebCenter Sites: Site Capt	Oracle		rcial applications. All related evidences are mapped to respective major version of the Product.
WebCenter Sites: Visitor Se	Oracle		rcial applications. All related evidences are mapped to respective major version of the Product.
WebLogic Server Compone			rcial applications. All related evidences are mapped to respective major version of the Product.
WebSphere Application Ser			rcial applications. All related evidences are mapped to respective major version of the Product.
WebSphere Business Integr			rcial applications. All related evidences are mapped to respective major version of the Product.
WebSphere Business Integr			rcial applications. All related evidences are mapped to respective major version of the Product.
WebSphere DataStage Pack			rcial applications. All related evidences are mapped to respective major version of the Product.
WebSphere DataStage Pack			rcial applications. All related evidences are mapped to respective major version of the Product.
WebSphere MQ Server 2.1			rcial applications. All related evidences are mapped to respective major version of the Product.
Werkzeug 0.11	Pallets Projects		rcial applications. All related evidences are mapped to respective major version of the Product.
Werkzeug 0.9	Pallets Projects		rcial applications. All related evidences are mapped to respective major version of the Product.
wget 1.9	IBM		rcial applications. All related evidences are mapped to respective major version of the Product.
Windows Live Movie Make			rcial applications. All related evidences are mapped to respective major version of the Product.
Windows Live Movie Make			rcial applications. All related evidences are mapped to respective major version of the Product.
Windows Live Movie Make			rcial applications. All related evidences are mapped to respective major version of the Product.
Windows Phone 0.9	Microsoft		rcial applications. All related evidences are mapped to respective major version of the Product.
Windows Phone 1	Microsoft		rcial applications. All related evidences are mapped to respective major version of the Product.
Windows Phone 10	Microsoft Microsoft		rcial applications. All related evidences are mapped to respective major version of the Product.
Windows Phone 3		Author article is ignored in tayor of new wildcarding rule for non-comme	rcial applications. All related evidences are mapped to respective major version of the Product.

Windows Phone 7	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Windows Phone 8	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Windows PowerShell 6.0	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Windows PowerShell 6.2 Pr		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Windows PowerShell 6.5	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Workforce Management Ac		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 10	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 11	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 12	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 14	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 15	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 19	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 22	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 24	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 25	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 27	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 28	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 29	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 3	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 30	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 31	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 33	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 34	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 36	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 38	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 39	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 41	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 44	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 48	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xbox 5	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xhox 9	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Xcelsius Designer for BI plat		In application is ignored in favor of new wildcarding rule for non-commercial applications. An related evidences are mapped to respective major version of the Product.
XL C Compiler Include Files		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
XL C/C++ Tools 10.1	IBM	
.,	Oracle	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
XML Developer's Kit 1.0		This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
xz 5.1	Red Hat	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Yammer 10.15	Microsoft	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Zabbix Agent 4.2	Zabbix SIA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Zabbix Agent 4.4	Zabbix SIA	This Application is ignored in favor of new wildcarding rule for non-commercial applications. All related evidences are mapped to respective major version of the Product.
Total = 1255		